

Safety Supplies



Hydration
 ALL SPORT.....2
 Bottled Water.....3
 Conical Paper Cups.....3

Safety Eyewear.....4-10
 Over the Glasses (OTG).....10

Eye Protection
 Safety Goggles.....11

Face Protection
 Face Shields & Visors12

Head Protection
 Helmets.....13

Ear Protection & Accessories
 Earplugs.....14
 Lens Cleaning Towelettes.....14
 Eyewear Retainers.....14

Ear & Respiratory Protection
 Earmuffs.....15
 Disposable Respirator Mask.....15
 Face Mask.....15

Gloves
Disposable
 Nitrile PF.....16
 Latex PF.....17
Industrial
 Cotton "Dots".....18
 Jersey.....18
 String Knit.....18
Work
 Leather Palms.....19
 Impact.....20
 Drivers.....21
 Welders.....22
 Yellow Latex.....22
 PVC.....22
 Cut Resistant.....23
 Coated.....23
 Neoprene.....23

Rainwear.....24

Coveralls.....25

Safety Wear & Tape
 Slush Boots.....26
 Surveyor's Vests.....26
 Caution Tape.....26

Heat Stress Prevention
 Chill Tie®.....27

Infrared Thermometer.....28

Sanitation Station.....29

Hand Sanitizer.....29

First Aid Kits.....30

Bloodborne Pathogens Kit.....30

Batteries
 Alkaline.....31
 Non-Alkaline.....31

Flashlights
 Industrial.....32
 LED.....32-33
 Intrinsically Safe.....32
 Penlight.....32
 Lanterns.....33
 Inspection.....33
 Work Lights.....33

Headlights.....33

GFCI Products.....34-35

Extension Cords.....35

Fire Safety
 Smoking Receptacles.....36

Safety Containment Systems
 Safety Containers.....37-39
 Type I Safety Containers.....38
 Laboratory Safety Cans.....38
 Type II Safety Containers.....39
 Liquid Disposal Cans.....39

Funnel Attachments
 Polypropylene Funnels.....40
 Hose Attachments.....40
 Flame Arrestors.....40
 Safety Spill Trays.....40

Collection Containers
 Oily Waste Cans.....41
 Drum Lids.....41
 Plunger Cans.....41

Drum Equipment
 Drum Bung Wrenches.....42
 Drum Cradles.....42
 Safety Drum Funnels.....42
 Brass Faucets.....42
 Safety Drum Vents.....42

Safety Cabinets
 Manual Close Cabinets.....43
 Self Closing Cabinets.....43
 Spill Slope™ Shelves.....43

Spill Containment
 Spill Control Pallets.....44
 Accumulation Centers.....44
 Standard Aerosolv® System.....44
 EcoPolyBlend™ Spill Tray.....44

ALL SPORT®

ALL SPORT® provides hydration for everybody with 100% of the daily value of Vitamin C, B3, B6 and B12, and contains 1/2 the sodium and twice the potassium of the other leading brands.

ALL SPORT® is available in concentrate mix, freezer pops, powder pouches, powder sticks and ready to drink varieties. ALL SPORT® has 5 delicious flavors Blue Raz Ice, Lemon Lime, Orange, Fruit Punch and Grape. For a sugar-free zero calorie alternative try ALL SPORT® ZERO!

Freezer Pops

- Low calorie freezer pops & variety pack includes 4 flavors (Blue Raz Ice, Fruit Punch, Lemon Lime & Orange)
- No mix, just place in freezer until frozen and enjoy




MFR #	Flavor	Case Pack	Case Weight	Pallet Pack	Control #
FASFRZPOP-VAR	Variety Pack	144 Pops/Case	30 lbs	44 Cases/Pallet	9961640
FASFRZPOP-VAR-LC (LOW CALORIE)	Variety Pack	144 Pops/Case	30 lbs	44 Cases/Pallet	9961641

Powder Pouches

- 2.5 gallon powder pouches in all 5 flavors and ALL SPORT® ZERO

MFR #	Flavor	Case Pack	Case Weight	Pallet Pack	Control #
FASPOWVAR-32PK	Variety Pack	32 Pouches/Case	49 lbs	35 Cases/Pallet	9961654
FASPOWVARZ-30CT	Variety Pack ZERO	30 Pouches/Case	3.5 lbs	216 Cases/Pallet	9961670



Powder Sticks

- .1 oz. powder sticks in all 5 flavors and ALL SPORT® ZERO
- Powder stick perforated for easy opening

MFR #	Flavor	Case Pack	Case Weight	Pallet Pack	Control #
FASPOWVARZ VARIETY	Variety Pack Zero	500 Sticks/Case	6 lbs	96 Cases/Pallet	9961680
FASPOWBZ BLUE RAZ	Variety Pack Blue Raz Zero	500 Sticks/Case	6 lbs	96 Cases/Pallet	9961681
FASPOWLLZ LEMON LIME	Variety Pack Lemon Lime Zero	500 Sticks/Case	6 lbs	96 Cases/Pallet	9961682
FASPOWFPZ FRUIT PUNCH	Variety Pack Fruit Punch Zero	500 Sticks/Case	6 lbs	96 Cases/Pallet	9961683
FASPOWGRZ GRAPE	Variety Pack Grape Zero	500 Sticks/Case	6 lbs	96 Cases/Pallet	9961684
FASPOWORZ ORANGE	Variety Pack Orange Zero	500 Sticks/Case	6 lbs	96 Cases/Pallet	9961685



Individual flavors available, plus other container sizes. Please call for details.

All Items Exclusively For Resale
Additional Products Available Upon Request

Hydration

Bottled Water & Conical Cups

Roxane® Purified Water

- Purified bottled water
- Eco-friendly clip-cap top
- 24 pk - 16.9 oz (.5L) per case
- 84 cases of 24 per pallet
- Sold by case only
- Product Not Eligible for any shipments

Control #	Qty		Size	Style
	Case	Plt		
9976800	24	84 Cases	.5L	Bottled



- Easy Open: 1. "Crack" open cap.
2. Push cap over until it "clicks."
- Recycles cap and bottle together!
- Resealable with snap-shut "click."

Roxane® Purified Water

- Purified bottled water
- 6 pk - 1 gallon bottles per case
- Sold by case only

Control #	Qty		Size	Style
	Case	Plt		
9976806	6	48 Cases	1 gallon	Bottled



Konie Cone Cups

- Cost effective solution for hygienic single-use servings
- Available in rolled rim or straight edge rim
- Sold by 1/2 pallet, full pallet or case



4.0 KR (rolled rim)



7.0 KSE (straight edge rim)



MFR #	Qty		Size	Style	Inner Pk	Control #
	Case	Plt				
4.0 KR	5000 ea	45 Cases	4 oz	Rolled Rim	Chip Board	7451400
4.5 KR	5000 ea	45 Cases	4.5 oz	Rolled Rim	Chip Board	7451402
6.0 KBR	5000 ea	24 Cases	6 oz	Rolled Rim	Clear Bag	7451405
7.0 KSE	5000 ea	36 Cases	7 oz	Straight Edge	Clear Bag	7451406



Lens Selection Chart

More than ornamental, Gateway Safety lens options serve a specific function. This lens selection chart provides a general guideline for use. However, always consult your safety director to determine the proper lens option for each application. Unless otherwise noted, all Gateway Safety lenses feature an antiscratch coating for extra durability and block 99.9% of UVA, UVB and UVC light, up to 380 nm.

These un-tinted lenses are ideal for indoor and general purpose applications.



Clear

These lenses provide a significant level of contrast, particularly in low-light applications.



Amber



Pacific Blue

These tinted lenses significantly reduce bright light to minimize eye strain and fatigue.



Gray



Mocha

These lenses reflect some bright light while allowing a moderate amount of light through the lens.



Clear In/Out Mirror



Bronze Mirror



Pink Mirror

These mirrored lenses significantly reflect bright light to reduce eye strain and fatigue.



Red Mirror



Silver Mirror



Blue Mirror



IR Filter Shade 5.0

IR filter lenses are for use around light welding, brazing or cutting applications only.

VLT Chart

VLT (Visual Light Transmittance) is the amount of visible light (+/- 2%) that passes through the lens.

Clear.....	92%	Pink Mirror.....	37%
Amber.....	89%	Red Mirror.....	14%
Pacific Blue.....	62%	Silver Mirror.....	23%
Gray.....	14%	Blue Mirror.....	23%
Mocha.....	23%	IR Filter 5.0 Shade.....	2%
Clear Indoor/Outdoor Mirror.....	50%		
Bronze Mirror.....	50%		

Protection Icons to Look For

Each icon packs a lot of information into a little bit of space. Don't take them lightly. When choosing personal protection, consider whether the "mark" is appropriate for your application.



Certifies that this product meets or exceeds the ANSI Z87.1+ standard.



Certifies that this product meets or exceeds the CSA Z94.3 standard.



Certifies that this product meets or exceeds the ANSI Z87.1+ standard.



Certifies that this product meets or exceeds the CSA Z94.3 standard.



Certifies that this product meets the ANSI Z87+ and CSA Z94.3 standards. Confirmation can be found in their 'Online Certifications Directory' at www.ul.com.



Certifies that this product blocks 99.9% of UVA, UVB and UVC radiation up to 380nm.



Meets the ANSI Z89.1 standard for Type I, Class C safety helmets only. Accordingly, it is conductive and should not be used whenever there is a risk of electrical conductivity.



Meets the ANSI Z89.1 standard for Type I, Class E safety helmets.



Independently tested and obtained a noise reduction rating of 31.



Independently tested and obtained a noise reduction rating of 28.



Independently tested and obtained a noise reduction rating of 25.



Certifies that this product provides 95% filtration against particulate aerosols free of oils below the Permissible Exposure Limit (PEL), as defined by OSHA.

All certification information is accurate as of the print date of this catalog. For updated information and certifications visit www.ul.com.

Safety Eyewear

Safety Glasses

Starlite® Series

- Lightweight, weighing less than one ounce
- Deep, universal-fit temples provide side protection equal to that of large side shields
- Independently tested to the ballistics impact section of the U.S. Military standard, MIL-PRF-31013, Clause 3.5.1.1
- Meets ANSI Z87.1+ and CSA Z94.3 standards



Starlite®



4680 (92% VLT)



4683 (14% VLT)



4686 (23% VLT)



4675 (89% VLT) **NEW!**

Starlite® Anti Fog

Antifog coating removes/reduces fogging in most environments



4679 (92% VLT)



4678 (14% VLT)

Starlite® In/Out Mirror

Clear lens (optical clarity) with gold mirror helps reduce glare



460M (50% VLT)

Starlite® Mirror

Sun reflecting mirror coating minimizes eye strain and fatigue



468M (23% VLT)



469M (23% VLT)

Starlite® IR Filter Shade 5.0

For light welding, brazing or cutting



4666 (2% VLT)



MFR #	Qty/Box	Temple	Lens	Control #
4680	10	Clear	Clear	9374500
4683	10	Gray	Gray	9374501
4686	10	Mocha	Mocha	9374502
4679	10	Clear	Clear Antifog	9374503
4678	10	Gray	Gray Antifog	9374504
460M	10	Clear	Clear In/Out Mirror	9374505
468M	10	Gray	Silver Mirror	9374506
469M	10	Gray	Blue Mirror	9374507
4666	10	Black	IR Filter 5.0 Shade	9374509
4675	10	Amber	Amber	9374553



Safety Eyewear

Safety Glasses

Starlite® Squared

- Incredibly light, all-around impact protection
- Soft, flexible nosepiece and rubber temples provide extra comfort
- Meets ANSI Z87.1+ and CSA Z94.3 standards



Starlite® Squared Clear

Untinted lenses are ideal for indoor/outdoor general applications



4480 (92% VLT)

Starlite® Squared Amber

Provide significant level of contrast, in low-light applications



4475 (89% VLT)



4483 (14% VLT)

Starlite® Squared Mirror

Significantly reflect bright light to reduce eye strain and fatigue



441M (14% VLT)



448M (23% VLT)



MFR #	Qty/Box	Temple	Lens	Control #
4480	10	Clear	Clear	9374555
4475	10	Amber	Amber	9374545
4483	10	Gray	Gray	9374542
441M	10	Gray	Red Mirror	9374549
448M	10	Gray	Silver Mirror	9374556



MFG #	Qty/Box	Temple	Lens	Mag	Control #
46MC15	10	Clear	Clear	1.5	9374511
46MC20	10	Clear	Clear	2.0	9374512
46MC25	10	Clear	Clear	2.5	9374513
46MG15	10	Gray	Gray	1.5	9374515
46MG20	10	Gray	Gray	2.0	9374516
46MG25	10	Gray	Gray	2.5	9374517




Safety Glasses

- 99.9% UVA, UVB protection
- Anti-scratch
- Polycarbonate lens
- Meets ANSI Z87.1+ standards

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Frame	Lens	Control #
RE09-C	144	Clear	Clear	6175860
RE09-SMK	144	Black	Smoke	6175861



Temples
Deep, universal-fit temples provide side protection

Wraparound Lens
Antiscratch coated lens provides all-around impact protection



Bifocal
Allows workers to easily read important documents
Available in four diopter strengths

Industry Leading Design (Men & Women)
Revolutionary dual base curvature for unobstructed vision



RE09-C



RE09-SMK

All Items Exclusively For Resale
Additional Products Available Upon Request

Safety Eyewear

Safety Glasses

Conqueror®

- Polycarbonate wrap around lens
- Soft comfortable nosepiece with ergonomic contoured temple tips
- Blocks more than 99.9% of UVA, B and C rays
- Breakaway retainer included



MFR #	Qty/Box	Frame	Lens	Control #
28GB80	10	Black	Clear	9374551
28GB83	10	Black	Gray	9374536
28GB0M	10	Black	Clear In/Out Mirror	9374535
28CM79	10	Camo	Clear Antifog	9374520
28CM78	10	Camo	Gray Antifog	9374521
28CM5M	10	Camo	Bronze Mirror	9374522



28GB0M



28GB83 (14% VLT)



28CM79 (92% VLT)



28CM78 (14% VLT)



28CM5M (50% VLT)

Flight™

- Cushioned temple 'wings' softly hug the user's head, alleviating pinching
- Floating lens design fights fogging and provides ultra modern style
- Lightweight construction and soft rubber nosepiece
- Meets ANSI Z87+, CSA Z94.3 and the ballistics section of U.S. Military Standard, MIL-PRF-31013, Clause 3.5.1.1



35BK83 (14% VLT)



35BK83 (23% VLT)



35GY80



MFR #	Qty/Box	Frame	Lens	Control #
35GY80	10	Gray	Clear	9374560
35BK83	10	Black	Gray	9374561
35BK8M	10	Black	Silver Mirror	9374574



Temple Technology™ Features

Patent-pending temple tips cushion the user's head, alleviating pinching and providing long term comfort





Scorpion®

- Adjustable length and ratcheting temples offer a customized fit
- Gap between frame and lens minimizes fogging
- Meets ANSI Z87.1+ and CSA Z94.3 standards
- 14% VLT



"Scorpion Tail"
Retainer
Included

MFR #	Qty/Box	Frame	Lens	Control #
16GB83	10	Black	Gray	9374528



16SM8M (23% VLT)

Scorpion® SM
For Narrow
Faces

Nosepiece
Soft flexible nosepiece
for added comfort



MFR #	Qty/Box	Frame	Lens	Control #
16SM8M	10	Black	Silver Mirror	9374527



Metro™

- Eye protection without the traditional look of safety eyewear
- Full frame spectacle weighing less than one ounce
- Soft, comfortable nosepiece and contoured temple tips
- Meets ANSI Z87.1+ high impact standard
- 37% VLT



MFR #	Qty/Box	Frame	Lens	Control #
23PK11	10	Pink	Pink Mirror	9374523



Safety Eyewear

Safety Glasses

COBRA

- Frame features a unique rubberized coating that produces a smooth, one-of-a-kind look and feel
- Incredibly light-COBRA weighs in at just 1.1 oz. per pair
- Impact-resistant polycarbonate lens blocks in excess of 99.9% of UVA and UVB light
- Flexible earpiece and adjustable nosepiece made of soft PVC ensure comfort

MFR #	Qty/Box	Frame	Lens	Control #
15GB0M	10	Black	Clear In/Out Mirror	9374576



Safety Eyewear

Safety Glasses & OTG

4X4™

- Strong, four-sided frame weighs just one ounce
- Wrap-around frame supports dual polycarbonate
- Soft inset nosepiece helps ensure comfort and provides a snug secure fit
- Flexible temple tips relieve pressure behind the ear
- 4x4™ style features stylish stone-finish frame
- 4x4™ Sport features a sporty silver frame and extremely bright mirrored lenses



MFR #	Qty/Box	Frame	Lens	Control #
41PG8M	10	Polished Granite	Silver Mirror	9374575
41SL2M	10	Polished Granite	Sunset Red Mirror	9374562



41PG8M



41SL2M



over-the-glasses **Cover2®** protective eyewear

Cover2® OTG

- One-piece polycarbonate lens for unobstructed view
- Lightweight design, with adjustable length temples for a customized fit (fits most prescription glasses)
- Flexible temple tips minimize pinching behind the head
- Meets ANSI Z87.1+ and CSA Z94.3 impact standards



6980 (92% VLT)



6983 (14% VLT)




NEW!

Brow Guard Shield
For additional protection

Soft Nosepiece
Helps keep glasses
securely in place

Flexible Temple Tips
Work extremely well with
prescription glasses, while
minimizing pinching

MFR #	Qty/Box	Temple	Lens	Control #
6980	10	Black	Clear	9374541
6983	10	Black	Gray	9374552



Eye Protection

Safety Goggles



Anti fog Vents
Vents at top & bottom of frame help reduce fogging



Wheelz® Safety Goggles

- More comfortable compact frame than traditional bulky goggles
- Whirlwind™ ventilation system minimizes fogging by circulating air through the optical chamber
- Elastic head strap can easily be adjusted to ensure a safe, snug fit
- Meets ANSI Z87.1+ and CSA Z94.3 standards



45079



45080

MFR #	Qty/Box	Frame	Lens	Control #
45080	10	Clear	Clear	9374524
45079	10	Clear	Anti-Fog	9374580



Technician Impact Goggles
Perforated vents provide protection against debris



Technician™

- Impact and splash goggles are designed to fit tight, wear comfortably and shield the entire eye area
- Durable, polycarbonate lens
- Soft vinyl frame and hassle-free headband for protection



32021 Impact Goggles (92% VLT)



32391 Splash Goggles (92% VLT)

MFR #	Qty/Box	Frame	Lens	Vent	Control #
32021	10	Clear	Clear	Perforated	9374518
32391	10	Clear	Clear	390° Cap Vent	9374519



Face Protection

Face Shield & Visors



Turn the tables on workplace hazards by standing fearless behind Venom™ – a formidable safeguard designed to protect, but never tame.

Venom™ face protection allows workers to stare down workplace hazards with confidence

Venom™ Headgear/Face Shield

- Contemporary, contoured visor design creates a more complete seal to block debris
- Three-part adjustment system, for all day comfort
- Extra-soft brow pad and nape strap delivers superior comfort
- Meets ANSI Z87.1+ and CSA Z94.3 standards
- 677 is headgear only without shield

MFR #	Qty/Case	Visor	Size	Control #
677	10	None	Fits All	9384513
679	10	Clear	Fits All	9384500



Easy Adjustment
Three-part adjustment system provides a custom fit



Pivot
Allows for easy adjustment and comfortable fit



Rotating Ratchet
Rotating ratchet easily slides over nape of the neck for secure fit

Venom™ Visors

- .060 polycarbonate cylinder visor
- Molded to fit Venom® face protection gear
- Blocks 99.9% of UVA and UVB light, up to 380 nm

MFR #	Qty/Case	Visor	Size	Control #
675	10	Clear	8" x 15.5"	9384501
678	10	Gray	8" x 15.5"	9384502



Cap Adapters

- Secured by a coil spring
- Fits with most hard hat brands

MFR #	Qty/Case	Control #
682	10	9384506



Face Shield

- Clear face shield with foam band
- Hypoallergenic foam band
- Elastic band to fit around head

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Control #
FS2020	200	18mm x 220mm	9383500



All Items Exclusively For Resale
Additional Products Available Upon Request

Head Protection

Helmets

Standard Safety Helmet

- Six-point nylon suspension with ratchet adjustment for sizing
- Includes soft, cushioned brow pad to absorb moisture
- Features universal accessory slots for visors
- Meets the ANSI Z89.1 standard for Type 1, Class E, G and C




Mfg	Qty/Case	Color	Control #
630	10	White	9384503



Serpent® Class C & E

The Serpent®, Class C safety helmet is a durable, vented hard hat that is ideal for hot or humid work environments. Class E is an ultra-comfortable helmet that offers head protection for a wide range of work environments with a modern, snake-head-like shell design.

- Vented shell allows heat to escape, keeping workers cooler on the job site
- Eight-point, six-strap nylon suspension is comfortable yet provides exceptional impact absorption
- Meets the ANSI Z89.1 standard for Type 1, Class C safety helmets only



Cool Sense™ Air Flow System on vented Serpent lets heat escape, keeping workers cooler


MFR #	Qty/Case	Color	Class	Control #
71200	10	White	C	9384505
71206	10	Pink	C	9384504
71400	10	White	C	9384509
71418	10	Hi-Viz Limon	C	9384510
72418	10	Hi-Viz Limon	E	9384508



Rotating Ratchet Adjustment Adjusts to fit head sizes from 6-5/8 to 8-1/4



71200



Soft Brow Pad Soft, cloth brow pad helps absorb moisture, keeping sweat out of worker's eyes

8-Point, 6-Strap Suspension For extended wear comfort




71418

GloPlugz® Tapered Earplugs

- GloPlugz® earplugs feature a high independently tested 31 NRR
- Soft and smooth like skin for easy insertion
- Made of non allergenic and moisture-resistant polyurethane
- Individually poly-bagged in a convenient dispenser box
- Sold by box only

MFR #	Qty/Box	Color	Style	Control #
92202	200 Pair	Blue	Uncorded	9384535
92212	100 Pair	Blue	Corded	9384536



Twisters Earplugs

- Triple-flanged design with an air bubble tip provides long-term comfort
- Soft, silicone material is easy to clean
- Radiant purple plugs, with bright orange cord make compliance checks problem-free

MFR #	Qty/Case	Style	Control #
93012	100 pairs	Corded	9384538



Kleen View™ Lens Cleaning Towelettes

- Anti fog and anti static formula for all Gateway Safety eyewear
- Compact lens cleaning station in durable cardboard dispenser
- 100 individually sealed pre-moistened towelettes per box
- Sold by box only


MFR #	Qty/Case	Style	Control #
552	10 Boxes	Towelettes	9384549



DooDadz™ Safety Eyewear Retainers

- Soft nylon/polyester blend
- Quick release breakaway feature
- Sleeve fits most common spectacles

MFR #	Qty/Box	Color	Control #
424	10	Gray	9384540



QuickRelease™
Built in breakaway safety feature

DooDadz™
Provide superior protection from entanglement



Ear & Respiratory Protection

Earmuffs & Disposable Respirator Masks

Soundout™ II Earmuffs

- Soundout™ II features a high independently tested 28 NRR
- Durable design with bright red cups
- Large, thick cups, with large comfortable cushions
- Di-Electric design provides extraordinary versatility

MFR #	Qty/Box	Color	Control #
95334	10	Green	9384539



PeakFit® Disposable Respirator Mask

- No metal nosepiece or staples
- Adjustable one-piece cloth head strap
- 95% filtration against particulate aerosols free of oils below PEL
- Sold by box only

MFR #	Qty/Box	Color	Style	Control #
80101	20	White	Unvented	9384550
80102V	10	White	Vented	9384554



80102V (vented)

80101 (unvented)

Face Mask


- Disposable
- 3-ply with earloops

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty		Style	Control #
	Box	Case		
KN95	10	1,000	Disposable	9383501
ANNUOCHEN	50	2,000	Disposable	9383502



KN95



ANNUOCHEN




Disposable Gloves

Nitrile PF - Heavy-Duty, Economy & Industrial Grade

Lightning Gloves - Nitrile Heavy-Duty

- 100% quality nitrile
- Latex and powder free
- Medical exam quality/FDA certified
- 6 mil thickness
 - super strength and stretch
- Natural 5.5 pH
 - comfort coated
- Unique formulation reduces excess perspiration
- Quadruple washed
- Fully textured grip and beaded cuff
- Ambidextrous
- Available in Safety Orange
- Sold by box or case



MFR #	Qty		Size	Color	Control #
	Box	Case			
BL-S	100 ea	10 Boxes	S	Black	6163538
BL-M	100 ea	10 Boxes	M	Black	6163500
BL-L	100 ea	10 Boxes	L	Black	6163501
BL-XL	100 ea	10 Boxes	XL	Black	6163502
BL-XXL	100 ea	10 Boxes	XXL	Black	6163503



In Touch Nitrile PF (Economy)

- 100% quality nitrile
- 5 mil thickness
- Textured grip
- Cost effective
- Comfort fit
- Latex-free and powder-free
- Ambidextrous
- Sold by box or case



WARNING: Cancer - www.P65Warnings.ca.gov

MFR #	Qty		Size	Color	Control #
	Box	Case			
Q311-S	100 ea	10 Boxes	S	Blue	6163513
Q311-M	100 ea	10 Boxes	M	Blue	6163514
Q311-L	100 ea	10 Boxes	L	Blue	6163515
Q311-XL	100 ea	10 Boxes	XL	Blue	6163516



Nitrile PF (Industrial Grade)

- 5 mil industrial grade nitrile
- Made from materials that comply with FDA regulations
- Acceptable for food handling
- Ambidextrous
- Textured surface with prominent texture on fingertips
- Sold by case only

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty		Size	Color	Control #
	Box	Case			
PS301	100 ea	10 Boxes	S	Blue	6185807
PS302	100 ea	10 Boxes	M	Blue	6185808
PS303	100 ea	10 Boxes	L	Blue	6185809
PS304	100 ea	10 Boxes	XL	Blue	6185810



Disposable Gloves

Latex PF - Heavy-Duty & Examination Gloves

Blue Lightning

- 100% natural rubber latex
- Medical exam quality/FDA certified
- Ultra thick 15 mil
- 4 Times thicker than standard exam gloves
- Provides ultimate barrier protection from solvents, chemicals and biohazards
- Powder-free
- Reduced latex protein reduces risk of latex allergies
- Superior strength and puncture-resistant
- Textured finger tips with smooth palm
- Extra long 12" beaded cuff
- Ambidextrous
- Sold by box or case



MFR #	Qty		Size	Color	Control #
	Box	Case			
Blue-M	50 ea	10 Boxes	M	Blue	6163504
Blue-L	50 ea	10 Boxes	L	Blue	6163505
Blue-XL	50 ea	10 Boxes	XL	Blue	6163506



Latex PF (Examination Gloves)

- Finger thickness: 5.6 mil
- Palm thickness: 4.7 mil
- Made with natural rubber latex
- Medical grade
- Non-sterile
- Ambidextrous
- Sold by case only

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty		Size	Color	Control #
	Box	Case			
SC201	100 ea	10 Boxes	S	Ivory	6185804
SC202	100 ea	10 Boxes	M	Ivory	6185805
SC203	100 ea	10 Boxes	L	Ivory	6185806



Work Glove Selection Chart The Right Glove For The Right Job

	ASSEMBLY	CONSTRUCTION	FOOD PROCESSING	FOUNDRY	IRON/STEEL WORK	JANITORIAL	LUMBER	METAL STAMPING	OIL DRILLING/REFINING	WAREHOUSE	WELDING
COTTON CANVAS	x	x		x		x	x	x	x	x	
JERSEY	x	x	x		x	x	x			x	
STRING KNIT	x	x	x			x				x	
LEATHER PALM	x	x	x	x	x	x	x	x	x	x	x
LEATHER DRIVER	x	x	x		x		x	x	x	x	x
LATEX / RUBBER	x	x	x			x	x				
NITRILE	x	x	x			x	x	x	x	x	
VINYL	x		x								
NEOPRENE	x	x	x	x		x	x	x	x	x	
PVC	x	x	x	x		x	x	x	x	x	
KEVLAR	x	x	x	x	x	x	x	x	x	x	x
CUT-RESISTANT COATED	x	x			x		x	x			



Industrial Gloves

Cotton & String Knit

Cotton Canvas With Dots

- Black or orange dots on palm side
- Offers finger dexterity and excellent grip
- Black dot (8 oz), orange dot (10 oz)
- Clute pattern
- Knit wrist cuff

WARNING: This product contains chemicals including DBP that is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
C8608PD	25 Bdl	Mens	Black Dots	6155503

Cotton Brown Jersey (Economy)

- 100% cotton (standard weight)
- Clute pattern
- Knit wrist cuff

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
J9	25 Bdl	Mens	Brown	6155505

The Gusher

- Double palm, 100% cotton glove
- Soft cotton inner and outer layer provides extreme comfort and dexterity
- Knit wrist cuff

WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
DPKW201	10 Bdl	Mens	White/Red	6155543

* Limited quantity available

Cotton String Knit

- Cotton/polyester
- Medium weight (7 gauge)
- Knit wrist cuff

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
S-16	40 Bdl	L	Natural White	6155509

Coated String Knit

- Cotton/polyester
- Knit wrist cuff
- Available in dotted or blue latex rubber coating

WARNING: This product can expose you to chemicals including Pthalates and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
S-16DD	25 Bdl	L	Black PVC Dots	6155510
40*	10 Bdl	L	Blue Rubber Coating	6155511
400	10 Bdl	L	Blue Coated	6155564
400	10 Bdl	XL	Blue Coated	6155568



S-16



40



S-16DD (Dots on both sides)



400

Work Gloves

Leather Palms



Color Coded Hem:

Seattle Glove color codes the hems of many of their work gloves by size for easier size identification.

(The color of the hem size identification varies by glove type.)

Economy Leather Palm

- Striped canvas glove with leather palm
- Clute pattern
- Knit wrist cuff
- Straight thumb

WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
1050	12 Bdl	Mens	Red/Blue Stripes	6155521



Regular Grade Leather Palm

- Weltd seams on middle fingers & leather knuckle strap
- Gunn pattern
- 2.5" rubberized safety cuff
- Wing thumb

WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
1160	10 Bdl	L	Red/Blue Stripes	Blue	6155522



Regular Grade Double Palm Leather Palms

- Leather knuckle strap for extra protection
- Joint construction
- Gunn pattern
- 2.5" rubberized safety cuff
- Wing thumb

WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
1270P	6 Bdl	Mens	Red/Green Stripes	Green	6155523





Work Gloves

Drivers & Impact

Shock Grip® - Impact Gloves

- IsoLiquid® breathable bonded membrane over 100% rubber composition provides oil-free protection
- Ergonomic EVA stripe design on back protects hands from vibration
- Reflective accents and hi-vis color scheme for optimal hand visibility
- TPR patch on fingers for impact protection and pinch injury protection

⚠ WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
OR500	60 Pair	L	Hi-Vis Orange	6155544
OR500	60 Pair	XL	Hi-Vis Orange	6155545



Double Stitching
Provides Excellent Durability

Reflective Strip & Hi-Vis Orange
For High Visibility
Of Workers

Ergonomic Design
For A High Level Of Corr

Nylon Spandex

- Abrasion resistant
- 15 gauge nylon/spandex liner
- Sandy nitrile palm coated

⚠ WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
HVNF338	10	9	Hi Vis Green/Black	6175891
HVNF338	10	10	Hi Vis Green/Black	6175892



Unlined Cowhide Leather Drivers

- Available in B grain cowhide, cowhide with reinforced patch palm or in Hi-Viz Orange finger tips
- Weltd seam on middle fingers
- Gunn pattern
- Keystone thumb

⚠ WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
4064	10 Bdl	S	Natural	Red	6155584
4064	10 Bdl	M	Natural	Green	6155524
4064	10 Bdl	L	Natural	Brown	6155525
4064	10 Bdl	XL	Natural	Blue	6155526
4064	10 Bdl	XXL	Natural	Black	6155585
4364PSB	10 Bdl	S	Natural	Red	6155553
4364PSB	10 Bdl	M	Natural	Green	6155549
4364PSB	10 Bdl	L	Gray	Brown	6155527
4364PSB	10 Bdl	XL	Gray	Blue	6155528
4364HVOF	10 Bdl	S	Gray	Red	6155586
4364HVOF	10 Bdl	M	Gray	Green	6155587
4364HVOF	10 Bdl	L	Gray	Brown	6155588
4364HVOF	10 Bdl	XL	Gray	Blue	6155589
4364HVOF	10 Bdl	XXL	Gray	Black	6155590



Shirred Elastic Back



Work Gloves

Drivers



Unlined Pigskin Leather Drivers

- Regular grade pigskin
- Welted seam on middle fingers
- Shirred elastic back
- Gunn pattern
- Keystone thumb

⚠ WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
6364	10 Bdl	L	Natural	Brown	6155529
6364	10 Bdl	XL	Natural	Blue	6155530



Unlined Goatskin Leather Drivers

- Yellow, unlined goatskin
- Shirred elastic wrist
- Reinforced palm for more protection
- Keystone thumb

⚠ WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
8464DPY	5 Bdl	M	Yellow	Green	6155546





Work Gloves

Welders, Yellow Latex & PVC

Welding Economy

- Regular shoulder leather
- Fully lined
- Self-hemmed leather cuff
- Gunn pattern
- Wing thumb

⚠ WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
7110	6 Bdl	Mens	Gray	6155531



Welding Premium

- Premium select blue shoulder leather
- Sock lined, kevlar sewn
- Self-hemmed leather cuff
- Gunn pattern
- Straight thumb with thumb strap reinforced

⚠ WARNING: This product can expose you to chemicals including leather dust and Chromium, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
7380K	6 Bdl	Mens	Blue	6155532



Latex - Unsupported

- Premium yellow latex
- Meets 21 CFR; 170-199 for food contact
- Flock lined (individually packaged)

⚠ WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
LY17	12 Bdl	S	Yellow	6155516
LY17	12 Bdl	M	Yellow	6155517
LY17	12 Bdl	L	Yellow	6155518



PVC Dipped - Supported

- Interlock lined 100% cotton
- Available in (rough or smooth palm finish) 12" or 14" gauntlet cuff
- Wing thumb

⚠ WARNING: This product contains chemicals including DEHP that is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Style	Control #
D8630-14	5 Bdl	Mens	Black	Rough	6155513
D8830-12	10 Bdl	Mens	Black	Smooth	6155514
D8830-14	5 Bdl	Mens	Black	Smooth	6155515



Work Gloves

Coated & Cut-Resistant



Spartacus

- 13 gauge HPPE liner; PU palm coating
- Knit wrist
- Cut-resistant: level 3
- Abrasion: level 4
- Tear: level 4
- Puncture: level 2

! WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
Spartacus	10 Bdl	S	Gray	Red	6155548
Spartacus	10 Bdl	M	Gray	Green	6155547
Spartacus	10 Bdl	L	Gray	Brown	6155540
Spartacus	10 Bdl	XL	Gray	Black	6155541



Polyurethane Coated

- Black nylon shell
- Polyurethane coated palm
- Machine washable
- Knit wrist
- Wing thumb

! WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
BPU4	20 Bdl	M	Black	Yellow	6155506
BPU4	20 Bdl	L	Black	Brown	6155507
BPU4	20 Bdl	XL	Black	Black	6155508



Nitrile Coated

- White nylon knit shell
- Gray nitrile foamed dipped
- Palm coated
- Machine washable
- Knit wrist
- Wing thumb

! WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color		Control #
			Glove	Hem	
NF300	10 Bdl	9	Gray	Brown	6155329
NF300	10 Bdl	10	Gray	Black	6155542



Nitrile Gloves

- Green nitrile
- 11 Mil
- Unlined

! WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
NU11	12 Bdl	M	Green	6155551



Neoprene Over Latex-Unsupported

- 100% chloroprene over 100% natural rubber
- Flock lined with diamond embossed palm
- 28 mil, 13" length
- Individually packaged

! WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
LN28	12 Bdl	L	Blue/Yellow	5155520





Rainwear

Raincoats & Suits

Raincoat

- 48" yellow raincoat
- Detachable hood
- .35 mm PVC/polyester broadloom fabric
- Sold by each or case

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
3048	15 ea	L	Yellow	6175583
3048	15 ea	XL	Yellow	6175584
3048	15 ea	XXL	Yellow	6175585

Rain Suit

- 3-piece yellow rain suit
- Comes with jacket, detachable hood and bib, plus overall pants
- .35 mm PVC/polyester broadloom fabric
- Corduroy collar
- Sold by set or case

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
3001	15 sets	L	Yellow	6175580
3001	15 sets	XL	Yellow	6175581
3001	15 sets	XXL	Yellow	6175582



Coveralls

Microporous and FR Coveralls



Microporous Coveralls

- Combines a liquid-resistant microporous film with a polypropylene lining
- Effective barrier against particulates, aerosols and liquids
- Breathable and waterproof
- Not flame-resistant or retardant with full zipper front

 **WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
MIC412C	25 ea	L	White	6175500
MIC412C	25 ea	XL	White	6175501
MIC412C	25 ea	2XL	White	6175502
MIC412C	25 ea	3XL	White	6175503



FR Coveralls

- Meets NFPA 2112, UL compliant
- Adjustable snap cuffs and elastic waist
- All exposed metal next to skin are FR fabric covered for maximum protection
- 7 oz 100% cotton/FR finish

 **WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
FR-NBC7-S	6	S	Navy	6175530
FR-NBC7-M	6	M	Navy	6175531
FR-NBC7-L	6	L	Navy	6175532
FR-NBC7-XL	6	XL	Navy	6175533
FR-NBC7-2XL	6	2XL	Navy	6175534
FR-NBC7-3XL	6	3XL	Navy	6175535
FR-NBC7-4XL	6	4XL	Navy	6175536





Safety Wear

Boots, Safety Vests and Caution Tape

Slush Boots

- 16" black PVC
- Unlined, insole, plain toe

WARNING: This product can expose you to Di(2-ethylhexyl) phthalate (DEHP) which is known to the State of California to cause cancer, birth defects and/or reproductive harm. For more information go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Size	Color	Control #
B16	6 Pair	8	Black	6175568
B16	6 Pair	9	Black	6175569
B16	6 Pair	10	Black	6175570
B16	6 Pair	11	Black	6175571
B16	6 Pair	12	Black	6175572
B16	6 Pair	13	Black	6175573



Surveyor's Safety Vests

- Lime green vest with yellow mesh
- Features reflective tape for improved visibility
- Convenient outside pockets and zipper closure

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Pk	Size	Color	Control #
SV2200P	50	L	Lime Green	6175590
SV2200P	50	XL	Lime Green	6175591
SV2200P	50	2XL	Lime Green	6175592
SV2200P	50	3XL	Lime Green	6175593



Front



Back

Caution & Danger Tapes

- Highly visible
- Nonadhesive, lightweight tape

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Qty/Pk	Size	Style	Control #
Caution-2	12	3" x 1000'	2 Mil Yellow Caution	6175598
Danger-2	12	3" x 1000'	2 Mil Red Danger	6175599




Heat Stress Prevention

Chill Tie®

Chill Tie®

The ultimate Chill Tie® for active wear is a kerchief filled with a special non toxic polymer, that when soaked in water activates and will keep you cool for hours. Chill Tie® cooling neck ties are made of durable cotton or poly-cotton blended fabric to ensure durability and comfort.

- Chill Tie® is proudly made in the U.S.A. by professional garment makers
- Finished tie ends are stronger and less likely to tear or fray, providing prolonged use of your tie
- Edges are sewn on smoothly and not bound, for better comfort and longevity
- Each tie is individually wrapped and labeled with activation instructions
- Non toxic and environmentally friendly
- Special polymer expands multiple times in size, preventing it from leaching through material



Patriotic



Solid Colors



Camouflage



Western



Thermometer









Infrared Thermometer

Non-Contact Infrared Thermometer

- High quality product (accurate measurements)
- Digital non-contact infrared thermometer
- Certification: FCC, CE, RoHS, FDA
- Safe and clean, measuring distance of 1/3"-3/4"
- Measure deviation + 0.2°F/°C, equipped with clear LED digital screen and large operation button
- Requires 2-AAA batteries (sold separately)



Product Features:

 FDA Approved	 Fast Measurement (1 second)
 F° or C° 89.6°F - 109.4°F (32°C - 43°C)	 Forehead or Body Temperature
 Fever Alarm Function	 Auto Shut-Off Function (20 seconds)
 Memory for 32 groups of data	 Lightweight 3.5 oz

MFR #	Qty		Control #
	Box	Case	
AD801	1	50	1059900



Hand Sanitation

Hand Sanitizer Stands and Hand Sanitizers

Pedal Activated Hand Sanitizer Stand

- Zero touch, zero contamination
- Foot pedal activated, all mechanical operation
- No batteries required
- Dispenses properly
- Built to last
- Made in North America

Decor Station

MFR #	Item	Control #
03-04-03649	Décor Unit	2449001
03-04-03682	32 oz Sanitizer	2449032
03-04-03651	Unit Header	2449090

Industrial Station

MFR #	Item	Control #
03-04-03681	Industrial Unit	2449002
03-04-03700	1 gallon Sanitizer	2449050
03-04-03651	Unit Header	2449090



Décor Station



Industrial

Gel Sanitizer Refill

MFR #	Item	Bottle Size	Case Qty	Control #
03-04-03682	Décor Refills	32 oz	6	2449032
03-04-03700	Industrial Refills	1 gal	4	2449050



Refills must be purchased in case quantities

Hand Sanitizer

- Instant hand sanitizer gel
- 75% alcohol
- Contains Aloe & Vitamin E moisturizer

WARNING: Cancer and/or reproductive harm - www.P65Warnings.ca.gov

MFR #	Size	Case Qty	Control #
HSGA-16	16.9 oz pump	16	9383503

Sold by case only





First Aid & Bloodborne Kits

First Aid & Bloodborne Pathogens Kits

First Aid Kit meets Class A 2015 ANSI/OSHA

- Contents packed in 4 separate pockets organized by injury for fast and effective aid
- Available in plastic or metal case
- Sold by each

Qty/Case	Size	Style	Control #
10	25 Person	Plastic	9284980
10	25 Person	Metal	9284985



Bloodborne Pathogens Protection Kit

- Meets requirement for OSHA regulations 29 CFR 1910.1030 for businesses, offices and work sites
- Contents packed in 2 separate injury packs
- Comes in hard plastic case
- Sold by each or case

Control #	Qty/Case	Style
9274970	10	Plastic



Pocket 1: Major Injury Qty

Roller gauze 2" x 4 yards	2
Roller gauze 3" x 4 yards	1
Sterile eye pad	1
Absorbent compress 5" x 9"	1
Sterile pad 3" x 3"	4
Sterile pad 4" x 4"	4
Adhesive tape 1/2" x 5 yards	1
Triangular bandage 42" x 42" x 59"	1
Medical exam gloves (pair)	4

Pocket 2: Minor Cuts & Scrapes

Adhesive bandage 1" x 3"	30
Knuckle bandage	3
Fingertip bandage	3
Elbow/Knee bandage	2
Butterfly wound closure	2

Pocket 3: Instruments & Instructions

First aid guide	1
Plastic tweezers	1
Scissors	1
Cold pack	1

Pocket 4: Medications & Antiseptics

Antiseptic treatment application	20
Antibiotic treatment application	6
Burn treatment application	6
Alcohol prep pad	10
Insect bite relief pad	3
Eye wash 20ml	1

Pack 1: Bloodborne Pathogens & CPR Mask Pack

Antiseptic towelette	2
Biohazard bag	1
CPR face shield/one way valve	1
Eye & face shield mask	1
Large control gown	1
Nitrile exam gloves	1 pair

Pack 2: Spill Clean-Up Pack

Absorbent powder	1
Antiseptic towelette	2
Biohazard bag	1
Disinfectant cloth	1
Nitrile exam gloves	1 pair
Paper towels	10
Scoop & spatula	1
Unmarked bag	1


Batteries

Alkaline & Non-Alkaline

Since its commercial introduction in 1959, the Alkaline battery has advanced to a dominate position in the portable battery market. This came about because the Alkaline system is recognized to have several advantages over Carbon-Zinc batteries, which are:

- Greater cost savings
- Higher energy density
- Superior service performance at all drain rates
- Superior cold temperature performance
- Longer shelf life
- Greater resistance to leakage

Note: Batteries have a shelf life of 7 years, with the exception of the 9V battery, which has a 5 year shelf life.



MFR #	Qty/Case	Qty/Pk	Size	Terminal	Volt	Control #
EN91	144	24	AA	Flat	1.5	2502703
EN92	144	24	AAA	Flat	1.5	2502704
EN93	72	12	C	Flat	1.5	2502705
EN95	72	12	D	Flat	1.5	2502706
EN529		6	6V	Coil Spring	6.0	2502702
EN22	72	12	9V	Mini Snap	9.0	2502701



EVEREADY® Super Heavy-Duty 6V Battery

- Economical choice
- Ideal for lanterns
- Excellent leakage resistance
- Ready to use for up to 3 years (when not in use)


MFR #	Qty/Case	Qty/Pk	Size	Terminal	Volt	Control #
1209		12	6V	Coil Spring	6.0	2502700



POWER XP

- Alkaline batteries
- Economical choice

MFR #	Qty/Case	Qty/Box	Size	Terminal	Volt	Control #
PH-AA-XP	576	144	AA	Flat	1.5	2509580
PH-AAA-XP	576	144	AAA	Flat	1.5	2509590
PH-C-XP	144	-	C	Flat	1.5	2509591
PH-D-XP	144	-	D	Flat	1.5	2509592
PH-9V-XP	144	-	9V	Mini Snap	9	2509593





Flashlights

LED & Intrinsically Safe

Economy LED

- Lamp output: 25 lumens
- Strong, lightweight and comfortable
- Textured rubber handle with push button switch
- Faceted reflector illuminates a large area
- Built-in stand that flips down
- 1 (D) battery (included)

MFR #	Qty/Case	Color	Battery	Control #
EVEL15HS	4	Multi	1-D	2512737

Intrinsically Safe Classification?

An electronic device and its wiring will not cause any sparking or arcing, and cannot store enough energy or produce a surface temperature high enough to ignite a flammable gas or vapor.

OSHA & U.S. Department of Labor

Require that only intrinsically safe electrical products can be used in places like oil and gas refineries, energy production plants, and chemical manufacturing and processing plants.



Safety Flashlight 2AA Intrinsically Safe

- Lamp output: 40 lumens
- Lamp life: Lifetime
- Division 1, Class 1 rated (internationally approved)
- Shatterproof lens
- Impact-resistant (survives 1 meter drop test)
- Waterproof (meets IEC 60529 IPX7 Standards)
- Requires (2) AA batteries (not included)

MFR #	Qty/Case	Color	Battery	Control #
MS2AALED	6	Orange	2-AA	2512709

* Limited quantity available



Safety Flashlight 2D Intrinsically Safe

- Lamp output: 66 lumens
- Lamp life: Lifetime
- Division 1, Class 1 rated (internationally approved)
- Impact-resistant (survives 1 meter drop test)
- Shatterproof lens
- Waterproof (meets IEC 60529 IPX7 Standards)
- Requires (2) D batteries (not included)

MFR #	Qty/Case	Color	Battery	Control #
MS2DLED	6	Orange	2-D	2512710

* Limited quantity available



Metal LED Penlight

- Lamp output: 21 lumens
- Lamp life: Lifetime
- Aluminum body
- Impact-resistant (survives 1 meter drop test)
- Shatterproof lens
- (2) AAA batteries (included)

MFR #	Qty/Case	Color	Battery	Control #
PLED23AEH	6	Silver	2-AAA	2512732



Flashlights

Laterns, Work Lights & Headlights



LED Floating Lantern

- Two light modes
- 100 lumens
- Pivoting head
- Packed with (3) AAA Energizer® MAX® Alkaline batteries

MFR #	Qty/Case	Color	Battery	Control #
HDA32E	4	Blue	3-AAA	2512734



LED Floating Lantern

- Three light modes
- 180 lumens
- Pivoting head
- Adjustable elastic headband
- Packed with (3) AAA Energizer® MAX® Alkaline batteries

MFR #	Qty/Case	Color	Battery	Control #
HDBIN32E	4	Gray/Red	3-AAA	2512735



Industrial LED Headlight

- Three light modes
- 300 lumens
- Pivoting head
- Adjustable elastic headband
- Packed with (3) AAA Energizer® MAX® Alkaline batteries

MFR #	Qty/Case	Color	Battery	Control #
HDDIN32E	4	Gray	3-AAA	2512736



LED Floating Lantern

- Two light modes
- Shatterproof lens (survives 1-meter drop test)
- Packed with (2) D EVERREADY® batteries

MFR #	Qty/Case	Color	Battery	Control #
EVFL45S	4	Yellow	2-D	2512738



Mighty Lite™ Rechargeable Lithium Ion Work Light

- Lamp output: 800 lumens
- Lamp life: 50,000
- Impact & vibration resistant/scratch resistant
- IP65 waterproof outdoor rated enclosure
- Floats and survives rough weather conditions
- A/C adapter included

WARNING: This product can expose you to chemicals including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Color	Battery	Control #
PT554110	1	Yellow	Rechargeable Ion	2518790
PT554110-CM	1	Camo	Rechargeable Ion	2518791

Lithium Ion Battery Can Be Recharged More Than 10,000 Times!



* Limited quantity available

Inline GFCI Cord

- Protection: Open and grounded neutral
- Operation temp range: -35° C to +66° C
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Surge suppression: 160 joules
- Protection for 2-and 3-wire grounded appliances and tools
- UL listed, CUL approved and meets OSHA standards for construction site usage
- Allows for compliance to NEC Article 527 “temporary installations”
- Rainproof rated, impact-resistant and LED power on indicator
- Fits most indoor and outdoor receptacles

MFR #	Qty/Case	Length	Reset	Control #
30438018-01	25	18"	Auto	1502900



Triple Tap With Inline GFCI

- Protection: Open and grounded neutral
- Operation temp range: -35° C to +66° C
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Surge suppression: 160 joules
- Protection for 2-and 3-wire grounded appliances and tools
- UL listed, CUL approved and meets OSHA standards for construction site usage
- Allows for compliance to NEC Article 527 “temporary installations”
- Rainproof rated, impact-resistant and LED power on indicator
- Fits most indoor and outdoor receptacles

MFR #	Qty/Case	Length	Reset	Control #
30438024-01	25	2'	Auto	1502902



Triple Tap Right Angle GFCI Plug

- Protection: Open and grounded neutral
- Operation temp range: -35° C to +66° C
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Surge suppression: 160 joules
- Provides protection for 2-and 3-wire grounded appliances and tools
- UL listed, CSA approved and meets OSHA standards for construction site usage
- Allows for compliance to NEC Article 305-6 “temporary wiring”
- Rainproof, impact-resistant and LED power on indicator
- Fits most indoor and outdoor receptacles

MFR #	Qty/Case	Length	Reset	Control #
30434008-01	25	2'	Auto	1502901




Quad Outlet Box & Extension Cords

GFCI Protected Quad (4) Outlet Box

- Protection: Open neutral
- Cord: 12/3 AWG SJTW
- Rating: 15 amp, 125 volt/60 Hz, 1875W
- Provides protection for 2-and 3-wire grounded appliances and tools
- UL listed, CUL approved and meets OSHA standards for construction site usage
- Allows for compliance to 2002 NEC Article 527 “temporary installations”
- Temporary indoor/outdoor protection
- Impact-resistant, covered outlets and LED power on indicator
- 15 amp circuit breaker with test and reset button

MFR #	Qty/Case	Length	Reset	Control #
30334052	10	6'	Auto	1502903

TOWER
Manufacturing Corp.



ProStar™ Extension Cords

- Heavy-duty type 12/3 SJTW
- Rating: 15 amp, 125 volt
- -40F° cold weather jacket
- Water-and flame-resistant
- Both plugs have a built in amber neon light which indicates there is power in the cord and outlet
- CULUS OSHA approved and certified

WARNING: This product contains chemicals, including lead, known to the State of California to cause cancer, and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MFR #	Qty/Case	Length	Reset	Control #
D11712025	12	25'	Yellow	1498709
D11712050	6	50'	Yellow	1498700
D11712075	4	75'	Yellow	1498707
D11712100	4	100'	Yellow	1498701



ProStar™



Fire Safety

Smoking Receptacles

The Original Smoker's Cease Fire®

- Self-extinguishing design safely collects cigarette litter and reduces the risk of fire
- Flame-retardant, sturdy polyethylene that won't rust, dent or crack

MFR #	Capacity	Color	Control #
26800	4 Gal	Pewter Gray	9004300
26800B	4 Gal	Adobe Beige	9004301
26800D	4 Gal	Deco Black	9004302



Steel Heavy-Duty Butt Cans

- Base and neck made of durable fire-safe galvanized steel and finished in a tough powder coat paint for rust resistance
- Polyethylene topper keeps rain out and identifies unit for cigarettes only

MFR #	Size	Capacity	Control #
26810R	34" x 11-1/2"	2-1/2 Gal	9004306



Regulation Key

Safety Can Color Choices & Approval/Listing

Justrite® safety cans are available in a variety of colors that are suitable for the storage of flammable liquids. Now it's easy to differentiate between various types of liquids and avoid costly errors when more than one type of liquid is needed at a particular worksite.

Safety Can Color Choices

Red is the most widely used (and OSHA required) choice for flammable liquids.



Blue cans are frequently used for the storage of kerosene.



Yellow cans can be used to designate the storage of diesel fuel.



Green cans are often used for the storage of oils.



Approval/Listing & Regulation Key

FM

FM Global tested and approved

O

Complies with OSHA regulations

UL/ULC

Underwriters Laboratories listed in the US and Canada

U

Complies with either the International Fire Code or NFPA 1 Fire Code

TÜV

TÜV Technical Inspection Association Certified

EPA

Complies with the Environmental Protection Agency (EPA) regulations

N

Designed in accordance with National Fire Protection Association (NFPA) Code 30 regulation

SPCC

Complies with Spill Prevention, Control and Countermeasures Rule





Safety Containers

Type I & Laboratory Safety Cans

Type I Safety Cans

- Fully compliant-meets OSHA and NFPA Code 30
- FM approved, UL/ULC listed and TÜV certified
- Positive pressure relief cap vents to prevent rupture
- Sold by each

MFR #	Size/Gallon	Color	Funnel	Control #
7110100	1	Red	No	8754315
7110110	1	Red	Yes	8754333
7120100	2	Red	No	8754313
7120110	2	Red	Yes	8754339
7120200	2	Yellow	No	8754344
7125100	2.5	Red	No	8754305
7125110	2.5	Red	Yes	8754306
7150100	5	Red	No	8754307
7150200	5	Yellow	No	8754316
7150110	5	Red	Yes	8754308
7150210	5	Yellow	Yes	8754334



Type I Laboratory Safety Can

- All the benefits of Type I safety can, plus added feature for safe dispensing
- Shelf can has faucet mounted 2 inches above the bottom to eliminate the can from lifting while dispensing

MFR #	Size/Gallon	Color	Control #
7150240	5	Yellow	8754350



Safety Containers

Type II Safety & Liquid Disposal Cans



Type II Safety Cans

- Fully compliant-meets OSHA and NFPA Code 30
- FM approved, UL/ULC listed and TÜV certified
- Vented AccuFlow™ manifold for fast and smooth pouring
- Includes flexible 9" hose
- Sold by each

MFR #	Size/Gallon	Color	Hose Diameter	Control #
7210120	1	Red	5/8"	8754319
7220120	2	Red	5/8"	8754310
7225130	2.5	Red	1"	8754331
7250120	5	Red	5/8"	8754311
7250130	5	Red	1"	8754312
7250230	5	Yellow	1"	8754320
7250330	5	Blue	1"	8754321



Liquid Disposal Can

- Made of high-density polyethylene for superior chemical resistance and leak protection
- Large, strategically placed opening aids filling and pouring
- Patented, current-carrying, carbon insert imbedded into container allows for proper grounding
- Features stainless steel hardware

MFR #	Size/Gallon	Color	Control #
14762	2	Red	8754351





Funnel Attachments

Polypropylene Funnel

- For use with steel cans only
- Durable polypropylene material holds up to heavy use
- For use with Type I safety cans

MFR #	Size	Control #
11202Y	1/2" x 11-1/4"	8754304
11089	1" x 14"	8754329



11202Y



11089

Hose Attachment

- For use with AccuFlow™ Type II safety cans
- Flexible hose made of steel

MFR #	Hose Diameter	Control #
11077	1"	8754337



Flame Arrestor

- For use with Type I and Type II safety cans
- Made of steel mesh

MFR #	Can Capacity	Control #
11007	1 gal and larger	8754353



Safety Spill Tray

- Low profile and large diameter surface to contain spills and overflow
- Constructed of 24-gauge coated steel
- Supports up to 5 gallon safety cans

MFR #	Diameter	Height	Capacity	Control #
10177	13-3/4"	1-1/4"	1 qt	8854305



Collection Containers

Oily Waste Cans, Plunger Cans and Lids



Oily Waste Cans

- Lid remains closed when not in use
- Round construction with elevated base
- Air circulation disperses heat and reduces moisture build-up
- Steel construction with powder-coat finish
- Sold by each

MFR #	Size/Gallon	Color	Control #
09100	6	Red	8754300
09300	10	Red	8754301
09500	14	Red	8754302
09700	21	Red	8754303



Drum Lid

- Self-latching with vent and gasket
- Features spring loaded, rotary latch mechanism and gasketed lid
- Automatically closes when released then automatically latches

MFR #	Size	Color	Control #
26753	55 gal	Red	8754327



Plunger Can

- "Smart pump" mechanism helps you quickly and easily moisten cloths and swabs
- Made of chemical-resistant Ryton® and brass

MFR #	Size	Color	Control #
10208	2 qt	Red	8754326



Drum Bung Wrench

- Opens drum bung caps
- Rugged, nonsparking and corrosive-resistant
- Handle design protects hand

WARNING: This product can expose you to chemicals including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Style	Composition	Control #
08805	3/4" or 2"	Brass	8754314



Drum Cradle

- Allows easy moving and secure setup of drums
- Permits smooth shifting of drum into horizontal position

WARNING: This product can expose you to chemicals including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Frame Size	Handle Length	Capacity	Control #
08800	22-1/2" x 35-1/2"	35-3/4"	600 lbs	8754325



Safety Drum Funnels

- 18-gauge galvanized steel with electrostatically applied epoxy powder coat provides durability and chemical-resistance
- Features self-closing cover and 6" flame arrester

WARNING: This product can expose you to chemicals including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Funnel Diameter	Funnel Height	Mouth Diameter	Capacity	Control #
08207	10-3/4"	10"	10-3/4"	2.6 gal	8754335



Brass Faucet

- Self-closing faucet with internal flame arrester
- Gasketed to prevent leakage
- Screw tightly into drum and can be adjusted without thread damage or leakage
- Use 08955 for viscous liquids

WARNING: This product can expose you to chemicals including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	External Bung Thread	Control #
08902	3/4"	8754348
08955	3/4"	8754340
08932	3-1/4"	8754332



08902



08955



08932

Safety Drum Vent

- Provide automatic pressure relief for drums between 3 psi (20 kPa) but less than 8 psi (55 kPa)
- Includes stainless steel flame arrester for chlorinated solvents
- Non-metallic

MFR #	Vent Position	Vacum Type	Size	Control #
08006	Vertical	Auto	2"	8754346



Safety Cabinets

Manual & Self Closing and Spill Slope™ Shelves



Safety Cabinets (Manual Close)

- Haz-Alert™ reflective labeling for high visibility
- Spillslope™ shelf directs spills to bottom
- U-Loc™ handle comes with double key and accepts an optional padlock

MFR #	Size/ Gal	No. of Shelves	Color	Control #
890400	4	1	Yellow	9494309
891200	12	1	Yellow	9494308
893000	30	1	Yellow	9494301
894500	45	2	Yellow	9494303
896000	60	2	Yellow	9494305
899000	90	2	Yellow	9494307



891200 (1 shelf)



894500 (2 shelves)

Safety Cabinets (Self Closing)



WARNING: This product can expose you to chemicals including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Size/ Gal	No. of Shelves	Color	Control #
893020	30	1	Yellow	9494302
894520	45	2	Yellow	9494304
896020	60	2	Yellow	9494306



893020 (1 shelf)




896020 (2 shelves)

Note: Upon request, additional safety cabinets are available in various colors, sizes and styles.

Spill Slope™ Shelves

- Galvanized steel shelves direct incidental spills to back and bottom of leaktight sump pump
- Meets ANSI Standards with a 350lb safe allowable load

MFR #	Dimension	Fits Cabinet	Control #
29937	39-3/8" x 14"	30 & 45 gal	9494300
29944	30-3/8" x 29"	60 gal	9494318
29945	39-3/8" x 29"	90 gal	9494310



29937

29944



Spill Containment

Pallets & Aerosolv® Systems and EcoPolyBlend™ Spill Tray

Spill Control Pallets

- Black pallets are 100% recycled polyethylene
- Independently validated by UL Environment
- Excellent chemical compatibility and no corrosion

MFR #	Style	Sump Capacity	Load Bearing Capacity	Control #
28623	2 Drum	66 Gal	2,500 lbs	8854300

Note: Drums not included.



Accumulation Centers

- Modular, eco-friendly recycled platforms can be customized to meet workspace
- Made of recycled, durable polyethylene

MFR #	Style	Sump Capacity	Load Bearing Capacity	Control #
28661	8 Drum	98 Gal	10,000 lbs	8854324

Note: Drums not included.



Standard Aerosolv® System

- Safe and economical way to dispose of aerosol cans
- Includes puncturing unit with plastic sleeve, color changing coalescing/carbon filter cartridge, anti-static wire and goggles to enhance safety
- Complies with EPA 40 CFR 261.23 (a) (6)



WARNING: This product can expose you to chemicals including Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

MFR #	Fits	Control #
28202	30 & 55 Gal Drums	8854314

Note: Drum not included.



EcoPolyBlend™ Spill Tray

- Lightweight and low-profile design for small-scale spill control
- Made of 100% recycled polyethylene
- Rated for service temperatures between -30° to 120°F

MFR #	Size	Sump Capacity	Control #
28716	38" x 26" x 5-1/2"	20 Gal	8854323

