




PRODUCT GUIDE



Solutions to Keep You Moving™



1958

Born in a Pennsylvania garage
with a single product

Now a **GLOBAL LEADER**



CRC is a leading global manufacturer of specialty products and formulations for maintenance and repair professionals and do-it-yourselfers, serving the industrial, electrical, automotive, marine, heavy truck, hardware and aviation markets.

CRC has a rich history of innovation, driven by a core focus on identifying unmet needs in the marketplace and providing differentiated solutions for its customers. CRC has been first-to-market with many industry-leading products such as CRC Bräkleen[®], the #1 selling brake parts cleaner worldwide. That passion for innovation continues today as the company creates high quality formulations that are custom-matched to specific application needs while keeping the health and safety of the user at the forefront in a highly-regulated environment.


























CRC is the only company to offer the S.D.[L.][®] (Safety Data Label) – a Safety Data Sheet printed on the reverse side of the product label, keeping critical safety information at the fingertips of the user.



As an ISO (International Organization for Standardization) 9001:2015 certified manufacturer, CRC places strict controls on every step of the product development and manufacturing process; starting with the finest raw materials and continuing with consistent, quality manufacturing techniques. The benefits of achieving and maintaining ISO 9001:2015 certification reach CRC customers through the consistent conformity of its products and services, and the assurance of superior quality, environmental responsibility, safety and reliability.

	Industrial Cleaners	4		Tool & Equipment Oils	42
	Industrial Precision Cleaners	4		Greases	44
	Heavy Duty Degreasers	7		Mold Releases	48
	Aqueous Cleaners	11		Insecticides	50
	SmartWasher® Parts Cleaning System	15		Paints & Coatings	51
	Lubricants	18		Equipment	52
	Corrosion Inhibitors	26		Aviation Maintenance	53
	Welding	29		Vehicle Maintenance	54
	Electrical Maintenance	31		Marine Maintenance	58
	Electrical Precision Cleaners	31		Glossary of Terms	62
	Heavy Duty Degreasers	33		NSF Category Codes	63
	Electrical Cable Cleaners	35		Indices	64
	Electrical Lubricants	36			
	Metalworking	37			
	Specialty Products	39			
	Testing	40			
	Industrial Hand Cleaners	40			

PACKAGE SIZE GUIDE


 2, 6, 8, 12, 16, 20 & 24 oz aerosol can	 16 oz non-aerosol spray bottle	 2 oz, 2.5 oz & 4 oz tube	 6 oz & 8 oz pressurized tube with Select-a-BEAD® Nozzle	 1 gallon bottle
 12, 16 & 20 oz aerosol trigger can	 16 oz stick	 6 oz & 8 oz pressurized tube	 4 oz pump spray	 1 gallon can
 16 oz & 20 oz aerosol can with Perma-Lock® actuator	 8 & 16 oz bottle	 12 oz & 14 oz cartridge	 4 oz packet	 1 & 5 gallon pail 35 pound pail
 16 oz & 32 oz trigger spray bottle	 1 quart bottle	 14 oz can	 Repair Patches 3" x 6" 6" x 9" 9" x 12"	 55 gallon drum 400 pound drum
 16 oz non-aerosol can w/trigger	 8 oz & 16 oz brush-top can	 9 oz & 12 oz tub	 carded	 120 pound keg 275 gallon tote

For the most up-to-date version go to crcindustries.com.


CRC®, Weld-Aid®, Sta-Lube®, K&W®, Marykate®, SmartWasher® and products denoted w/™ and ® are trademarks or registered trademarks of CRC Industries, Inc.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

LOOKING FOR A PRECISION CLEANER?



LOOKING FOR A SOLVENT DEGREASER?



For assistance with selecting products, contact Technical Service at techservice@crcind.com or call 1-800-521-3168.

LOOKING FOR A WATER BASED DEGREASER?

MULTI-PURPOSE CLEANING

PH CHART



MULTI-SURFACE DISINFECTANT CLEANER
 P/N 1752399
 Case#1752400
 pH 1.9

ACIDIC: Acidic pH products are used to remove calcium, lime, scale, salts and other mineral deposits.

GREEN FORCE® WATER BASED DEGREASER
 P/N 1751592
 pH 7.5-8.5

NEUTRAL

ALKALINE: Alkaline pH products are used to remove oils, grease, fats and proteins.

HYDROFORCE® ALL PURPOSE DEGREASER
 P/N 14406
 Case# 1004955
 pH 10.2


HYDROFORCE® ZERO VOC GENERAL PURPOSE DEGREASER
 P/N 14446
 Case# 1004989
 pH 10.3

HYDROFORCE® BUTYL-FREE ALL PURPOSE CLEANER
 P/N 14405
 Case# 1004953
 pH 12.2

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER
 P/N 14414
 Case# 1004967
 pH 13

CLEANER WITH BLEACH
 P/N 1752393
 Case# 1752394
 pH 13

CLEANING APPLICATION



For assistance with selecting products, contact Technical Service at techservice@crcind.com or call 1-800-521-3168.

The pH chart is a scale ranging from 0 to 14 used to measure acidity and alkalinity. The lower the number the more acidic; the higher the number, the more alkaline; 7 is neutral.

CONTACT CLEANER 2000®

Precision Cleaner

An aggressive general purpose precision cleaner that effectively removes dirt, light oils and other contaminants. It evaporates quickly, leaves no residue and has no flash point. Not recommended for use on Noryl® or polycarbonate type plastics.

Part#	Item#	Case/Order#	Size	Units/cs
03150 ¹	1003419	1003418	16 oz aerosol	12



PF PRECISION CLEANER

Innovative contact cleaner that offers strong cleaning action, fast evaporation and no residue. PF Precision Cleaner has no flash point and is safe to use on plastics.

Part#	Item#	Case/Order#	Size	Units/cs
03190 ¹	1003447	1003446	16 oz aerosol	12



NT™ PRECISION CLEANER

Patented formula NT™ Precision Cleaner effectively removes dirt, light oils and other contaminants from electronic equipment. It evaporates quickly and leaves no residue. NT™ Precision Cleaner has no flash point and is an optimal alternative to HCFC 141b-based cleaners when sensitive plastics are not a concern.

Part#	Item#	Case/Order#	Size	Units/cs
03205 ¹	1003461	1003460	16 oz aerosol	12



ELECTRONIC COMPONENT CLEANER

Precision Cleaner

Aggressive cleaner for use on electronic components in industrial, electrical, and aviation applications. Its high purity, fast penetrating formula aggressively dissolves dust, lint, dirt, oils, polar soils, and other contaminants from most non-plastic surfaces. It evaporates very rapidly and leaves no residue.

Part#	Item#	Case/Order#	Size	Units/cs
03200 ¹	1003455	1003454	16 oz aerosol	12



XT-2000™ PRECISION CLEANER

A non-flammable, low odor and rapidly evaporating precision cleaner for use in electrical and industrial applications. Effectively removes dirt, light oils and other contaminants from electronic equipment.

Part#	Item#	Case/Order#	Size	Units/cs
03155 ¹	1003425	1003424	16 oz aerosol	12



QD® CONTACT CLEANER

A petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics. Evaporates quickly, leaves no residue and is safe to use on all plastics.

Part#	Item#	Case/Order#	Size	Units/cs
03130 ¹	1003407	1003406	16 oz aerosol	12
03134 ^{*1}	1003411	1003410	1 gal can	4
03131 ^{*1}	1003408	1003408	5 gal pail	1
03132 ^{*1}	1003409	1003409	55 gal drum	1



CONTACT CLEANER

Advanced Technology Formula Contact Cleaner does not contain known ozone depleting substances or VOCs. It provides an optimal alternative to CFC, HCFC, and flammable contact cleaners. Regular use will help prevent electrical failure, increase performance and prolong equipment life. Contact Cleaner will not damage sensitive modern plastics such as Noryl®, ABS and Lexan®.

Part#	Item#	Case/Order#	Size	Units/cs
03070 ¹	1003333	1003332	16 oz aerosol	12



CE™ PRECISION CLEANER

Azeotropic blend designed specifically for dissolving and flushing away carbon dust, polar soils, mineral oils and non-polar soils found in elevator rooms and vertical lifts. CE™ Precision Cleaner has a controlled evaporation rate, providing sufficient dwell time to dissolve and flush dirt from surfaces before evaporating without leaving a residue.

Part#	Item#	Case/Order#	Size	Units/cs
14035 ¹	1004776	1004775	16 oz aerosol	12



¹ – 360° spray valve can be sprayed in the UP or DOWN position.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

Noryl® and Lexan® are registered trademarks of SABIC GLOBAL TECHNOLOGIES B.V.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

ISOPROPYL ALCOHOL Precision Cleaner

A quick drying light-duty precision cleaner for use in electronic and aviation applications. Its 99% pure formula aggressively dissolves grease, dust, dirt, lint, oils and flux.

Part#	Item#	Case/Order#	Size	Units/cs
03201	1003457	1003456	16 oz aerosol	12



DUSTER™ Aerosol Dust Removal System

Safely removes dust from energized equipment without damaging sensitive components or surface finish. Penetrates into cracks and crevices to remove contaminants that normal hand dusting cannot reach. It delivers a powerful blast of product to remove embedded debris. The extension tube can be used for more precise delivery. Energized equipment use only. Non-flammable and plastic safe.

Part#	Item#	Case/Order#	Size	Units/cs
14085	1004818	1004817	12 oz aerosol trigger	12



HF™ CONTACT CLEANER

Petroleum distillate-based precision cleaner that offers the safety of a high flash point without leaving a residue. It may be used on most plastic materials.

Part#	Item#	Case/Order#	Size	Units/cs
03125	1003404	1003403	16 oz aerosol	12



DUSTER™ Moisture-Free Dust & Lint Remover

Effectively removes dirt, dust, lint and other contaminants with a dry blast of air. Safely eliminates debris from sensitive electronics, appliances and equipment.

Part#	Item#	Case/Order#	Size	Units/cs
05185	1003746	1003744	16 oz aerosol trigger	12



CONTACT CLEANER & PROTECTANT

High purity precision cleaner that helps make equipment perform like new. Penetrates surface pores, cleans away contaminants and leaves a fine microscopic corrosion resistant film.

Part#	Item#	Case/Order#	Size	Units/cs
03140*	1003417	1003416	16 oz aerosol	12



FREEZE SPRAY

Aerosol coolant system that instantly freezes surfaces to -60°F, dissipating heat and cooling equipment. Freeze Spray also assists in locating thermal intermittent components, failures and shorts. Safe to use on sensitive components and all surface finishes. Freeze Spray comes with an extension tube for precise application of the product.

Part#	Item#	Case/Order#	Size	Units/cs
14086	1004820	1004819	12 oz aerosol trigger	12



FOOD GRADE CONTACT CLEANER

Contact cleaner suitable for cleaning sensitive electronics. Evaporates quickly, leaves no residue and is safe to use on all plastics. NSF P1 Registered for use in meat and poultry plants.







Part#	Item#	Case/Order#	Size	Units/cs
N/A	1750989*	1750988	16oz aerosol w/ Perma-Lock®	12



⊖ – 360° spray valve can be sprayed in the UP or DOWN position.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

INDUSTRIAL PRECISION CLEANERS

PRODUCT	Base Type	Flash Point (F)	Evaporation Rate	Dielectric Strength (Volts)	Plastic Safe	SDS Label Attached	NSF Category Code	VOC % [∞]	Container Size
Contact Cleaner 2000 [®] Precision Cleaner	DCE/HFC	None	Fast	30,800 Volts	May be harmful to some plastics	Yes	K2	57.5 (aerosol) 60.5 (bulk)	 
XT-2000 [™] Precision Cleaner	DCE/HFC	None	Fast	30,200 Volts	Safe on Most Plastics (test small area)	Yes	K2	23.4	
Contact Cleaner	HFC/HFE	None	Very Fast	27,600 Volts	Yes	Yes	K2	0	
PF Precision Cleaner	HFC	None	Very Fast	31,500 Volts	Yes	Yes	K2	6	
Electronic Component Cleaner	DCE/HFC	None	Fast	30,800 Volts	May be harmful to some plastics	Yes	K2	57.5	
NT [™] Precision Cleaner	DCE/HFC	None	Fast	30,800 Volts	May be harmful to some plastics	Yes	K2	57.5	
QD [®] Contact Cleaner	Hydrocarbon Solvents	16°F (aerosol) <0°F (bulk)	Very Fast	39,500 Volts (aerosol) 30,500 volts (bulk)	Yes	Yes	P1	74.9	   
CE [™] Precision Cleaner	HFC	None	Slow	28,400 Volts	Safe on Most Plastics (test small area)	Yes	K2	16.3	
Isopropyl Alcohol Precision Cleaner	Alcohol	54°F TCC	Very Fast	8,300 Volts/Mil	Safe on Most Plastics (test small area)	Yes	K1, K2	74.9	
HF [™] Contact Cleaner	Petroleum Distillate	205°F	Slow	45,700 Volts	Safe on Most Plastics (test small area)	Yes	K2	0	 
Contact Cleaner & Protectant	Isohexane/Silicone	<0°F TCC	Moderate	350 Volts	Safe on Most Plastics (test small area)	Yes	K2	71.9	
Duster [™] Aerosol Dust Removal System	HFC	None	Very Fast	N/A	Yes	No	K2	0	
Duster [™] Moisture-Free Dirt & Lint Remover	HFC	-58°F TCC	Fast	N/A	Yes	No	N/A	0	
Freeze Spray	HFC	None	Very Fast	N/A	Yes	No	N/A	0	
Food Grade Contact Cleaner	Heptane	16°F	Very Fast	39,500 Volts	Yes	Yes	P1	74.9	

[∞] – VOC % as defined by Consumer Products VOC regulations

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

SUPER DEGREASER™

Non-chlorinated, non-conductive, non-corrosive, non-staining and with no flash point. Advanced Technology Formula Super Degreaser™ quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment. Super Degreaser™ evaporates rapidly and leaves no residue. It is an optimal alternative to 1,1,1-Trichloroethane products. Use caution on plastics.

Part#	Item#	Case/Order#	Size	Units/cs
03910 ³	1003514	1003513	20 oz aerosol (MUO)	12
03111 ³	1003384	1003383	1 gal can	4
03112 ³	1003385	1003385	5 gal pail	1
03113 ³	1003386	1003386	55 gal drum	1
03114 ³	1003388	1003387	16 oz non-aerosol can w/trigger	12



T-FORCE® DEGREASER

Combines the power of a high performance, industrial strength degreaser with lower VOCs. T-Force® Degreaser is non-conductive, non-corrosive, non-staining and has no flash point. It quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment. T-Force® Degreaser evaporates rapidly, leaves no residue and has a good health and safety profile. Does not contain nPB, TCE or Perc.

Part#	Item#	Case/Order#	Size	Units/cs
03117 ³	1003393	1003393	5 gal pail	1
03118 ³	1003394	1003394	55 gal drum	1
03915 ³	1003516	1003515	20 oz aerosol (PowerJet® MUO)	12
03916 ³	1007981	1003517	20 oz aerosol (Non-flammable MUO)	12



SUPER DEGREASER™ PLUS

Non-chlorinated, non-conductive, non-corrosive, non-staining and with no flash point. High cleaning strength quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment. Evaporates quickly and leaves no residue.

Part#	Item#	Case/Order#	Size	Units/cs
03109 ¹	1003380	1003379	20 oz aerosol	12



T-FORCE® NEXT GENERATION DEGREASER

Combines the power of a high performance, industrial strength degreaser with lower VOCs. It is non-conductive, non-corrosive and non-staining and has no flash or fire point.

Part#	Item#	Case/Order#	Size	Units/cs
N/A	1750018	1750016	20 oz aerosol	12



HEAVY DUTY DEGREASER

Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment. Heavy Duty Degreaser offers quick and efficient degreasing action and fast evaporation with no residue and no flash point. Use caution on plastics.

Part#	Item#	Case/Order#	Size	Units/cs
03095 ¹	1003364	1003363	20 oz aerosol	12
03095T ¹	1003366	1003365	20 oz aerosol w/ trigger	12
03995 ³	1003521	1003520	20 oz aerosol (MUO)	12
03096 ³	1003368	1003367	1 gal bottle	4
03097 ³	1003369	1003369	5 gal pail	1
03098 ³	1003370	1003370	55 gal drum	1



QUICK CLEAN™ Safety Solvent and Degreaser

Effective heavy duty degreaser provides strong degreasing action, fast evaporation and no residue. It is non-flammable and does not contain VOCs. Use caution on plastics and paints. Test on a small area before use.

Part#	Item#	Case/Order#	Size	Units/cs
03180 ¹	1003437	1003436	20 oz aerosol	12
03183 ³	1003438	1003438	5 gal pail	1
03184 ³	1003439	1003439	55 gal drum	1



1 – Item restricted from sale in some states and counties. See product page on CRC website for specific restrictions.

3 – Not for retail sale, for use in manufacturing establishments only.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

CHLOR-FREE® DEGREASER

Innovative heavy duty non-chlorinated degreasing solvent that removes oil, grease and other contaminants. Excellent for use where rapid turn-around is necessary and low flash point solvents can be used.

Part#	Item#	Case/Order#	Size	Units/cs
03185 ^{1*}	1003441	1003440	20 oz aerosol	12
03985 ^{3*}	1003519	1003518	20 oz aerosol (MUO)	12
03187 ^{3*}	1003442	1003442	5 gal pail	1
03188 ^{3*}	1003443	1003443	55 gal drum	1
03189 ^{3*}	1003445	1003444	16 oz non-aerosol w/trigger	12



NATURAL DEGREASER™ Citrus Based Degreaser

Specially formulated degreaser that offers the natural cleaning power of citrus. It does not require water wash-off, and does not leave a sticky residue commonly associated with citrus-based cleaners. Natural Degreaser™ Citrus Based Degreaser contains no chlorinated solvents. Use caution on plastics and paints.

Part#	Item#	Case/Order#	Size	Units/cs
14005	1004762	1004761	20 oz aerosol	12
14007 ¹	1004763	1004763	5 gal pail	1
14008 ¹	1004764	1004764	55 gal drum	1



MECH FORCE™ Industrial Degreaser

An innovative, non-chlorinated, heavy duty degreaser that removes oil, grease and other contaminants. This fast evaporating solvent is excellent for use where rapid turn-around is necessary and low flash point solvents can be used. It offers a high permissible exposure limit.

Part#	Item#	Case/Order#	Size	Units/cs
03151 ¹	1003421	1003420	20 oz aerosol	12



HEAVY DUTY DEGREASER II

An excellent alternative for cleaning applications where chlorinated solvents are not acceptable. Heavy Duty Degreaser II effectively removes soils and cleans surfaces without residue build-up. Use caution on plastics.

Part#	Item#	Case/Order#	Size	Units/cs
03120	1003398	1003397	20 oz aerosol	12
03121	1003400	1003399	1 gal bottle	4
03122	1003401	1003401	5 gal pail	1
03123	1003402	1003402	55 gal drum	1



CITRUS DEGREASER

A unique heavy duty degreaser that is extremely effective for dissolving and removing grease, oil, lubricants and contaminants without requiring water wash off and without leaving a residue. Use caution on plastics and paints.

Part#	Item#	Case/Order#	Size	Units/cs
14170 ³	1004861	1004860	20 oz aerosol	12
14970 ³	1005158	1005157	20 oz aerosol (MUO)	12
14171 ³	1004863	1004862	16 oz non-aerosol can w/trigger	12
14172 ³	1004865	1004864	1 gal bottle	4
14173 ³	1004866	1004866	5 gal pail	1
14174 ³	1004867	1004867	55 gal drum	1



SUPER-SOY™ DEGREASER

A unique, heavy duty degreaser extremely effective in dissolving and removing grease, oil, lubricants, adhesives and tar. Specially formulated with soy bean and corn-based solvents, which are renewable resources that conserve non-renewable resources such as petroleum.

Part#	Item#	Case/Order#	Size	Units/cs
03135	1003413	1003412	20 oz aerosol	12



³ – 360° spray valve can be sprayed in the UP or DOWN position.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

³ – Not for retail sale, for use in manufacturing establishments only.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

INSTA-SOLV® DEGREASER

An extremely low VOC content, non-chlorinated degreaser for use in industrial and electrical applications. Its fast evaporating formula aggressively dissolves grease, dirt, and oils from most non-plastic surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
03100*	1003372	1003371	20 oz aerosol	12



INDUSTRIAL ADHESIVE REMOVER

Ideal for removing adhesive residue, tar, wax or other contaminants. Its penetrating formula can help remove stubborn labels and tape from multiple surfaces. VOC compliant in all 50 states[∞].

Part#	Item#	Case/Order#	Size	Units/cs
03250	1003473	1003472	20 oz aerosol	12
03251	1003475	1003474	1 gal bottle	4



BATTERY CLEANER

Water soluble formula designed to remove corrosion quickly and economically while neutralizing acid spills. Use to restore battery output and reduce voltage leakage due to contaminants.

Part#	Item#	Case/Order#	Size	Units/cs
03176	1003435	1003434	12 oz aerosol	12



CARB & CHOKE CLEANER

Low VOC formula designed to maximize carburetor performance, improve fuel system performance and ensure maximum fuel economy.

Part#	Item#	Case/Order#	Size	Units/cs
03077*	1003337	1003336	16 oz aerosol	12



COIL CLEANER

A versatile, chlorinated solvent-based cleaner that is extremely effective in removing grease and dirt on air conditioning and refrigeration coils. It aggressively dissolves grease, oil, and sludge for more efficient operation of mechanical equipment. Coil Cleaner evaporates quickly, and is non-corrosive, non-conductive, and non-staining.

Part#	Item#	Case/Order#	Size	Units/cs
03195	1003451	1003450	20 oz aerosol	12



GRAFFITI REMOVER

CRC Graffiti Remover is a solvent-based, high strength cleaner that removes vandal marks from metal, concrete and other non-sensitive surfaces. It quickly dissolves and aids in the removal of paints, pen marks, crayon, ink, lipstick, scuff marks, lacquers, and varnishes. CRC Graffiti Remover contains no methylene chloride.

Part#	Item#	Case/Order#	Size	Units/cs
03194	1003449	1003448	16 oz aerosol	12



FOAMING COIL CLEANER

High performance, heavy duty foaming detergent designed to clean evaporator and condenser coils. The aggressive alkaline detergent blend quickly cuts through dirt, grease, oil and other types of residue. Low odor formula.

Part#	Item#	Case/Order#	Size	Units/cs
03196 [Ⓢ]	1003453	1003452	20 oz aerosol	12



GASKET REMOVER Paint and Decal Remover

Solvent-based, high strength cleaner that removes baked-on fiber gaskets, gasket adhesives and sealants. Dissolves and aids in the removal of paints, lacquers, and varnish. Removes graffiti from metal and stone.

Part#	Item#	Case/Order#	Size	Units/cs
03017	1003266	1003265	16 oz aerosol	12



[Ⓢ] – 360° spray valve can be sprayed in the UP or DOWN position.

[∞] – As defined by Consumer Products VOC regulations.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

HEAVY DUTY DEGREASERS

PRODUCT	Base Type	Cleaning Strength (KB)	Flash Point (F)	Evaporation Rate	Dielectric Strength (Volts)	VOC % [∞]	NSF Category Code	SDS Label Attached	Container Size
Super Degreaser™ Plus	HFC/Halogenated	100	None	Fast	17,000 Volts	49.9	K1	Yes	
Super Degreaser™	Halogenated	125	None	Fast	26,800 Volts	100 96.12 (MUO)	K2 K1 (MUO)	No Yes	
Heavy Duty Degreaser	Chlorinated	105	None	Fast	39,200 Volts	7.8 (aerosol) 8 (bulk)	K1	Yes No	
T-Force® Degreaser Non-Flammable MUO	DCE/HFC	75	None	Fast	27,510 Volts	72	K1	Yes	
T-Force® Degreaser MUO	DCE/HFC	97	None	Fast	39,000 Volts	81.7	K1	Yes	
T-Force® Next Generation Degreaser	DCE/HFC	33	None	Fast	23,450 Volts	50	K1	No	
T-Force® Degreaser	DCE/HFC	97	>266°F	Fast	39,000 Volts	85	K1	No	
Quick Clean™ Safety Solvent and Degreaser	Chlorinated	95	None	Very Fast	37,500 Volts	0	K1, K2	Yes	
Chlor-Free® Degreaser	Blend of non-chlorinated organic solvents	106	<0°F	Fast	6,000 Volts (aerosol) 20,800 Volts (bulk) 20,800 Volts	46.3 (aerosol) 100 (bulk) 96 (MUO)	K2 K2 K1	Yes No Yes	
Mech Force™	Blend of non-chlorinated organic solvents	>200	<0°F	Fast	6,600 Volts	46	K1	Yes	
Citrus Degreaser	d-limonene & Petroleum Distillate	32	170°F	Slow	58,600 Volts	9.8	C1	Yes	
Citrus Degreaser Bulk & MUO	d-limonene & Petroleum Distillate	54	100°F	Fast	35,000 Volts	100 (bulk) 96.5 (MUO)	C1	Yes	
Natural Degreaser™	Glycol Ether	>200 (aerosol) 111 (bulk)	150°F (aerosol) 172°F (bulk)	Slow	28,600 Volts 45,700 Volts	9.7 (aerosol) 4 (bulk)	C1	Yes No	
Heavy Duty Degreaser II	Petroleum Distillate	75	185°F	Slow	42,100 Volts	0	K1, K2	Yes No	
Insta-Solv® Degreaser	Acetone	112	<0°F	Fast	6.3 KV AC	2.7	K1	Yes	
Super-Soy™ Degreaser	Soy Methyl Ester	N/A	84°F	Slow	18,900 Volts	8.2	K1	Yes	
Battery Cleaner	Water-Based	N/A	None	Slow	N/A	7.9	N/A	Yes	
Gasket Remover	Organic Solvents	N/A	56°F	Fast	N/A	47.5	C3	Yes	
Graffiti Remover	Organic Solvents	N/A	56°F	Fast	N/A	47.5	C3	Yes	
Coil Cleaner	Chlorinated	105	None	Fast	39,200 Volts	7.8	N/A	Yes	
Foaming Coil Cleaner	Water-Based	N/A	None	Slow	N/A	10.2	A1, C1	Yes	
Industrial Adhesive Remover	Petroleum Distillate	75	185°F	Slow	42,100 Volts	0	K3 (aerosol)	No Yes	
Carb & Choke Cleaner	Organic Solvents	>200	<0°F	Fast	6,300 Volts	9.2	N/A	Yes	

KB = Kauri Butanol ∞ – VOC % as defined by Consumer Products VOC regulations

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

Aqueous degreaser with the powerful performance of a solvent. Upon contact, HydroForce® Industrial Strength Degreaser instantly begins to hunt-down, break-up and lift-off heavy deposits of grease, oil and dirt. It exhibits a unique spreadability. Perfect for facilities seeking an alternative to traditional solvents.

Part#	Item#	Case/Order#	Size	Units/cs
14414	1004968	1004967	20 oz aerosol	12
14415 ¹	1004970	1004969	32 oz trigger spray bottle	12
14416	1004972	1004971	1 gal bottle	4
14417	1004973	1004973	5 gal pail	1
14418	1004974	1004974	55 gal drum	1



HYDROFORCE® BUTYL-FREE ALL PURPOSE CLEANER

Butyl-free cleaner that is versatile enough for all of your cleaning tasks, but strong enough to attack and remove tough dirt, dust and grime deposits. Perfect for facilities seeking an efficient all-purpose cleaner with maximum regulatory compliance.

Part#	Item#	Case/Order#	Size	Units/cs
14405	1004954	1004953	20 oz aerosol	12
14401	1004949	1004948	32 oz trigger spray bottle	12
14402	1004951	1004950	1 gal bottle	4
14404	1004952	1004952	55 gal drum	1



HYDROFORCE® ALL PURPOSE DEGREASER

Versatile enough to use for all degreasing tasks. HydroForce® All Purpose Degreaser breaks-up and lifts-off grease, oil and dirt deposits. Perfect for facilities seeking an improvement over their current all-purpose aqueous degreaser.

Part#	Item#	Case/Order#	Size	Units/cs
14406	1004956	1004955	20 oz aerosol	12
14407 ¹	1004958	1004957	32 oz trigger spray bottle	12
14408	1004960	1004959	1 gal bottle	4
14409	1004961	1004961	5 gal pail	1
14410	1004962	1004962	55 gal drum	1
14421	1004975	1004975	275 gal tote	1



HYDROFORCE® GLASS CLEANER Professional Strength

Versatile enough to use on your most delicate glass surfaces, but strong enough to quickly cut through the toughest dirt, dust, fingerprint and haze deposits without streaking. Its ammonia-fortified formula contains a foaming agent for greater coverage and less run-off when cleaning vertical surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
14412	1004966	1004965	20 oz aerosol	12
14411	1004964	1004963	32 oz trigger spray bottle	12
14427	1004978	1004978	55 gal drum	1



HYDROFORCE® ZERO VOC General Purpose Cleaner

Provides maximum regulatory compliance without performance compromises. It is strong enough to attack and remove tough dirt, dust and grime deposits; yet its moderate pH formula, and zero VOC content make it versatile and safe enough to use daily for all your cleaning tasks. Formulated with a special polymer that keeps dirt and greasy soils from returning to surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
14446	1004990	1004989	32 oz trigger spray bottle	12
14447	1004992	1004991	1 gal bottle	4
14449	1004993	1004993	55 gal drum	1



¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

HYDROFORCE® SUPER CITRUS™ HEAVY DUTY DEGREASER

Naturally formulated degreaser that offers the superb cleaning power of citrus. HydroForce® Super Citrus™ Heavy Duty Degreaser dissolves grease, oil, ink, tar, asphalt and many other industrial residues.

Part#	Item#	Case/Order#	Size	Units/cs
14440	1004984	1004983	20 oz aerosol	12
14441	1004986	1004985	1 gal bottle	4
14442	1004987	1004987	5 gal pail	1
14443	1004988	1004988	55 gal drum	1



HYDROFORCE® STAINLESS STEEL CLEANER & POLISH

Using an exclusive ultra shine formula, HydroForce® Stainless Steel Cleaner & Polish eliminates dirt, dust, fingerprints and watermarks and leaves behind a protective, non-greasy barrier that resists the return of these stains. Created specifically for industrial applications, Stainless Steel Cleaner is formulated with powerful cleaning agents designed to out-clean, out-shine and out-perform competing janitorial stainless steel cleaners.

Part#	Item#	Case/Order#	Size	Units/cs
14424	1004977	1004976	20 oz aerosol	12



HYDROFORCE® GERMICIDAL FOAM CLEANER

Cleans, disinfects and deodorizes in one easy step. The rich, foamy aqueous based formula clings to vertical or inverted surfaces without runs or drips. HydroForce® Germicidal Foam Cleaner contains powerful cleaning agents that instantly lift off and eliminate dirt, dust, grease and grime. For sale in U.S. and Puerto Rico only.

Part#	Item#	Case/Order#	Size	Units/cs
14430	1004982	1004981	20 oz aerosol	12



HYDROFORCE® FOAMING DEGREASER

A rich, foamy, aqueous based degreaser that removes dirt, dust, grease, ink and grime with a powerful cleaning agent that clings to vertical or inverted surfaces without runs or drips. It is aggressive enough to remove rubber marks but remains gentle enough for use on painted and plastic surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
14428	1004980	1004979	20 oz aerosol	12



VISICLEAR® DISPLAY & ELECTRONIC SCREEN CLEANER

Safely cleans TFT, LCD, Plasma, CRT and Touch Screens. This unique foam cleaner clings, won't drip, and is alcohol and ammonia free. Product is applied with a clean microfiber cloth or sprayed directly onto the display surface.

Part#	Item#	Case/Order#	Size	Units/cs
05131	1003738	1003737	8 oz aerosol	12



GREEN FORCE® WATER-BASED DEGREASER

Neutral pH of 7.5-8.5. Non-corrosive, non-flammable, non-hazardous, biodegradable formula. Concentrated, industrial strength, safe on most plastics. Low foaming, heavy duty degreasing solution. Meets U.S. EPA Safer Choice Standards.

Part#	Item#	Case/Order#	Size	Units/cs
N/A	1751592	1751592	5 gal pail	1
N/A	1751593	1751593	55 gal drum	1



HYDROFORCE® FOAMING CITRUS ALL PURPOSE CLEANER

Rich, foamy, aqueous-based cleaner with a citrus scent. Clings to tough, stubborn stains on vertical or inverted surfaces without runs or drips. Its foaming action instantly begins to lift-off and eliminate dirt, dust, ink and grime deposits.

Part#	Item#	Case/Order#	Size	Units/cs
14400	1004947	1004946	20 oz aerosol	12



DESIGNED TO MEET THE DEMANDS OF A CHANGING MARKET

Ensuring the safety of employees and customers is the #1 priority for businesses today. To meet the rigorous demands of new cleaning and disinfecting protocols, CRC has developed a trio of high-performance cleaning products to help maintain a safe and productive work environment.

MULTI-SURFACE DISINFECTANT CLEANER

EPA approved disinfectant cleaner effective against the SARS-CoV-2 virus.* Kills 99.9% Influenza A, H1N1 Virus, Rhinovirus on hard, non-porous surfaces in 10 minutes. Hydrogen Peroxide base, no harsh chemicals, no phosphates. Disinfects as it cleans with a fresh citrus fragrance.

APPLICATIONS: Use in restrooms, breakrooms, kitchens on sinks, fixtures, countertops, tables, doors, handles and other high touch surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
N/A	1752399	1752400	32 oz trigger spray bottle	12
N/A	1752401	1752402	1 gal bottle	4

PLEXI SAFE™ PROTECTIVE BARRIER CLEANER

Use this premium quality cleaner to safely clean Plexiglas® dividers and protective barriers. Safe to use on plexiglass and acrylic surfaces, but strong enough to remove tough dirt, smudges, fingerprints, and soils. This non-ammonia formula works quickly and easily, leaving surfaces streak-free.

APPLICATIONS: For use on Plexiglas® dividers, protective barriers, partitions, safety shields and sneeze guards, and acrylic barriers.

Part#	Item#	Case/Order#	Size	Units/cs
N/A	1752437	1752438	32 oz trigger spray bottle	12

CLEANER WITH BLEACH

Highly effective bleach-based surface cleaner for quickly removing germs, dirt, and stains. This multi-surface formula cleans and deodorizes, attacking and neutralizing offensive odors. The trusted cleaning power of bleach eliminates mold and mildew stains. It is recommended to clean high touch surfaces often, as well as prior to disinfecting.

APPLICATIONS: Ideal for use in restrooms, breakrooms, and kitchens for use on sinks, tubs, countertops, tables, desks, and other hard surfaces. Not for use on cloth or fabric surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
N/A	1752393	1752394	32 oz trigger spray bottle	12
N/A	1752395	1752396	1 gal bottle	4



*CRC MULTI SURFACE DISINFECTANT CLEANER has demonstrated effectiveness against viruses similar to SARS-CoV-2 (COVID-19) on hard, non-porous surfaces. Therefore, CRC MULTI SURFACE DISINFECTANT CLEANER can be used against SARS-CoV-2 when used in accordance with the directions for use against Rhinovirus on hard, non-porous surfaces. Refer to the CDC website at www.cdc.gov for additional information.

PRODUCT	Base Type	pH	Flash Point (F)	NSF Category Code	Odor	Container Size
HydroForce® Industrial Strength Degreaser	Alkaline H ₂ O Surfactant	13.05 (aerosol) 13.15 (bulk)	None	C1	Pleasant	
HydroForce® All Purpose Degreaser	H ₂ O Surfactant	10.7 (aerosol) 10 (bulk)	None	C1	Pleasant	
HydroForce® Zero VOC General Purpose Cleaner	H ₂ O Surfactant	10.00	None	A1	Mild Detergent	
HydroForce® Butyl-Free All Purpose Cleaner	H ₂ O Surfactant	11 (aerosol) 10.5 to 12.2 (bulk)	None	A1, C1	Glycol Ether	
HydroForce® Super Citrus™ Heavy Duty Degreaser	Solvent in H ₂ O Emulsion (aerosol) Solvent Based Dilutable in H ₂ O (bulk)	10 (aerosol)	None (aerosol) 190°F (bulk)	C1	Citrus	
HydroForce® Glass Cleaner Professional Strength	H ₂ O Surfactant	10.5 (aerosol) 10.6 (bulk)	None	C1	Ammonia	
HydroForce® Germicidal Foam Cleaner	H ₂ O Surfactant	11.8 to 12.8	None	C1	Fruity	
HydroForce® Foaming Citrus All Purpose Degreaser	H ₂ O Surfactant	10.9	None	C1	Citrus	
HydroForce® Stainless Steel Cleaner & Polish	Solvent/Oil in H ₂ O Emulsion	10.5	None	C1	Mild Petroleum	
HydroForce® Foaming Degreaser	H ₂ O Surfactant	9.9	None	C1	Mild	
VisiClear® Display & Electronic Screen Cleaner	H ₂ O Surfactant	9 to 10	None	None	Odorless	
Green Force® Water-Based Degreaser	H ₂ O Surfactant	7.5 to 8.5	200°F	C1	Odorless	
Multi-Surface Disinfectant Cleaner	H ₂ O/Hydrogen Peroxide	1.9	None	None	Citrus	
Cleaner with Bleach	H ₂ O/Bleach	13	None	None	Bleach	
Plexi Safe™ Protective Barrier Cleaner	H ₂ O Surfactant	10	201°F	None	Alcohol	

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

A STRONGER, SAFER, SMARTER PARTS WASHING SYSTEM

The CRC SmartWasher® is a bioremediating parts washing system designed to clean dirty equipment parts during repair and maintenance operations. The system combines 3 essential components – the SmartWasher® parts washer, the OzzyJuice® cleaning fluid, and the OzzyMat® filter that contains a proprietary blend of microbes.

The SmartWasher® heats and circulates the OzzyJuice® and the OzzyJuice® cleans the parts. The OzzyMat® releases the microbes into the cleaning fluid to break down and eat oil, grease and carbon-based contaminants, creating a self-cleaning system that does not generate hazardous waste.

The SmartWasher® system harnesses the power of nature to deliver exceptional cleaning performance while also eliminating the need to handle or dispose of hazardous waste, making it a safer choice over manual solvent or aqueous-based parts washers.

WHAT IS BIOREMEDIATION?

Bioremediation is the use of microbes to break down and “eat” oil, grease, and carbon-based contaminants. This proven biotechnology is used to assist in the clean-up of wastewater treatment ponds and lagoons in petroleum refineries and industrial manufacturing facilities all around the world.



INDUSTRIAL CLEANERS

SMARTWASHER®



Oil contaminants enter the solution as parts are washed.



Surfactant in OzzyJuice® solution emulsifies the oils.



Emulsified oil is eaten by the Ozzy® microbes.



Oil is converted into water and carbon dioxide.

CERTIFICATION & APPROVALS

The SmartWasher® system is a safe and highly-effective alternative to manual solvent and aqueous-based parts washers. It is eco-friendly and makes operations better and safer for the user and the environment. All OzzyJuice® solutions used in the SmartWasher® are non-hazardous, non-corrosive, pH-neutral, non-flammable, non-toxic and non-caustic. When used in accordance with directions, the SmartWasher® system does not generate hazardous waste or potential for cradle to grave legal liability.

Clean Air Solvent Certificate

OzzyJuice® products certified “Clean Air Products” by SCAQMD (South Coast Air Quality Management District) include SW-3, SW-4, SW-7, and SW-8.

Meets US EPA Safer Product Standards

OzzyJuice® SW-4 and OzzyBooster® Microbial Enhancer have been awarded the SAFER CHOICE label and seal of approval by the EPA.

NSF Registered Products

All OzzyJuice® formulas are registered A1 for use in food manufacturing facilities.





SW-23 MOBILE PARTS/BRAKE WASHER

SW-23 – fits every application with its unique design and features, large sink size, and mobility. It includes an extra long angled brush/hose for those hard to reach places and a customized dolly with a footstep for easy movement.

Part#	Case/Order#	Unit Size	Units/cs
14161	1004858	43"H x 42"W x 27"D	1

SW-25 SIGNATURE PARTS WASHER

SW-25 – features toggle switch controls, a flow control timer, adjustable thermostat, larger capacity stationary unit.

Part#	Case/Order#	Unit Size	Units/cs
14145	1004852	43"H x 35"W x 26"D	1

SW-28 SUPERSINK PARTS WASHER

SW-28 – loaded with features and includes an extra large work surface for all jobs. A second workstation can easily be added allowing two people to work at the same time.

Part#	Case/Order#	Unit Size	Units/cs
14144	1004851	47"H x 42"W x 38"D	1

SW-28XE SUPERSINK XE PARTS WASHER

SW-28XE – fully loaded with an extra large work surface and two work/brush stations. A light kit and parts basket are also standard equipment with this model.

Part#	Case/Order#	Unit Size	Units/cs
14710	1005003	47"H x 42"W x 38"D	1

SW-37 MOBILE HEAVYWEIGHT PARTS WASHER

SW-37 – features a 1000 lbs. load capacity. It's tough enough for the big jobs and can easily be moved through the shop area on its mobile dolly or can stay in place with locking casters. It has a large, oversized sink to accommodate multi-sized parts.

Part#	Case/Order#	Unit Size	Units/cs
14162	1004859	49"H x 48"W x 35"D	1

SMARTWASHER® BENCHTOPPRO®

The BenchtopPRO® is a bench-top parts washer for the small shop or home garage when a standard SmartWasher® unit is too large. Featuring bioremediation technology and a solvent-free professional grade cleaning solution the BenchtopPRO® cleans greasy, dirty, oily parts without the need for waste disposal. Non-hazardous, non-toxic and non-flammable, this revolutionary parts washer offers a safe alternative to hazardous solvents without compromising cleaning performance. CLEAN. CLOSE. STORE.™

Part#	Case/Order#	Unit Size	Units/cs
N/A	1000872	12.63"H x 28.38"W x 17.25"D	1

SINK COVERS

Heavy-duty woven fabric withstands industrial and shop environments to keep dust and dirt out of the SmartWasher® sink.

Part#	Case/Order#	Description	Units/cs
14889	1005152	Cover for SmartWasher® SW-23 Mobile Parts Washer Fits 14161	1
14890	1005153	Cover for SmartWasher® SW-25 Signature Parts Washer Fits 14145	1
14891	1005154	Cover for SmartWasher® SW-28 SuperSink Parts Washer Fits 14144	1
14892	1005155	Cover for SmartWasher® SW-28-XE SuperSink Parts Washer Fits 14710	1
14893	1005156	Cover for SmartWasher® SW-37 Mobile Heavyweight Parts Washer Fits 14162	1

OZZYJUICE® DEGREASING/ CLEANING SOLUTION

OzzyJuice® is a powerful, aqueous-based degreasing/cleaning solution that is pH-neutral, non-irritating, non-flammable, and non-hazardous. Armed with superior cleaning capability, OzzyJuice® solutions will match or surpass the performance of premium solvents without the associated risks. All OzzyJuice® solutions are NSF A1 Registered.

Part#	Case/Order#	Description	Size	Units/cs
14720	1005005	SW-3 Truck Grade Degreasing Solution	5 gal pail	1
14726	1005011	SW-3 Truck Grade Degreasing Solution	55 gal drum	1
14148	1004853	SW-4 Heavy Duty Degreasing Solution	5 gal pail	1
14728	1005013	SW-4 Heavy Duty Degreasing Solution	55 gal drum	1
14721	1005006	SW-7 Parts/Brake Cleaning Solution	5 gal pail	1
14723	1005008	SW-7 Parts/Brake Cleaning Solution	55 gal drum	1
14722	1005007	SW-8 Aircraft & Weapons Degreasing Solution	5 gal pail	1
14724	1005009	SW-8 Aircraft & Weapons Degreasing Solution	55 gal drum	1
N/A	1751304	SW-X1 High Performance Degreasing Solution	5 gal pail	1
N/A	1751309	SW-X1 High Performance Degreasing Solution	55 gal drum	1



FL-4 OZZYMAT® MULTI-LAYER FLUID ACTIVATION MAT

Designed for applications with normal to heavy usage, the FL-4 Multi-Layer OzzyMat® has (4) white layers and (1) blue layer. The white layers on the mat trap any particulate larger than 50 microns and should be peeled away once a week for optimum performance. The blue layer is the support structure that contains the microbes (Ozzy®) and delivers them into the system. These microbes (Ozzy®) migrate from the OzzyMat® into the OzzyJuice®, located in the SmartWasher® tank, and break down oil and grease.



Part#	Item#	Case/Order#	Description	Units/cs
14124	1004844	1004843	FL-4 OzzyMat® Multi-Layer Fluid Activation Mat	6

OZZYBOOSTER®

OzzyBooster® is a microbial enhancer that can be used to enhance or "boost" microbial activity in the SmartWasher® system; it increases the density of Ozzy® (microbes) within the OzzyJuice®. When a machine is overused, there may be a need for extra microbes to help ease the load.

Part#	Item#	Case/Order#	Size	Units/cs
14131	1007982	1004849	8.5 oz Bottle	6



ODOR NEUTRALIZER

Odor Neutralizer treats entire unit to reduce or eliminate any odors which may occur from standard parts washing.

Part#	Item#	Case/Order#	Size	Units/cs
14132	N/A	1004850	4 oz Bottle	1



SMARTWASHER® START-UP KITS

Each SmartWasher® can be ordered as a complete start-up kit. Each kit contains the solution and the filter necessary to get you up and running quickly. Select the SmartWasher® model and solution type based on your cleaning needs. Please visit our website, www.crcindustries.com, and search "kit" for options.



Spare wrench available, Legacy# 14885/ Case/Order# 1005147. Wrench is used to easily open OzzyJuice® containers.

PENETRATING

KNOCK'ER LOOSE®

Penetrating Solvent

An industrial strength lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners. It quickly dissolves rust, scale, gum, grease and corrosion with a formula that creeps into cracks, seams, threads and joints better than the competition. Eases the disassembly of machinery, tools and equipment for routine maintenance and emergency repairs.

Part#	Item#	Case/Order#	Size	Units/cs
03016	1003264	1003263	6 oz aerosol	12
03020	1003270	1003269	16 oz aerosol	12
03021	1003272	1003271	1 gal bottle	4
03022	1003273	1003273	5 gal pail	1
03023	1003274	1003274	55 gal drum	1
03024	1003276	1003275	16 oz non-aerosol w/trigger	12



KNOCK'ER LOOSE® PLUS

Penetrating Solvent

A unique penetrant that immediately drops the temperature of the area in contact with the spray. The freeze shock action cracks rusted surfaces allowing Knock'er Loose® Plus to reach deeper and work more effectively than other penetrants.


Part#	Item#	Case/Order#	Size	Units/cs
03027	1003280	1003279	20 oz aerosol	12



SCREWLOOSE® SUPER PENETRANT

Quickly penetrates through rust and corrosion to rapidly free corroded bolts, screws, fasteners, pins and bound mechanisms. Eases disassembly of mechanical equipment, fittings and fixtures.

Part#	Item#	Case/Order#	Size	Units/cs
03060	1003322	1003321	16 oz aerosol	12



☝ - 360° spray valve can be sprayed in the UP or DOWN position.

*This product is labeled extremely flammable.

Read and observe the special usage warning on the label. Do not apply while equipment is energized.

MULTI-PURPOSE

3-36®

Multi-Purpose Lubricant and Corrosion Inhibitor

Multi-purpose lubricant, penetrant and corrosion inhibitor forms a clear, thin film that lubricates, prevents corrosion, displaces moisture and penetrates. Drives out moisture and leaves a thin, long lasting film to protect against corrosion.

Part#	Item#	Case/Order#	Size	Units/cs
03004	1003253	1003252	6 oz aerosol	12
03005	1003255	1003254	16 oz aerosol	12
03007	1003259	1003258	16 oz non-aerosol bottle	12
03006	1003257	1003256	1 gal bottle	4
03009	1003261	1003261	5 gal pail	1
03011	1003262	1003262	55 gal drum	1



ULTRA-LITE 3-36®

An ultra-thin, non-staining dry film lubricant that resists oil, dust and dirt build-up. Penetrates into the most minute openings, sealing out moisture and preventing corrosion with an ultra-light protective film.

Part#	Item#	Case/Order#	Size	Units/cs
03160	1003427	1003426	16 oz aerosol	12
03161	1003429	1003428	1 gal bottle	4
03162	1003430	1003430	5 gal pail	1



TECHNICAL GRADE 3-36®

Multi-Purpose Precision Lubricant

Multi-purpose, plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. It drives out moisture and leaves a thin, long lasting film to protect against corrosion. Excellent for use around modern plastics and insulators.

Part#	Item#	Case/Order#	Size	Units/cs
03003	1003251	1003250	16 oz aerosol	12



INDUSTRIAL SILICONE

Multi-purpose silicone spray for industrial applications. It forms a colorless, odorless, non-staining film that lubricates and protects in most metal to non-metal applications. Silicone film eliminates binding and sticking, while protecting surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
03032	1003287	1003286	16 oz aerosol	12



DRY PTFE LUBE

A multi-purpose, micro-thin film containing PTFE. Dry PTFE Lube penetrates and bonds to most surfaces including metal, wood, rubber, plastic and glass. It forms a micro-thin film that prevents sticking, reducing friction and wear.

Part#	Item#	Case/Order#	Size	Units/cs
03044	1003302	1003301	16 oz aerosol	12



ROLL-UP DOOR LUBRICANT

Superior lubricant that prevents friction and wear on all roll-up and overhead door assemblies. Its unique viscosity allows it to cover more surface area and penetrate deep into the surface of all metal components found in roll-up and overhead doors. Roll-Up Door Lubricant displaces moisture and leaves a thin, long-lasting film to protect against rust and corrosion.

Part#	Item#	Case/Order#	Size	Units/cs
03029	1003283	1003282	16 oz aerosol	12



POWER LUBE®

High-Performance Lubricant w/PTFE

High performance, multi-purpose lubricant with the benefits of PTFE to provide long lasting lubrication and protection against friction, wear and corrosion. Will increase the life and operating efficiency of parts and equipment, as well as withstand extreme load carrying situations. Up to 4500 lbs in Falex test.

Part#	Item#	Case/Order#	Size	Units/cs
03045*	1003304	1003303	16 oz aerosol	12



PRODUCT	Base Type	Film Type	Color	360° Spray	Falex (In Pounds)	Flash Point (F)	NSF Category Code	SDS Label Attached	Container Size
Knock'er Loose®	Petroleum	Non-Drying	Orange	Yes	N/A	147°F	H2	Yes	6 16 16 1 5 55
Knock'er Loose® Plus	Petroleum	Non-Drying	Orange	Yes	N/A	147°F	H2	Yes	20
Screwloose® Super Penetrant	Petroleum	Non-Drying	Light Amber	Yes	N/A	141°F	H2	Yes	16
3-36®	Petroleum	Non-Drying	Blue-Green	Yes	1000	192°F	H2	Yes	6 16 16 1 5 55
Ultra-Lite 3-36®	Petroleum	Dry, Ultra-Thin	Amber	Yes	1000	172°F	H2	Yes	16 1 5
Industrial Silicone	Heptane/Silicone	Dry	Clear	Yes	N/A	<0°F	H1	Yes	16
Technical Grade 3-36®	Petroleum	Non-Drying	Amber	Yes	1000	200°F	H2	Yes	16
Dry PTFE Lube	Alcohol/PTFE	Dry, Micro-Thin	White	No	N/A	<20°F	H2	Yes	16
Roll-Up Door Lubricant	Petroleum	Non-Drying	Blue-Green	Yes	1000	192°F	H2	Yes	16
Power Lube®	Petroleum/PTFE	Non-Drying	Light Amber	No	up to 4500	<20°F	H2	Yes	16

☰ – 360° spray valve can be sprayed in the UP or DOWN position.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

LUBRICANTS

FOOD GRADE: NSF H1 REGISTERED

FOOD GRADE SILICONE

Multi-purpose silicone spray for food processing and handling applications. It forms a colorless, odorless, non-staining film that lubricates and insulates in most metal to non-metal applications. Silicone film eliminates binding and sticking, while protecting most surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
03039 ^{3*}	1003294	1003293	16 oz non-aerosol trigger can	12
03040*	1003296	1003295	16 oz aerosol w/Perma-Lock®	12
03041 ^{3*}	1003298	1003298	5 gal pail	1
03042 ^{3*}	1003299	1003299	55 gal drum	1



FOOD GRADE MACHINE OIL

Extremely efficient and effective general purpose lubricant for use on food processing equipment. Food Grade Machine Oil penetrates and loosens rust, scale, dirt and corrosion to free parts and fasteners.

Part#	Item#	Case/Order#	Size	Units/cs
03081	1003343	1003342	16 oz aerosol w/Perma-Lock®	12



FOOD GRADE PENETRATING OIL

An effective and efficient general purpose penetrant for use on food processing equipment. The highly refined white mineral oil is colorless, odorless and tasteless to meet NSF and FDA standards. Food Grade Penetrating Oil can be used to loosen rust, scale and corrosion around fasteners and hose fittings on food processing equipment.

Part#	Item#	Case/Order#	Size	Units/cs
03086	1003355	1003354	16 oz aerosol w/Perma-Lock®	12
03087	1003358	1003357	1 gal bottle	4
03088	1003359	1003359	5 gal pail	1



FOOD GRADE WHITE GREASE

A high purity, high quality aluminum complex grease that provides superior lubrication and durability in many food and pharmaceutical processing applications. Designed for heavy load applications requiring a long grease life. Protects equipment against rust, oxidation and wear.

Part#	Item#	Case/Order#	Size	Units/cs
03038*	1003292	1003291	16 oz aerosol w/Perma-Lock®	12



SYNTHA-TECH™ LUBRICANT WITH PTFE

A zero VOC[∞], unique blend of synthetic lubricants that utilizes PTFE, anti-wear and extreme pressure additives to increase equipment life and performance. This food grade synthetic lubricant is NSF H1 Registered for use in meat and poultry facilities. Additionally, its long lasting film minimizes surface contact thereby extending lubricating intervals.

Part#	Item#	Case/Order#	Size	Units/cs
03054	1003310	1003309	16 oz aerosol w/Perma-Lock®	12

FOOD GRADE CHAIN LUBE

A special blend of synthetic lubricants and mineral oil, designed to keep roller drive and conveyor chains lubricated. It is specifically designed to provide the convenience of aerosol application where incidental food contact may occur. Food Grade Chain Lube penetrates, lubricates and protects moving parts by reducing friction and wear.

Part#	Item#	Case/Order#	Size	Units/cs
03055	1003313	1003312	16 oz aerosol w/Perma-Lock®	12

FOOD GRADE BELT DRESSING

Provides a temporary, food grade, synthetic treatment for worn belts. Extends belt life by reducing slippage, hardening, glazing, dirt build-up and friction. Belt Dressing can be used on leather, rubber, canvas or fabric, and is ideally suited for flat, round and V-belts. Improves traction and reduces belt tension, relieving stress on motors, shafts and wheels for improved operating efficiency.

Part#	Item#	Case/Order#	Size	Units/cs
03065*	1003326	1003325	16 oz aerosol w/Perma-Lock®	12

WATER BASED SILICONE

Non-flammable, NSF H1 Registered multi-purpose silicone spray for food processing and handling applications. It forms a white emulsion that is odorless and non-staining. It lubricates and protects in most metal to non-metal applications. Water Based Silicone is a silicone rich formula that eliminates binding and sticking, while protecting most surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
03035	1003289	1003288	16 oz aerosol w/Perma-Lock®	12



**PREVENTION.
NOT DETECTION.®**

LOCKED IN FOR SAFETY

INTEGRATED DESIGN POINTS:

- Secure Spray Straw Locks into Place
- Convenient No-Slip Grip
- Useful Catch Curb
- Wide Spray in the "Down" Position
- Precision Spray in the "Up" Position

³ – Not for retail sale, for use in manufacturing establishments only.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

∞ – As defined by Consumer Products VOC regulations.

FOOD GRADE DIELECTRIC GREASE

Lubricates, waterproofs and insulates with a thin, non-curing silicone compound. Dielectric Grease also provides an exceptional lubricant for fasteners used to support temporary electrical work. Excellent for lubricating and sealing rubber and plastic parts – including o-rings. Great for use in food processing environments where there may be a chance of incidental food contact.



Part#	Item#	Case/Order#	Size	Units/cs
03085	1003353	1003352	6 oz pressurized can w/ Select-A-BEAD® Nozzle	12

FOOD GRADE AIR TOOL OIL

A fully synthetic food grade oil that is formulated with the highest quality polyalphaolefin (PAO) base oil to meet the lubrication requirements of air line equipment.



Part#	Item#	Case/Order#	Size	Units/cs
SL2300	1007792	1007791	1 qt bottle	6

PRODUCT	Base Type	Film Type	Color	Perma-Lock® Actuator	Flash Point (F)	NSF Category Code	SDS Label Attached	Container Size
Food Grade Silicone	Silicone	Dry, Non-Hardening	Clear	Yes	<0°F	H1	Yes	16 16 5 55
Food Grade Machine Oil	Mineral Oil	Non-drying	Clear	Yes	200°F	H1	Yes	16
Food Grade Penetrating Oil	Mineral Oil	Non-drying	Clear	Yes	200°F	H1	Yes	16 1 5
Food Grade White Grease	Aluminum Complex	Non-drying Grease	White	Yes	17.6°F	H1	Yes	16
Syntha-Tech™ Lubricant with PTFE	Polyolefin/PTFE	Non-drying	White	Yes	98.1	H1	Yes	16
Food Grade Chain Lube	Mineral Oil	Non-drying, Ultra-thin, Oily	Clear	Yes	>370°F	H1	Yes	16
Food Grade Belt Dressing	Polyisobutene	Tacky, Non-Drying	Light Amber	Yes	<0°F	H1	Yes	16
Water-Based Silicone	Silicone	Non-drying	White	Yes	None	H1	Yes	16
Food Grade Dielectric Grease	Silicone	Paste	White	No	>572°F	H1	Yes	6
Food Grade Air Tool Oil	Polyalphaolefin	Non-drying	Clear	No	464°F	H1	No	1

LUBRICANTS

HEAVY DUTY

EXTREME DUTY SILICONE

Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics. Use Extreme Duty Silicone on all metallic and non-metallic surfaces. Clear, non-staining, odorless and reduces friction and galling.

Part#	Item#	Case/Order#	Size	Units/cs
03030*	1003285	1003284	16 oz aerosol	12



PARCEL GLIDE® SILICONE LUBRICANT

Silicone spray for package handling applications. It forms a colorless, odorless, non-staining film that lubricates and insulates most metal to non-metal applications. Silicone film eliminates binding and sticking of packages, while protecting most surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
03139*	1003415	1003414	16 oz non-aerosol spray can	12



CHUTE LUBE® Silicone Lubricant

Chute Lube® Silicone Lubricant helps boxes glide down chutes and rails on package handling and sorting conveyors. Silicone spray for package handling applications minimizes corrosion and provides excellent lubricity. Its colorless, odorless, non-staining film lubricates and protects in most metal to non-metal applications. Eliminates the binding and sticking of packages and boxes, while protecting most surfaces even in wet conditions.

Part#	Item#	Case/Order#	Size	Units/cs
03204*	1003459	1003458	20 oz aerosol	12
03220	1003464	1003463	16 oz non-aerosol bottle	12
03222	1003466	1003466	5 gal pail	1
03223	1003467	1003467	55 gal drum	1



EXTREME DUTY OPEN GEAR & CHAIN LUBE

A tough, tacky, solid film lubricant used for reducing friction and wear. It is a heavy-duty compound with exceptional "stay-put" characteristics. It provides maximum lubrication and shock protection, reduces gear noise, lubricates, prevents scoring and welding of gear teeth.

Part#	Item#	Case/Order#	Size	Units/cs
03058 ¹	1003318	1003317	16 oz aerosol	12



CHAIN & WIRE ROPE LUBRICANT

Specifically formulated blend of synthetic lubricants and an organic molybdenum, anti-wear additive that penetrates deep, and leaves a tough film that lubricates and protects. Chain & Wire Rope Lube extends the working life of chains and wire rope and reduces wear caused by friction and corrosion.

Part#	Item#	Case/Order#	Size	Units/cs
03050*	1003306	1003305	16 oz aerosol	12



HEAVY DUTY CLEAR PENETRATING GREASE

High tack, clear lubricating gel provides superior lubrication and withstands high temperatures and pressures. Penetrates deep to form a tenacious, long-lasting film and is resistant to acids, alkalis, salt, oxidation, weather and steam. This heavy duty clear penetrating gel can extend the operating service life of equipment and reduce wear, galling and scarring.

Part#	Item#	Case/Order#	Size	Units/cs
03056 ¹ *	1003316	1003315	20 oz aerosol	12



DRY MOLY LUBE

Specially formulated dry film lubricant incorporating a concentrated dispersion of Molybdenum Disulfide (MoS₂). Dry Moly Lube lowers friction, prevents galling and helps to reduce torque and energy consumption.

Part#	Item#	Case/Order#	Size	Units/cs
03084*	1003351	1003350	16 oz aerosol	12



① – 360° spray valve can be sprayed in the UP or DOWN position.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

OILFIELD DRY MOLY LUBE

Fast drying film resists dirt and dust buildup. Good adhesion and long lasting formula. Lowers friction, prevents galling and helps to reduce torque and energy consumption. High anti-friction and anti-seize properties.

Part#	Item#	Case/Order#	Size	Units/cs
03284*	1003484	1003483	16 oz aerosol	12



DIELECTRIC GREASE

Unique, non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Dielectric Grease waterproofs electrical connections and components to protect against arcing due to moisture and other contaminants. NSF H1 Registered.

Part#	Item#	Case/Order#	Size	Units/cs
03082*	1003346	1003345	16 oz aerosol w/Perma-Lock®	12



DRY GRAPHITE LUBE

A dry film lubricant that is ideal for applications where petroleum products must be avoided. Dry Graphite Lube bonds instantly to metal, rubber, plastic and most substrates to form a dirt repelling barrier that lubricates and protects the surface from pressure and friction. Withstands temperatures up to 850°F and extreme pressures, as well as water and chemical attack.

Part#	Item#	Case/Order#	Size	Units/cs
03094*	1003362	1003361	16 oz aerosol	12



TAC 2® ADHESIVE CHAIN LUBRICANT

Low viscosity formula provides the ability to penetrate and thoroughly coat vital chain pin and bushing areas. Contains Molybdenum which provides cling-ability to avoid sling-off or excess dripping. High temperature stability (up to 350°F continuous). Blue color allows instant identification of lubricated parts and equipment.

Part#	Item#	Case/Order#	Size	Units/cs
03076*1	1003335	1003334	16 oz aerosol	12



RED GREASE

Heavy-duty, long lasting, NLGI Grade 2 aluminum complex based grease that provides superior lubrication and withstands high temperature and high pressure. Red Grease is resistant to acids, alkalis, salt, oxidation, weather and steam and has low water washout. It can extend the operating service life of equipment and reduce wear, galling and scoring.

Part#	Item#	Case/Order#	Size	Units/cs
03079*	1003339	1003338	16 oz aerosol	12



INNER SLIDE LUBE

Lubricates and increases slide motion, extending forklift equipment life. Fortified with Molybdenum Disulfide and extreme pressure additives. Resists pound out under severe lubrication requirements. Adheres to metal surfaces and protects against rust and corrosion.

Part#	Item#	Case/Order#	Size	Units/cs
05305*	1003756	1003755	16 oz aerosol	12



WHITE LITHIUM GREASE

High-purity, high-quality, NLGI Grade 2 white lithium-based aerosol grease that provides superior lubrication and durability in any weather or temperature. Excellent as a break-in lubricant for bearings, and for general purpose lubrication and corrosion protection of machinery, tools and equipment.


Part#	Item#	Case/Order#	Size	Units/cs
03080*	1003341	1003340	16 oz aerosol	12



WELDER'S ANTI-SPATTER

Prevents spatter from adhering to surrounding metal surfaces during welding. Eliminates the need to chisel, grind or wire brush after welding. Water-based formula allows easy clean-up without the use of solvent cleaners.

Part#	Item#	Case/Order#	Size	Units/cs
03083	1003349	1003348	16 oz aerosol	12



1 – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

LOCK LUBE AND DE-ICER

Long lasting graphite formula lubricates seized and frozen locks allowing for smooth operation.

Part#	Item#	Case/Order#	Size	Units/cs
03119	1003396	1003395	2 oz aerosol	24



NICKEL ANTI-SEIZE & LUBRICATING COMPOUND

Nickel-based formulation that is free of copper, lead, sulfides and chlorides. Protects metal-to-metal applications from seizing and galling caused by high temperatures, heavy loads, vibration, chemicals and corrosion. Protects parts up to 2400°F.

Part#	Item#	Case/Order#	Size	Units/cs
SL35911	1007946	1007945	8 oz brush-top bottle	12
SL35913	1007948	1007947	16 oz brush-top bottle	12



FOOD GRADE ANTI-SEIZE & LUBRICATING COMPOUND

A premium quality anti-seize compound developed specifically for use in applications where incidental food contact is possible and is composed entirely of ingredients that meet NSF H1 requirements. This aluminum complex based anti-seize protects metal parts from seizure, galling, rust, corrosion, and heat freeze by tenaciously adhering to the metal surface.

Part#	Item#	Case/Order#	Size	Units/cs
SL35905	1007942	1007941	8 oz brush-top bottle	12
SL35906	1007944	1007943	16 oz brush-top bottle	12



COPPER ANTI-SEIZE & LUBRICATING COMPOUND

General purpose anti-seize lubricant that prevents seizing and galling caused by high temperature, heavy loads, vibration and corrosion. This unique formula has a smooth texture, fine particle sizing and familiar copper color, making it an excellent choice for closely fitted parts needing extreme lubrication.

Part#	Item#	Case/Order#	Size	Units/cs
SL35901	1007938	1007937	8 oz brush-top bottle	12
SL35903	1007940	1007939	16 oz brush-top bottle	12
14095*	1004830	1004829	16 oz aerosol	12



THREAD LUBRICANT




























A general purpose lubricant that prevents seizing caused by corrosion. Thread Lubricant aids assembly and disassembly, prevents rust and corrosion, and helps reduce costly downtime and breakage. This unique formula has a smooth texture, and fine particle sizing making it an excellent choice for closely fitted parts that need lubrication.



Part#	Item#	Case/Order#	Size	Units/cs
SL35925	1007955	1007954	8 oz brush-top bottle	6



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

PRODUCT	Base Type	Film Type	Appearance	360 Valve	Flash Point (F)	NSF Category Code	SDS Label Attached	Container Size
Extreme Duty Silicone	Silicone	Dry Film	Clear Colorless Liquid	Yes	<0°F	H2	Yes	
Chute Lube™	Silicone	Wet	Clear Light Yellow Liquid	No N/A	<0°F (aerosol) 113°F (bulk)	H2	Yes No	   
Chain and Wire Rope Lubricant	Molybdenum Disulfide	Non-Drying	Clear Light Amber Liquid	No	<0°F	H2	Yes	
Parcel Glide®	Silicone	Silicone	Water-White Liquid	N/A	<0°F	H1	Yes	
Extreme Duty Open Gear and Chain Lube	Petroleum Oil	Tacky	Black Semi-Viscous Liquid	No	17.6°F	N/A	Yes	
Heavy Duty Clear Penetrating Grease	Aluminum Complex	Clear Oily	Clear Liquid	No	<20°F	H2	Yes	
Dry Moly Lube	Molybdenum Disulfide	Dry	Dark Gray Viscous Liquid	No	-20°F	N/A	Yes	
Oilfield Dry Moly Lube	Molybdenum Disulfide	Dry	Gray Liquid	No	<0°F	N/A	No	
Dry Graphite Lube	Graphite	Dry	Black Liquid	No	-20.2°F	N/A	Yes	
Red Grease	Aluminum Complex	Grease	Red Viscous Grease	No	<23°F	N/A	Yes	
White Lithium Grease	Lithium-12	Grease	Off-White Viscous Grease	No	0°F	H2	Yes	
Dielectric Grease	Silicone	Non-Curing Silicone Paste	Translucent to Opaque Gel Paste	No	<20°F	H1	Yes	
TAC 2® Adhesive Chain Lubricant	Petroleum Oil	Soft Film	Blue Liquid	Yes	<0°F	H2	Yes	
Inner Slide Lube	Aluminum Complex	Non-Drying	Black Liquid	No	20°F	N/A	No	
Welder's Anti Spatter	Water Based	Non-Drying	Milky White Emulsion	No	>265°F	N/A	Yes	
Lock Lube and De-Icer	Alcohol/Graphite	Dry	Black Liquid	Yes	58°F	N/A	No	
Copper Anti-Seize	Copper	Wet	Copper Liquid Copper Semi-Solid Paste	No N/A	>430°F (aerosol) 420°F (bulk)	N/A	Yes No	  
Food Grade Anti-Seize	Polyisobutylene	Wet	Opaque Off-White Semi-Solid Paste	N/A	445°F	H1	No	 
Nickel Anti-Seize	Nickel	Wet	Silver Paste	N/A	425°F	N/A	No	 
Thread Lubricant	Lithium Complex	Grease	Amber Semi-Solid to Solid Grease	N/A	334°F	N/A	No	



SP-250™ Corrosion Inhibitor

Thin-film, water displacing, corrosion inhibitor that will not emulsify, even in the presence of alkali. Use for process parts drying and protection of all metals, protection for parts subjected to high humidity conditions, anti-corrosion coating for shrink wrapped parts, and moisture displacement for finished parts.

Part#	Item#	Case/Order#	Size	Units/cs
03226	1003468	1003468	5 gal pail	1
03228	1003469	1003469	55 gal drum	1

SP-350™ Corrosion Inhibitor

Provides protection for metal parts and assemblies that are stored indoors or in shipment. SP-350™ Corrosion Inhibitor promotes easy start-up of stored equipment.

Part#	Item#	Case/Order#	Size	Units/cs
03262	1003477	1003476	16 oz aerosol	12
03266	1003478	1003478	5 gal pail	1
03268	1003479	1003479	55 gal drum	1



SP-400™ Corrosion Inhibitor

Long-term indoor/outdoor corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions. Provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres.

Part#	Item#	Case/Order#	Size	Units/cs
03282*	1003481	1003480	16 oz aerosol	12
03286	1003485	1003485	5 gal pail	1
03288	1003486	1003486	55 gal drum	1



BATTERY TERMINAL PROTECTOR

Apply to battery terminals to provide a soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts. Enhances battery life and power by preventing corrosion-related leakage.

Part#	Item#	Case/Order#	Size	Units/cs
03175*	1003433	1003432	12 oz aerosol	12



① – 360° spray valve can be sprayed in the UP or DOWN position.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

ZINC-IT®**Instant Cold Galvanize**

High-performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell. Zinc-It® Instant Cold Galvanize is an excellent touch-up for damaged galvanized coatings.

Part#	Item#	Case/Order#	Size	Units/cs
18412*	1005240	1005239	16 oz aerosol	12
18413	1005241	1005241	1 gal can	1

**BRITE ZINC®**

Long-term repair and protection of metal from corrosion. One step color matches the shiny look of hot dip galvanizing. Meets ASTM-A780 for corrosion protection. Aerosol has special no clog nozzle.

Part#	Item#	Case/Order#	Size	Units/cs
B-100*	1008302	1008223	16 oz aerosol	12
B-200	1008226	1008226	1 gal pail	1

**BRIGHT ZINC-IT®****Instant Cold Galvanize**

Acrylic based, light duty sacrificial zinc coating that inhibits corrosion and provides the beauty of a high shine bright metallic finish. Recommended for touch-up and repair of bright finish, hot-dip galvanized surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
18414*	1005244	1005243	16 oz aerosol	12

**SEAL COAT®****Urethane Coating**

CRC Seal Coat® Urethane Coating provides a conformal polyurethane coating that insulates electrical equipment and seals out water and moisture. Clear allows for visualization of equipment; Red provides striking contrast. Clear formulation is an excellent insulator of PC boards, since it allows visualization of circuit paths.

Part#	Item#	Case/Order#	Size	Units/cs
18410*	1005236	1005235	Red 16 oz aerosol	12
18411*	1005238	1005237	Clear 16 oz aerosol	12

**1ST ZINC®
COLD GALVANIZING PRIMER**

95% zinc metal primer in traditional gray color. Meets or exceeds requirements of ASTM-A780, DOD-P-21035B, MIL-P-46105, MIL -P-26915B, SSPC PS-12, PS-20, PS-22, PS-29 and PS-30. Can be top coated.

Part#	Item#	Case/Order#	Size	Units/cs
FZ-100	1008303	1008224	16 oz aerosol	12
FZ-200	1008227	1008227	1 gal can	1

**RUST CONVERTER**





















CRC Rust Converter neutralizes rust and converts it to a tough, black primer in one easy step. Fast drying coating can be painted over. Prevents future rusting by sealing out moisture and other outside elements with oil-based paint. Applications include vehicles, trailers, railings, bridges, equipment, storage tanks, transmission towers, etc.

Part#	Item#	Case/Order#	Size	Units/cs
18418	1005246	1005245	1 qt bottle	12
18419	1005248	1005247	1 gal bottle	4



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

PRODUCT	Appearance	Corrosion Protection	Drying Time (to touch)	Specifications	SDS Label Attached	Container Size
SP-250™	Ultra Thin, Dry	Indoors – Up To 9 Months	30 to 90 minutes	NSF H2 Registered, Meets requirements of Mil-PRF-16173E, Grade 3 (Corrosion test only)	No	 
SP-350™	Thin, Non-Drying	Indoors – Up to 2 Years	Non-Drying	NSF H2 Registered	Yes	  
SP-400™	Waxy	Indoors & Outdoors – Up to 2 Years	1 Hour	NSF H2 Registered, Meets requirements of MIL-C-16173 Grade 4 (corrosion test only)	Yes	  
Battery Terminal Protector	Viscous	Apply every 3-4 months	Non-Drying	N/A	Yes	
Zinc-It®	Dry, Zinc	ASTM B117 Salt Spray: 2300 hours average	15 to 30 Minutes	Meets Requirements ASTM 780A, Mil-P-26915, Mil-P-46105, MIL-P 21035B (Aerosol) Meets Requirements of MIL-P 26915, MIL-P 46105 (Bulk)	Yes	 
Bright Zinc-It®	Dry, Zinc, Shiny Finish	ASTM B117 Salt Spray: 2300 hours average	15 to 30 Minutes	ASTM-A780	Yes	
Seal Coat® Red	Dry	Electrical	15-30 Minutes	ASTM D149 dielectric strength: 3,000 V/Mil	Yes	
Seal Coat® Clear	Dry	Electrical	15-30 Minutes	ASTM D149 dielectric strength: 3,000 V/Mil	Yes	
Rust Converter	Milky Emulsion	Paint/coating for steel	24 Hours	N/A	No	 
Brite Zinc®	Dry	ASTM B117 Salt Spray: 2000 hours average	15 minutes	Aerosol: Meets ASTM-A-780 Requirements Bulk: ASTM-A-780 DOD-P-2103B, MIL-P-46105, MIL-P-26915B, SSPC PS-12, SSPC PS-20, SSPC PS-22, SSPC PS-29 SSPC PS-30	No	 
1st Zinc® Cold Galvanizing Primer	Dry	ASTM B117 Salt Spray: 2000 hours average	15 to 30 minutes	Aerosol: ASTM-A-780, DOD-P-21035A, MIL-P26915, MIL-P-46105 Bulk: ASTM-A-780, DOD-P-2103B, MIL-P-46105, MIL-P-26915B, SSPC PS-12, SSPC PS-20, SSPC PS-22, SSPC PS-29, SSPC PS-30	Yes	 

NOZZLE CLEANERS AND PROTECTANTS

NOZZLE-KLEEN #2®

High quality aerosol anti-spatter for most applications. Paintable, non-flammable and contains no fluorocarbons.

Part#	Item#	Case/Order#	Size	Units/cs
007022 ¹	1008283	1008203	16 oz aerosol	6



NOZZLE-KLEEN HD®

Used for high temperature applications, including pulsed welding and argon-rich mixtures. Outstanding fixture protection. Excellent for stainless steel. Paintable, non-flammable and contains no fluorocarbons.

Part#	Item#	Case/Order#	Size	Units/cs
007020 ¹	1008282	1008202	16 oz aerosol	6



NOZZLE-KLEEN® 107A

A convenient quick-drying aerosol that contains no methylene chloride. 107A allows for pre-heat, higher duty cycles, and higher temperature applications. Excellent for fixture and tooling protection. Paintable, non-flammable and contains no fluorocarbons.

Part#	Item#	Case/Order#	Size	Units/cs
YOR-107-A	1008304	1008225	20 oz aerosol	12



NOZZLE-DIP HD®

A leading water-based gel reduces spatter buildup on nozzles and tips. Excellent cooling properties for longer tip and nozzle life. Can dip hot or cold, gel will not migrate into liner. Non-flashing and paintable.






Part#	Item#	Case/Order#	Size	Units/cs
YOR 101-1PT	1008238	1008139	16 oz jar	12
007094	1008236	1008137	32 oz jar	6

NOZZLE-KLEEN® TOOLS

Engineered to remove spatter without disassembly and will not scar nozzle, tip or gas diffuser. Ground and hardened to 55rc for a lifetime of use.

Part#	Item#	Case/Order#	Size	Units/cs
007001X	1008390	1008166	1/4" Tip 3/8" Nozzle Ground	5
007002X	1008391	1008167	5/16" Tip 1/2" Nozzle Ground	5
007003X	1008392	1008168	5/16" Tip 5/8" Nozzle Ground	5
007004X	1008393	1008169	3/8" Tip 5/8" Nozzle Ground	5
007005X	1008394	1008170	13/32" Tip 3/4" Nozzle Ground	5



1 – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

ANTI-SPATTER

WELD-KLEEN HD®

Heavy duty base metal treatment that is solvent based and quick drying. Accepts pre-heating and is non-flammable.

Part#	Item#	Case/Order#	Size	Units/cs
007030 ¹	1008284	1008204	20 oz aerosol	6



WELD-KLEEN 350®

An effective water-based product designed for use on most base metal applications. Environmentally friendly anti-spatter with superior performance over other water-based anti-spatters. Ideal for protecting parts, clamps, tooling and fixtures. Non-hazardous, non-flammable and paintable.

Part#	Item#	Case/Order#	Size	Units/cs
007089	1008274	1008192	32 oz bottle	6
007090	1008275	1008193	1 gal bottle	2
007091	1008183	1008183	5 gal pail	1
007092	1008184	1008184	55 gal drum	1



WELD-KLEEN 350® AP

All Position (AP) is the same environmentally friendly, water-based anti-spatter as found in Weld-Kleen 350®, but in a unique, pressurized bag-on-valve aerosol can. Each press of the nozzle releases the same Weld-Kleen 350® as our pump quart. Contains no harmful solvents or CO₂.

Part#	Item#	Case/Order#	Size	Units/cs
007088	1008257	1008159	16 oz aerosol	6



WIRE CLEANERS AND LUBRICANTS

LUBE-MATIC® LUBE PADS

For all types of steel wire including solid and fabricated. Each black pad is pre-treated with Lube-Matic® Wire Kleener and Lubricant allowing for smooth feeding of wire with poor cast, poor helix, rust or long feed liners. 6 pads per pack. Not recommended for aluminum.

Part#	Item#	Case/Order#	Size	Units/cs
007060	1008258	1008160	1 pack	6



LUBE-MATIC® LUBE PADS

Red pads clean rust and dirt off wire surface reducing burnbacks by up to 50%. Excellent for all types of welding wire including aluminum. 6 pads per pack.

Part#	Item#	Case/Order#	Size	Units/cs
007061	1008260	1008162	1 pack	6



LUBE-MATIC® COMBO PAK

For maximum torch life and best possible cleaning and lubrication of wires, use both pads together (black and red) for each welding station and every wire change. Pack includes one black and one red pad.

Part#	Item#	Case/Order#	Size	Units/cs
007062	1008262	1008164	1 pack	24



LUBE-MATIC® WIRE KLEENER AND LUBRICANT

Helps feed all mild steel, fabricated, and core wires. Cuts rust and reduces wire drag by 60%. Use to re-lube black pads. Great for longer distance feeds.

Part#	Item#	Case/Order#	Size	Units/cs
007040 ¹	1008301	1008222	5 oz can	6




1 – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

CONTACT CLEANER 2000® Precision Cleaner


Provides fast cleaning action for the removal of dirt, light oils and other contaminants. It evaporates quickly, leaves no residue, has no flash point. Not recommended for use on Noryl® or polycarbonate type plastics.

Part#	Item#	Case/Order#	Size	Units/cs
02140 ¹ 	1003224	1003223	16 oz aerosol	12
02143 ¹	1003226	1003226	55 gal drum	1



PF PRECISION CLEANER


Innovative contact cleaner that offers strong cleaning action, fast evaporation and no residue in electronic cleaning applications. PF Precision Cleaner has no flash point and is safe to use on plastics.

Part#	Item#	Case/Order#	Size	Units/cs
02190 	1003241	1003240	16 oz aerosol	12



NT™ PRECISION CLEANER


Effectively remove dirt, light oils and other contaminants from electronic equipment. It evaporates quickly and leaves no residue. It has no flash point and is an optimal alternative to HCFC 141b-based cleaners when sensitive plastics are not an issue.

Part#	Item#	Case/Order#	Size	Units/cs
02205 ¹ 	1003245	1003244	16 oz aerosol	12



CO® CONTACT CLEANER


Its blend of HFE and HFC solvents provides an optimal alternative to CFC, HCFC and flammable contact cleaners. Is VOC exempt. Regular use of CO® Contact Cleaner will help prevent electrical failures, increase performance and prolong equipment life by dissolving and rinsing away contaminants.

Part#	Item#	Case/Order#	Size	Units/cs
02016 	1003172	1003171	16 oz aerosol	12
02017 ¹	1003174	1003173	16 oz non-aerosol can w/trigger	12



CONTACT CLEANER 2000® VC Precision Cleaner


Aggressive precision cleaner designed to remove contaminants from electronic equipment. It provides an effective alternative to HCFC 141b-based cleaners when sensitive plastics are not a concern. It is VOC compliant in all 50 states[∞].

Part#	Item#	Case/Order#	Size	Units/cs
02240 	1003249	1003248	16 oz aerosol	12



QD® CONTACT CLEANER


A petroleum distillate and alcohol blended precision cleaner suitable for sensitive electronics. Evaporates quickly, leaves no residue and is safe to use on all plastics. Ideal for applications where lower flash point solvents can be used.

Part#	Item#	Case/Order#	Size	Units/cs
02130 	1003218	1003216	16 oz aerosol	12
02131 [*]	1003219	1003219	5 gal pail	1
02133 [*]	1008124	1003221	16 oz non-aerosol can w/trigger	12



XT-2000™ PRECISION CLEANER


A non-flammable, low odor, rapidly evaporating precision cleaner for use in electrical and industrial applications. Effectively removes dirt, light oils and other contaminants from electronic equipment. It is safe on most plastics and has no flash point.

Part#	Item#	Case/Order#	Size	Units/cs
02145 	1003228	1003227	16 oz aerosol	12




ELECTRONIC COMPONENT CLEANER Precision Cleaner

Aggressive precision cleaner for use on electronic components in industrial, electrical, and aviation applications. Its high purity, fast penetrating formula aggressively dissolves and rinses away dust, lint, dirt, oils, polar soils, and other contaminants from most non-plastic surfaces. It evaporates rapidly, leaves no residue, and has no flash point.

Part#	Item#	Case/Order#	Size	Units/cs
02200 ¹ 	1003243	1003242	16 oz aerosol	12



 – 360° spray valve can be sprayed in the UP or DOWN position.

[∞] – As defined by Consumer Products VOC regulations.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

^{*}This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Noryl® is a registered trademarks of SABIC GLOBAL TECHNOLOGIES B.V.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

WELDING

ELECTRICAL MAINTENANCE

CE™ PRECISION CLEANER

Azeotropic blend designed specifically for dissolving and flushing away carbon dust, polar soils, mineral oils and non-polar soils found in elevator rooms and vertical lifts. It has a controlled evaporation rate, providing sufficient dwell time to dissolve and flush dirt from surfaces before evaporating without leaving a residue. Low odor.



Part#	Item#	Case/Order#	Size	Units/cs
14035	1004776	1004775	16 oz aerosol	12

DUSTER™

Aerosol Dust Removal System

Safely removes dirt and dust from energized equipment without damaging sensitive components or surface finish. Penetrates into cracks and crevices to remove contaminants that normal hand dusting cannot reach. It delivers a powerful blast of product to remove embedded debris. The extension tube can be used for more precise delivery. Energized equipment use only. Non-flammable and plastic safe.



Part#	Item#	Case/Order#	Size	Units/cs
14085	1004818	1004817	12 oz aerosol trigger	12

PRODUCT	Base Type	Flash Point (F)	Evaporation Rate	Dielectric Strength	Plastic Safe	SDS Label Attached	NSF Category Code	VOC % [∞]	Container Size
Contact Cleaner 2000® Precision Cleaner	DCE/HFC	None	Fast	30,800 Volts	May be harmful to some plastics	Yes	K2	57.5 (aerosol) 60.5 (bulk)	16 55
NT™ Precision Cleaner	DCE/HFC	None	Fast	30,800 Volts	May be harmful to some plastics	Yes	K2	57.5	16
Contact Cleaner 2000® VC	DCE/HFC	None	Fast	30,800 Volts	No	Yes	K2	30.9	16
XT-2000™ Precision Cleaner	DCE/HFC	None	Fast	30,200 Volts	Safe on Most Plastics (test small area)	Yes	K2	23.4	16
CO® Contact Cleaner	HFC/HFE	None	Very Fast	27,600 Volts	Yes	Yes	K2	0	16 16
PF Precision Cleaner	HFC	None	Very Fast	31,500 Volts	Yes	Yes	K2	6.0	16
QD® Contact Cleaner	Hydrocarbon Solvents	16°F (aerosol) <0°F (bulk)	Very Fast	39,500 Volts (aerosol) 30,500 Volts (bulk)	Yes	Yes	K2	74.9	16 16 5
Electronic Component Cleaner	DCE/HFC	None	Fast	30,800 Volts	No	Yes	K2	57.5	16
CE™ Precision Cleaner	HFC	None	Slow	28,400 Volts	Safe on Most Plastics (test small area)	Yes	K2	16.3	16
Duster™ Aerosol Dust Removal System	HFC	None	Very Fast	ND	Yes	No	K2	0	12

ND = Not Determined

∞ – VOC % as defined by Consumer Products VOC regulations

⊖ – 360° spray valve can be sprayed in the UP or DOWN position.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

LECTRA CLEAN®

Heavy Duty Electrical Parts Degreaser for Energized Equipment

Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances from energized electrical equipment to increase operating efficiency. Offers quick & efficient degreasing action, fast evaporation and no residue. With no flash point, it is an excellent alternative to 1,1,1-based cleaning products. Use caution near plastics. Designed specifically to be safe for use on energized electrical equipment.

Part#	Item#	Case/Order#	Size	Units/cs
02018	1003177	1003175	20 oz aerosol	12
02020	1003181	1003180	1 gal bottle	4
02021	1003182	1003182	5 gal pail	1
02023	1003183	1003183	55 gal drum	1



FAST DRY DEGREASER

Innovative heavy duty non-chlorinated degreasing solvent. Excellent for cleaning electrical equipment where rapid turn-around is necessary and low flash point solvents can be used. Use caution on plastics.

Part#	Item#	Case/Order#	Size	Units/cs
02185 ¹	1003239	1003238	20 oz aerosol	12



LECTRA FORCE™

Electrical Cleaner

Utilizes revolutionary technology that combines the power of a high performance, industrial strength degreaser with lower VOCs. It quickly dissolves grease, oil and sludge for more efficient operation of electrical equipment. Lectra Force™ Electrical Cleaner evaporates rapidly, leaves no residue, and has a good health and safety profile.

Part#	Item#	Case/Order#	Size	Units/cs
02115 ¹	1003207	1003206	20 oz aerosol	12



LECTRA CLEAN® II

An excellent alternative for cleaning electric motors and equipment where chlorinated solvents are not acceptable. Lectra Clean® II effectively removes soils and cleans surfaces without residue build-up. Use caution on plastics. Non-conductive, non-corrosive, low odor.

Part#	Item#	Case/Order#	Size	Units/cs
02120	1003209	1003208	20 oz aerosol	12
02121	1003211	1003210	1 gal bottle	4
02122	1003212	1003212	5 gal pail	1
02124	1003213	1003213	55 gal drum	1



CITRUS DEGREASER

A unique, heavy duty degreaser that is extremely effective for dissolving and removing grease, oil, lubricants and contaminants without requiring water wash off and without leaving a residue. Use caution on plastics and paints.

Part#	Item#	Case/Order#	Size	Units/cs
14170 ¹	1004861	1004860	20 oz aerosol	12
14970 ³	1005158	1005157	20 oz aerosol (MUO)	12
14171 ³	1004863	1004862	16 oz non-aerosol can w/trigger	12
14172 ³	1004865	1004864	1 gal bottle	4
14173 ³	1004866	1004866	5 gal pail	1
14174 ³	1004867	1004867	55 gal drum	1



ELECTRICAL PARTS CLEANER for Energized Equipment

Effective heavy duty degreaser provides strong degreasing action, fast evaporation and no residue when cleaning energized electrical parts and equipment. It is non-flammable and VOC exempt. Use caution near plastics and paints. Designed specifically to be safe for use on energized electrical equipment.

Part#	Item#	Case/Order#	Size	Units/cs
02180	1003236	1003235	20 oz aerosol	12
02183	1003237	1003237	5 gal pail	1



NATURAL DEGREASER™

Citrus-Based Degreaser

Naturally formulated degreaser that offers the natural cleaning power of citrus. It does not require water wash-off, and does not leave a sticky residue commonly associated with citrus-based cleaners. Use caution on plastics and paints.

Part#	Item#	Case/Order#	Size	Units/cs
14005	1004762	1004761	20 oz aerosol	12
14007 ¹	1004763	1004763	5 gal pail	1
14008 ¹	1004764	1004764	55 gal drum	1



¹ – 360° spray valve can be sprayed in the UP or DOWN position.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

³ – Not for retail sale, for use in manufacturing establishments only.

PRODUCT	Base Type	Cleaning Strength (KB)	Flash Point (F)	Evaporation Rate	Dielectric Strength (Volts)	VOC % [∞]	NSF Category Code	SDS Label Attached	Container Size
Lectra Clean [®]	Chlorinated	95	None	Very Fast	37,500 Volts	0	K2 (aerosol) K1 (bulk)	Yes No	
Lectra Clean [®] II	Petroleum Distillate	75	185°F	Slow	42,100 Volts	0	K1, K2	Yes No	
Electrical Parts Cleaner	Chlorinated	95	None	Very Fast	37,500 Volts	0	K2	Yes	
Fast Dry Degreaser	Blend of Non-Chlorinated Organic Solvents	106	<0°F	Fast	6,000 Volts	46.3	K2	Yes	
Lectra Force [™] Electrical Cleaner	HFC/DCE	97	None	Fast	39,000 Volts	42.4	K2	Yes	
Citrus Degreaser	d-Limonene & Petroleum Distillate	32	170°F	Slow	58,600 Volts	9.8	C1	Yes	
Citrus Degreaser Bulk & MUO	d-Limonene & Petroleum Distillate	54	100°F	Fast	35,000 Volts	100 (bulk) 96.5 (MUO)	C1	Yes	
Natural Degreaser [™]	Glycol Ether	>200 (aerosol) 111 (bulk)	150°F (aerosol) 172°F (bulk)	Slow	28,600 Volts 45,700 Volts	9.7 (aerosol) 4 (bulk)	C1	Yes No	

KB = Kauri Butanol




∞ – VOC % as defined by Consumer Products VOC regulations

HOW TO RESTORE WATER-DAMAGED EQUIPMENT

1. Clean the Equipment
2. Apply a CRC Moisture Displacing Lubricant
3. Measure Resistance
4. Apply a CRC Precision Cleaner
5. Do Not Energize until Minimum Resistance Levels are Obtained

VIEW OUR WATER RESTORATION HOW-TO VIDEO ONLINE.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

PRODUCT	Base Type	Cleaning Strength (KB)	Flash Point (F)	Evaporation Rate	Dielectric Strength (Volts)	NSF Category Code	SDS Label Attached	Container Size
Cable Clean® Degreaser	Brominated	125	None	Fast	26,800	K2	Yes	
Cable Clean®	DCE/HFC	97	None	Fast	39,000	None	Yes	
Cable Clean® RD™	Chlorinated	96	None	Fast	41,100	K2	Yes	
Cable Clean® HF™	Petroleum Distillate	25	204°F	Slow	45,700	None	Yes	

KB = Kauri Butanol

CABLE CLEAN® DEGREASER High Voltage Splice Cleaner

Advanced technology that combines the power of a high performance, high voltage splice and termination cleaner with a non-chlorinated, industrial strength degreaser. Helps prevent current leakage, excessive resistance, reduced performance and arcing at splice and termination junctions by quickly removing grease, oil, wax, dirt, silicone lubricants and other contaminants.

Part#	Item#	Case/Order#	Size	Units/cs
02064	1003191	1003190	20 oz aerosol	12
02066	1003193	1003192	1 gal can	4



CABLE CLEAN® RD™ (Rapid Dry) High Voltage Splice Cleaner

Chlorinated solvent-based cleaner for the removal of contaminants from the semi-conductive core of high voltage cables. Offers effective cleaning action with the benefits of non-flammability, no residue and fast evaporation. It can be used to replace 1,1,1-Trichloroethane without sacrificing performance. It contains no known Ozone Depleting Chemicals.

Part#	Item#	Case/Order#	Size	Units/cs
02150 ¹	1003230	1003229	16 oz aerosol	12
02152 ¹	1003232	1003231	1 gal bottle	4



CABLE CLEAN® High Voltage Splice Cleaner

HFC based cleaner that aggressively removes contaminants from the semi-conductive core of high voltage cables during splicing and termination. Helps prevent current leakage, excessive resistance, reduced performance and arcing at splice and termination junctions.

Part#	Item#	Case/Order#	Size	Units/cs
02069	1003195	1003194	20 oz aerosol	12



CABLE CLEAN® HF™ (High Flash) High Voltage Cable Cleaner

High flash point, petroleum distillate-based cleaner for the removal of contaminants from the semi-conductive core of high voltage cables. Provides an alternative to chlorinated, ozone depleting or terpene-based cable cleaning products.

Part#	Item#	Case/Order#	Size	Units/cs
02170	1003234	1003233	16 oz aerosol	12



¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

2-26®

Multi-Purpose Precision Lubricant

Prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Drives out moisture and leaves a thin, long lasting film. Use around modern plastics and insulators.

Part#	Item#	Case/Order#	Size	Units/cs
02004	1003161	1003160	6 oz aerosol	12
02005	1003163	1003162	16 oz aerosol	12
02007	1003167	1003166	16 oz non-aerosol bottle	12
02006	1003165	1003164	1 gal bottle	4
02011	1003170	1003170	55 gal drum	1



ELECTRICAL SILICONE LUBRICANT

Lubricates, waterproofs, and protects with a thin, clear, non-staining dry film. Eliminates binding and sticking, protects most surfaces. Low surface tension permits better coverage and deeper penetration.

Part#	Item#	Case/Order#	Size	Units/cs
02094*	1003201	1003200	16 oz aerosol	12
02096*	1003202	1003202	5 gal pail	1
02097*	1003203	1003203	55 gal drum	1



STOR & LUBE®

Corrosion Inhibitor

Corrosion protection for metal parts and assemblies that are stored indoors. Promotes easy start-up of stored equipment. Will also lubricate moving metal parts subject to constant wear.

Part#	Item#	Case/Order#	Size	Units/cs
02061	1003189	1003188	16 oz aerosol	12



DIELECTRIC GREASE

Unique, non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating. Dielectric Grease waterproofs electrical connections and components to protect against arcing due to moisture and other contaminants.



Part#	Item#	Case/Order#	Size	Units/cs
02083*	1003197	1003196	16 oz aerosol	12
02085	1003199	1003198	6 oz pressurized can w/ Select-A-BEAD® Nozzle	12



HV SWITCHGEAR LUBE

Lubricant and corrosion inhibitor for metering distribution and substation class switchgear contacts. It penetrates to coat contacts and provides corrosion protection on switchgear mechanisms.

Part#	Item#	Case/Order#	Size	Units/cs
N/A	1750792	1750791	16 oz aerosol	12



LECTRA SHIELD™

Long Term Corrosion Inhibitor

Long term indoor/outdoor corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions. It is an easily removable film that will provide protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres.

Part#	Item#	Case/Order#	Size	Units/cs
02031*	1003185	1003184	16 oz aerosol	12



PRODUCT	Base Type	Film Type	Color	Flash Point (F)	Dielectric Strength (Volts)	NSF Category Code	SDS Label Attached	Container Size
2-26®	Petroleum Distillate	Non-Drying	Amber	200°F	51,300 Volts	H2	Yes	6 16 16 1 55
Electrical Silicone Lubricant	Silicone	Dry	Clear	<0°F	350 Volts/Mil	H1	Yes	16 5 55
Stor & Lube®	Petroleum Sulfonate	Non-Drying	Amber	144°F	N/A	H2	Yes	16
Dielectric Grease	Silicone	Non-Curing	White	<20°F >572°F	13,960 Volts (aerosol) >450 Volts/Mil (bulk)	H1	Yes	6 16
Lectra Shield™	Petroleum Sulfonate	Waxy, Dry	Amber	<0°F	N/A	N/A	Yes	16
HV Switchgear Lube	Silicone	Grease	Clear	None	37,500 Volts	N/A	Yes	16

⚠ – 360° spray valve can be sprayed in the UP or DOWN position.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

TRUETAP® HD Cutting Fluid

Designed as a heavy duty cutting fluid for use in severe applications. It is a thick fluid that clings to the cutting tool throughout the operation. Contains no 1,1,1-Trichloroethane.

Part#	Item#	Case/Order#	Size	Units/cs
03400 ²	1003504	1003503	16 oz bottle	12
03403 ²	1003505	1003505	55 gal drum	1



CUTTING OIL

Superior thread cutting lubricant for use on all types of both ferrous and non-ferrous metals, including brass, copper and aluminum.

Part#	Item#	Case/Order#	Size	Units/cs
14050 ²	1004784	1004783	16 oz aerosol	12
14051 ²	1004786	1004785	1 gal bottle	4



TRUETAP® FOAMY Cutting Fluid

Excellent extreme duty cutting fluid developed for ease of application. Works well on both ferrous and non-ferrous metals and can be applied before or during cutting operation. Foaming action penetrates deep into the cut to extend cutting tool life and promotes a superior finish.

Part#	Item#	Case/Order#	Size	Units/cs
03410 ²	1003507	1003506	16 oz aerosol	12



HONING & CUTTING OIL

All-purpose, non-chlorinated, metal cutting/machining oil extends tool life and improves the finish of machined surfaces. It contains extreme pressure, anti-weld, lubricity, wetting agent and anti-corrosion additives to allow higher machine speeds and feed rates. Better Falex values than those produced by Sulfur-Chlorine systems.

Part#	Item#	Case/Order#	Size	Units/cs
SL2523 ²	1007833	1007832	1 gal bottle	4



TRUETAP® AQUA Cutting Fluid

A suitable replacement for solvent or oil-based cutting fluids. It is a water-soluble cutting fluid that exhibits excellent cooling and lubrication properties. Works exceptionally well in machine tools containing water-soluble coolants. Emulsifies with the coolant without causing contamination.

Part#	Item#	Case/Order#	Size	Units/cs
03440 ²	1003509	1003508	16 oz bottle	12
03442 ²	1003510	1003510	5 gal pail	1



SOLUBLE OIL

Improves wetting, cleaning and lubricating during metal cutting and grinding operations. It prevents rust, corrosion and rancidity.

Part#	Item#	Case/Order#	Size	Units/cs
SL2512	1007828	1007827	1 qt bottle	12
SL2513	1007830	1007829	1 gal bottle	4
SL2515	1007831	1007831	5 gal pail	1



TRUETAP® WAX STICK LUBRICANT

Innovative, multi-purpose lubricant stick that effectively removes heat and lubricates. Capable of withstanding extreme pressure. Convenient stick is easy to use and mess-free.

Part#	Item#	Case/Order#	Size	Units/cs
03480	1003512	1003511	16 oz stick	10



BLUE LAYOUT FLUID

Applies a smooth even coat for all layout work. The dark blue fluid dries very quickly, sticks to both metal and glass and allows you to scribe sharp precise lines.

Part#	Item#	Case/Order#	Size	Units/cs
03066*	1003329	1003328	16 oz aerosol	12



LAYOUT FLUID REMOVER

Specifically formulated to remove layout fluids quickly and effectively from metal or glass.

Part#	Item#	Case/Order#	Size	Units/cs
03069*	1003331	1003330	16 oz aerosol	12



² - Item restricted from sale in SCAQMD

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

PRODUCT	Type	Color	Metal Compatibility	Container Size
TrueTap® HD Cutting Fluid	Paraffins w/EP Additives	Light Amber	All Metals	 
TrueTap® Foamy Cutting Fluid	Glycerol Esters w/ EP Additives	Amber	All Metals	
TrueTap® Aqua Cutting Fluid	Water-Based	Blue	All Metals except Magnesium	 
TrueTap® Wax Stick	Wax-Based	Amber	All Metals	
Cutting Oil	Petroleum Oils	Dark Amber	All Metals	 
Honing & Cutting Oil	Mineral Oil	Red	All Metals	
Soluble Oil	Mineral Oil	Amber	All Metals	  
Blue Layout Fluid	Organic Solvents/Alcohol	Blue	All Metals	
Layout Fluid Remover	Organic Solvents/Alcohol	Clear	All Metals	



Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

RTV SILICONE ADHESIVE/SEALANTS

CRC Room Temperature Vulcanizing (RTV) Adhesive/Sealants are designed for a wide range of sealing, bonding, protecting and waterproofing. They cure at room temperature – no special curing methods required. The chemically stable formulations show little change in physical properties after exposure to rain, snow, temperature extremes and weathering.

- Clear: Forms a barely visible water-tight seal
- White: Designed for high moisture, indoor/outdoor applications
- Blue: Heavy duty industrial gasket sealant
- Red: High temperature, low odor, non-corrosive gasket sealant
- Black: High pressure, low odor, non-corrosive gasket sealant

RTV SILICONE PRESSURIZED TUBES

Revolutionary packaging with Select-a-BEAD® Nozzle – allows user to control bead width. Dispenses a uniform bead for consistent results. Pressurized package keeps silicone fresh so it won't dry out. Self-sealing plug – Simply pull out to re-use the product. VOC compliant.∞



Part#	Item#	Case/Order#	Size	Units/cs
14055+	1004788	1004787	Clear 8 oz tube	12
14056+	1004790	1004789	White 8 oz tube	12
14057	1004792	1004791	Blue 8 oz tube	12
14059	1004794	1004793	Red 8 oz tube	12
14072	1004800	1004799	Black 8 oz tube	12

RTV SILICONE CARTRIDGES

Economical for large jobs. Convenient screw-on nozzle. Fast dispensing for applications that require less precision. VOC compliant.∞



Part#	Item#	Case/Order#	Size	Units/cs
14073+	1004802	1004801	Clear 12 oz cartridge	12
14074+	1004804	1004803	White 12 oz cartridge	12
14075	1004806	1004805	Red 12 oz cartridge	12



FOOD ZONE SILICONE SEALANTS

NSF Certified under Standard 51 for sealing, bonding, protecting and waterproofing food equipment. They show little change in physical properties after exposure to moisture and temperature extremes.

Part#	Item#	Case/Order#	Size	Units/cs
14082+	1004812	1004811	White 12 oz cartridge	12
14083+	1004814	1004813	Clear 12 oz cartridge	12
14087+	1004822	1004821	Gray 12 oz cartridge	12
14088+	1004824	1004823	Aluminum 12 oz cartridge	12

SPRAY ADHESIVE

General purpose, quick tack adhesive especially formulated to bond to many foils, plastics, papers, foams, metals, cardboards and cloths. Compare to 3M® Super 77™ Adhesive. Utilizes a unique web spray applicator.

Part#	Item#	Case/Order#	Size	Units/cs
03018	1003268	1003267	24 oz aerosol	12



FOAM

Minimal Expansion

Polyurethane foam designed to fill, seal, bond, retrofit, insulate and deaden sound in and around cracks and cavities. It forms a permanent, waterproof and airtight bond to masonry, wood, glass, metal and most plastics. Stops drafts, dust, moisture, insects and rodents. When cured, foam can be sanded, painted or stained. The low expansion formula expands 50% when fully cured. Cured foam insulates to R-5 for each inch of foam. UL® classified as a caulking sealant. Foam is non-flammable. Reusable for up to 30 days after initial use.

Part#	Item#	Case/Order#	Size	Units/cs
14077	1004808	1004807	16 oz aerosol	12



ⓘ – 360° spray valve can be sprayed in the UP or DOWN position.
 UL® is a registered trademark of UL LLC.
 3M® and Super 77™ are trademarks of 3M Company
 + – Meets NSF/ANSI Standard 51
 ∞ – As defined by Consumer Products VOC regulations.

MINUTE MEND™

Multi-Purpose Epoxy Putty

A two-part epoxy putty packaged in a convenient one piece stick. Permanently repairs scratches, gouges and holes in drums, tanks, pipes, castings, molds, sinks, tubs and leaky gaskets. Perform routine electrical jobs such as mounting terminal blocks, packing wires and repairing breaker boxes. Ideal for stopping leaks, can even be used under water. Can be used in plumbing, electrical, ceramic, vehicle and machinery repair. Ready to use in less than one minute after mixing.



Part#	Item#	Case/Order#	Size	Units/cs
14070	1004796	1004795	4 oz stick	24
14071	1004798	1004797	2 oz stick	40

PERMA-MEND™

UV Curable Repair Patch

A fiberglass reinforced, self-adhesive repair patch that is flexible, waterproof and UV resistant. Easy to use, no mixing required. Can be painted after curing. Rated up to 2200 psi when properly applied.



Part#	Item#	Case/Order#	Size	Units/cs
14089	1004826	1004825	3" x 6" Patch	12
14094	1004828	1004827	6" x 9" Patch	12
14096	1004832	1004831	9" x 12" Patch	12
14098	1004835	1004834	UV Flashlight	1

TESTING

SMOKE TEST®

Smoke Detector Tester

Convenient, easy and safe product to test the functional ability of a smoke detector. Checks for obstructions or debris, which clog detector vents and prevents smoke from properly entering the sensing chamber. Simulates smoke to provide a true, functional test for smoke detectors. Aerosol spray extends user reach up to 6', allows testing to be done while standing safely on the floor. No harmful residue, plastic safe, non-staining. UL® Listed.



Part#	Item#	Case/Order#	Size	Units/cs
02105*	1003205	1003204	6 oz aerosol	12

AEROSOL LEAK DETECTOR

Formulated for the quick and easy site detection of gas leaks and air leaks. Reliably locates gas leaks and pressure losses in pipes and pressurized systems by forming highly visible bubbles when applied over any leak. The water-based formula contains no oils, silicones or harmful solvents. Highlights all leaks, even under low pressure. Non-flammable aerosol package enables fast and easy application with no waste or spillage. No odor. NSF P1 Registered.



Part#	Item#	Case/Order#	Size	Units/cs
14503	1004997	1004996	20 oz aerosol	12

UL® is a registered trademark of UL LLC.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

INDUSTRIAL HAND CLEANERS

INDUSTRIAL CHERRY HAND CLEANER

Industrial Hand Cleaners contain premium cleansing agents which quickly remove the toughest dirt. Pumice scrubbing particles safely and effectively remove dirt, grease, resin, ink, paint, and glue.



Part#	Item#	Case/Order#	Size	Units/cs
SL1218	1007767	1007766	1 gallon hand pump	4
SL1219	1007769	1007768	1 gallon refill	4

HAND CLEANER TOWELS

These shop-sized pre-moistened, heavy duty towels with pumice scrubbing power work fast to loosen, dissolve and absorb dirt and grease. Hand Cleaner Towels are absorbent, non-scratching, easy to use and are fortified with emollients for the skin.



Part#	Item#	Case/Order#	Towel Size	Towels per container	Units/cs
04100	1003525	1003524	10.5" x 12.25"	72	6

MECHANIX ORANGE™

Citrus Lotion Hand Cleaner with Pumice

Formulated with the natural cleaning power of citrus. This fast, yet gentle hand cleaner is pH balanced, highly concentrated and very effective at cleaning the toughest soil, grime, ink, oil and paint. Use with or without water. Contains no harsh solvents. Has a fresh citrus scent.






















Part#	Item#	Case/Order#	Size	Units/cs
SL1712	1007778	1007777	16 oz bottle	12
SL1719	1007780	1007779	1 gallon bottle w/pump	4

LANOLIN CREAM & PUMICE HAND CLEANER

An extra-tough formula with buffing-grade pumice for deep-cleaning power. Use with or without water. For use in industrial plants, farms, mines, construction sites and anywhere hands get dirty and soiled. Leaves hands feeling clean with lanolin and lemon scent.



Part#	Item#	Case/Order#	Size	Units/cs
SL1621	1007776	1007775	14 oz tub	12

PRODUCT	Room Temp. Curing	Corrosive to Metals	Temperature Range	Elongation %	Dielectric Strength	Tensile Strength (Lab Shear)	Conforms to Specifications	Container Size
Food Zone Silicone Sealant White	Yes	Yes	-70°F to 400°F	500%	25 KV/mm	250 psi	Mil-A-46106 Type 1, NSF/ANSI Standard 51, FDA Reg. 21 CFR-177.2600	
Food Zone Silicone Sealant Clear	Yes	Yes	-70°F to 400°F	500%	25 KV/mm	250 psi	Mil-A-46106 Type 1, NSF/ANSI Standard 51, FDA Reg. 21 CFR-177.2600	
Food Zone Silicone Sealant Gray	Yes	Yes	-70°F to 400°F	500%	25 KV/mm	250 psi	Mil-A-46106 Type 1, NSF/ANSI Standard 51, FDA Reg. 21 CFR-177.2600	
Food Zone Silicone Sealant Aluminum	Yes	Yes	-70°F to 400°F	500%	25 KV/mm	250 psi	Meets NSF/ANSI#51 FDA Reg. 21 CFR-177.2600	
RTV Silicone Adhesive/Sealant Clear	Yes	Yes	-76°F to 400°F	500%	25 KV/mm	250 psi	Mil-A-46106 Type 1, NSF/ANSI Standard 51, TT-S-00230-C, ASTM-C-920, FDA Reg. 21 CFR-177.2600	 
RTV Silicone Adhesive/Sealant White	Yes	Yes	-76°F to 400°F	500%	25 KV/mm	250 psi	Mil-A-46106 Type 1, NSF/ANSI Standard 51, TT-S-00230-C, ASTM-C-920, FDA Reg. 21 CFR-177.2600	 
RTV Silicone Adhesive/Sealant Blue	Yes	Yes	-60°F to 450°F	500%	25 KV/mm	250 psi	Mil-A-46106 Type 1, TT-S-00230-C, ASTM-C-920, FDA Reg. 21 CFR-177.2600	
RTV Silicone Adhesive/Sealant Red	Yes	No	-80°F to 500°F 600°F Interm	500%	18 KV/mm	250 psi	Mil-A-46106 Type 1, TT-S-00230-C, ASTM-C-920	 
RTV Silicone Adhesive/Sealant Black	Yes	No	-30°F to 450°F	500%	18 KV/mm	250 psi	Mil-A-46106 Type 1, TT-S-00230-C, ASTM-C-920	
Spray Adhesive	Yes	No	-20°F to 123°F	N/A	N/A	N/A	N/A	
Foam Minimal Expansion	Yes	No	-200°F to 200°F (cured foam)	N/A	N/A	N/A	Insulate to R-5, UL Classified R14175	
Minute Mend™	Yes	No	-40°F to 250°F 350°F Interm.	N/A	300 Volts/Mil	500 lbs. to 900 lbs.	N/A	 
Perma-Mend™	Yes	N/A	-40°F to 392°F	N/A	9 KV/mm	2200 psi	N/A	  

AIR TOOL OIL

SAE 10

Lubricates and protects pneumatic equipment. Increases torque; assures long tool life. Reduces rust, varnish, sludge and acids.

Part#	Item#	Case/Order#	Size	Units/cs
SL2531	1007835	1007834	15 oz bottle	12
SL2533	1007837	1007836	1 gal bottle	4



UNIVERSAL 2-CYCLE OIL

Extends engine service life. Minimizes plug fouling, port plugging and ring sticking. Clean burning with minimal smoke. Protects against heat, corrosion and rust.

Part#	Item#	Case/Order#	Size	Units/cs
SL2261	1007788	1007787	15 oz bottle	12
SL2262	1007790	1007789	1 qt bottle	12



HYDRAULIC & JACK OIL

SAE 20

Protects all parts in hydraulic jacks over a wide temperature range. Prevents foaming, rust, oxidation, corrosion and seal swell.

Part#	Item#	Case/Order#	Size	Units/cs
SL2621	1007846	1007845	15 oz bottle	12
SL2552	1007839	1007838	1 qt bottle	12
SL2553	1007841	1007840	1 gal bottle	4
SL2555	1007842	1007842	5 gal pail	1



FOOD GRADE

AIR TOOL OIL

ISO 32

NSF H1 Registered for incidental food contact. A fully synthetic food grade oil that is formulated with the highest quality polyalphaolefin (PAO) base oil to meet the lubrication requirements of air line equipment. Provides lubrication for all air line equipment used in food processing plants.

Part#	Item#	Case/Order#	Size	Units/cs
SL2300	1007792	1007791	1 qt bottle	6



BAR & CHAIN LUBRICANT

Reduces wear and friction. Remains fluid in cold temperatures. Performs well on equipment subjected to loads, water and high speeds.

Part#	Item#	Case/Order#	Size	Units/cs
SL2612	1007844	1007843	1 qt bottle	12



GL-4 MULTI-PURPOSE

GEAR OIL

SAE 85W90

Provides lubrication over a wide temperature range. Protects against corrosion in industrial drives, worm and hypoid gear sets. Good high temperature properties. Reduces wear; extends life of gear teeth.

Part#	Item#	Case/Order#	Size	Units/cs
SL24229	1007801	1007800	1 qt bottle	12
SL24239	1007805	1007804	1 gal bottle	4
SL24259	1007806	1007806	5 gal pail	1



COMPRESSOR OIL

SAE 30

Helps promote longer life in all types of reciprocating and rotary compressors. Solvent refined and clay filtered for long lasting, anti-foul operation. Cleans valve seat deposits as they form. Prevents ring sticking and reduced wear.

Part#	Item#	Case/Order#	Size	Units/cs
SL22131	1007784	1007783	1 qt bottle	12
SL22133	1007786	1007785	1 gal bottle	4



GL-4 MULTI-PURPOSE

GEAR OIL

SAE 140

Contains anti-rust, anti-oxidation, anti-wear and extreme pressure additives. Provides the corrosive protection and film strength needed in industrial drives, worm and hypoid gear sets. Wide temperature range. Extends life of gear teeth.

Part#	Item#	Case/Order#	Size	Units/cs
SL24228	1007799	1007798	1 qt bottle	12
SL24238	1007803	1007802	1 gal bottle	4



GL-5 PLUS NEW GENERATION™

Heavy Duty Limited Slip Gear Oil SAE 85W140

Meets many military and commercial specifications and service requirements. Excellent for use where seasonal temperatures fluctuate widely. Minimum viscosity change during service. Superior performance in extreme pressure and high load conditions.



Part#	Item#	Case/Order#	Size	Units/cs
SL2432	1007808	1007807	1 qt bottle	12
SL2433	1007810	1007809	1 gal bottle	4

GL-5 PLUS NEW GENERATION™

Limited Slip Gear Oil SAE 80W90

Thermally stable, high-quality, multi-purpose automotive and truck lubricant with extreme pressure properties. Especially suited for use in high performance differentials. Assures absolute lubrication and protection against shock loading, gear scoring; prevents chatter, noise and vibration in limited-slip axles. Contains rust and corrosion inhibitors. Provides protection for operations under both high speed/low torque and low speed/high torque conditions.



Part#	Item#	Case/Order#	Size	Units/cs
SL2472	1007816	1007815	1 qt bottle	12
SL2473	1007818	1007817	1 gal bottle	4
SL2475	1007819	1007819	5 gal pail	1

GL-5 PLUS NEW GENERATION™

Heavy Duty Limited Slip Gear Oil SAE 75W90

Protects against corrosion, seal damage, oxidation and wear. Provides better protection and extended drain intervals in new cars, 4WDs, high performance vehicles, and domestic and import cars and trucks with limited-slip, sure-grip and posi-traction type differential systems. Excellent performance over a wide range of temperatures. Provides protection for operations under both high speed/low torque and low speed/high torque conditions.



Part#	Item#	Case/Order#	Size	Units/cs
SL2462	1007812	1007811	1 qt bottle	12
SL2463	1007814	1007813	1 gal bottle	4

SYN-GO® OEM GRADE Synthetic Gear Oil SAE 75W140

Excellent performance and reliability under the most demanding and harsh operating conditions. Enhances transmission and differential life and reduces maintenance costs and downtime. Dramatically extends drain and fill intervals. Improves fuel efficiency. Provides superior lubrication protection from -40°F to 350°F.



Part#	Item#	Case/Order#	Size	Units/cs
SL2496	1007826	1007825	2 qt bottle	4

PRODUCT	VIS @ 40°C c.s.T.	VIS @ 100°C c.s.T.	Base	AGMA	MIL Spec
GL-4 Multi-Purpose Gear Oil 85W90	200	15.1	Mineral Oil	5 EP	MIL-PRF-2105
GL-4 Multi-Purpose Gear Oil 140	210	27.5	Mineral Oil	8 EP	MIL-PRF-2105
GL-5 Plus New Generation™ Heavy Duty Limited Slip Gear Oil 85W140	N/A	27	Mineral Oil	7 EP	MIL-PRF-2105E
GL-5 Plus New Generation™ Heavy Duty Limited Slip Gear Oil 75W90	70	14.5	Mineral Oil	6 EP	MIL-PRF-2105E MIL-PRF-2105D
GL-5 Plus New Generation™ Limited Slip Gear Oil 80W90	N/A	14	Mineral Oil	4 EP	MIL-PRF-2105D
Syn-Go® Synthetic Gear Oil 75W140	156	25	Synthetic Fluid	6 EP	N/A

LITHIUM-BASED

SUPER WHITE™ Multi-Purpose Grease

Meets late-model high-tech specifications. NLGI-2 lithium base. Wide temperature range of 0°F to 300°F.

Part#	Item#	Case/Order#	Size	Units/cs
SL3150	1007873	1007872	14 oz cartridge	10
SL3151	1007875	1007874	14 oz can	12
SL3155	1007876	1007876	35 lb pail	1
SL3360	1007916	1007915	10 oz tube	6
SL3361	1007918	1007917	1.75 oz squeeze tube	24



MOLY-GRAPH®

Extreme Pressure Multi-Purpose Grease

Molybdenum and graphite establish a fine micron plating on all surfaces. Lithium base NLGI-2 grease with drop point of 350°F. Great for use on ball joints, chassis points, bushings and roller bearings.

Part#	Item#	Case/Order#	Size	Units/cs
SL3141	1007866	1007865	14 oz can	12
SL3144	1007868	1007867	3/3 oz cartridges	6
SL3145	1007869	1007869	35 lb pail	1
SL3146	1007871	1007870	7 lb pail	4
SL3330	1007910	1007909	14 oz cartridge	10



LITHIUM GENERAL PURPOSE GREASE

Lithium base NLGI-2 grease designed for light duty applications. Use on motor bearings, pump bearings and light duty applications. Drop point: 340°F.

Part#	Item#	Case/Order#	Size	Units/cs
SL3310	1007904	1007903	14 oz cartridge	10
SL3311	1007906	1007905	16 oz can	12
SL3315	1007907	1007907	35 lb pail	1
SL3317	1007908	1007908	120 lb keg	1



EXTREME PRESSURE ENGINE ASSEMBLY LUBE

Prevents friction, galling and wear on all types of engine components during assembly, start-up and break-in periods.

Part#	Item#	Case/Order#	Size	Units/cs
SL3331	1007912	1007911	10 oz tube	6
SL3333	1007914	1007913	2.75 oz tub	12



SYNTHETIC-BASED

SILARAMIC® Brake System Grease

Protects all moving caliper hardware, mating surfaces and backing plates with the latest rust, oxidation and anti-wear additives to provide lasting protection against friction, wear and corrosion. Ideal for high performance or racing applications.

Part#	Item#	Case/Order#	Size	Units/cs
05361	1003793	1003792	5 oz tube	12
05363	1007396	1003795	9 oz tub	12



CONSTANT VELOCITY (C.V.) JOINT GREASE

Extremely stable lithium base grease with molybdenum disulfide; extends the life of C.V. joints. Will not attack or run out of C.V. boot. Protects against rust and oxidation. Contains extreme pressure and anti-wear additives.

Part#	Item#	Case/Order#	Size	Units/cs
SL3174	1007886	1007885	4 oz tube (carded)	12



PERMATHERM™ High Temp Synthetic Grease

High performance, synthetic NLGI-1.5 grease. Contains rust and oxidation inhibitors to increase service life and protect against corrosion. Withstands constant operating temperature up to 400°F and intermittent temperatures of 500°F- 600°F. Beyond 600°F, base fluid slowly evaporates with no carbon residue.

Part#	Item#	Case/Order#	Size	Units/cs
SL3580	1007933	1007932	14 oz cartridge	10



SYNTHETIC BRAKE & CALIPER GREASE

Synthetic grease prevents caliper binding, vibration and corrosion. Contains molybdenum, PTFE and graphite for an extreme temperature range of -30°F to 600°F. Eliminates uneven pad wear.

Part#	Item#	Case/Order#	Size	Units/cs
05351	1003785	1003784	2.5 oz tube	6
05353	1003789	1003788	12 oz tub	12
05359	1003791	1003790	8 oz bottle	6
SL3301	1007898	1007897	2.5 oz tube	6
SL3303	1007902	1007901	12 oz tub	12



Extreme Pressure STA-PLEX™ PREMIUM RED GREASE

A superior multi-purpose certified lithium complex based NLGI-2 GC-LB grease. Contains extreme pressure, anti-wear, and anti-oxidation additives. Ideal for high temperature and performance applications. Drop point: 500°F.

Part#	Item#	Case/Order#	Size	Units/cs
SL3190	1007890	1007889	14 oz cartridge	10
SL3191	1007892	1007891	14 oz can	12
SL3195	1007895	1007895	35 lb pail	1
SL3197	1007896	1007896	120 lb keg	1



NEW GENERATION™ WHEEL BEARING GREASE

For Disc and Drum Brakes

Meets late-model high-tech specifications. NLGI-2 GC-LB lithium complex base. Wide temperature range of -40°F to 325°F. Use on late-model wheel bearings, chassis and suspension points.

Part#	Item#	Case/Order#	Size	Units/cs
SL3110	1007852	1007851	14 oz cartridge	10
SL3111	1007854	1007853	14 oz can	12



LITHIUM COMPLEX-BASED

DRILLER RED GREASE

Premium quality lithium complex, Extreme Pressure (EP) grease with an industry high 80+ lb Timken OK load. Driller Red Grease is designed to withstand greater amounts of pressure, especially in oil and gas applications. It offers superior wear and shock load protection to applications with high axial or thrust loads.

Part#	Item#	Case/Order#	Size	Units/cs
SL3640	1007959	1007958	14 oz cartridge	10
SL3650	1007960	1007960	35 lb pail	1



POLYUREA-BASED

LECTRA LUBE™ ELECTRIC MOTOR GREASE

Lectra Lube™ Electric Motor Grease is a premium long-life grease with excellent thermal stability. This grease has excellent water resistance and will not washout. It maintains its consistency under severe working conditions and resists oxidation.

Part#	Item#	Case/Order#	Size	Units/cs
SL3586	1007936	1007935	14 oz cartridge	10



SODIUM-BASED

HEAVY DUTY DRUM BRAKE Wheel Bearing Grease

For drum brakes and slow speed bearings. NLGI-2.5 sodium base. Ideal for use where heavy loads and slow speeds are prevalent. Drop point: 360°F.



Part#	Item#	Case/Order#	Size	Units/cs
SL3131	1007862	1007861	14 oz can	12
SL3136	1007864	1007863	7 lb pail	4

MARINE BOAT TRAILER AND 4x4 WHEEL BEARING GREASE

Aluminum complex, NLGI-2 grease. Excellent water resistance. Superior rust and corrosion protection. Typical drop point: 500°F.



Part#	Item#	Case/Order#	Size	Units/cs
SL3120	1007856	1007855	14 oz cartridge	10
SL3121	1007858	1007857	14 oz can	12
SL3125	1007859	1007859	35 lb pail	1
SL3184	1007888	1007887	3-3 oz cartridge	6

ALUMINUM COMPLEX-BASED

MULTI-PURPOSE FOOD GRADE GREASE

NSF H1 Registered. Aluminum complex, NLGI-2 grease. Meets FDA regulation 21 CFR 178.3570 for incidental food contact. Appropriate for food processing and handling equipment. Will not pound out of bearings and bushings during shock loads.



Part#	Item#	Case/Order#	Size	Units/cs
SL35600	1007924	1007923	14 oz cartridge	10
SL35605	1007925	1007925	35 lb pail	1

SILICA

SYNTHETIC FOOD GRADE GREASE

NSF H1 Registered for incidental food contact. NLGI-2 lubricating grease formulated with the highest quality synthetic NSF registered raw materials available. Performs extremely well in cold temperature applications as the base fluid exhibits a very low pour point. Resists rust and oxidation. Water wash-down resistant. Wide temperature range – provides superior lubrication from -20°F to 350°F.



Part#	Item#	Case/Order#	Size	Units/cs
SL35610	1007928	1007927	14 oz cartridge	10

HI-TEMP DISC BRAKE Wheel Bearing Grease

For high temperature, high speed bearings. NLGI-2 aluminum complex base. For use on disc brake systems, chassis points and suspension systems. Drop point: 500°F.



Part#	Item#	Case/Order#	Size	Units/cs
SL3160	1007879	1007878	14 oz cartridge	10
SL3161	1007881	1007880	14 oz can	12
SL3165	1007882	1007882	35 lb pail	1
SL3166	1007884	1007883	7 lb pail	4

CALCIUM SULFONATE

EXTREME DUTY FOOD GRADE GREASE

NSF H1 Registered for incidental food contact. NLGI-2 high performance lubricating grease excels in applications where resistance to water washout and broad operating temperatures are absolutely necessary. Provides unsurpassed resistance to extreme pressures and corrosion, including salt spray. Timken OK Load of 65 lbs. Wide temperature range – provides superior lubrication from -20°F to 400°F.



Part#	Item#	Case/Order#	Size	Units/cs
SL35615	1007931	1007930	14 oz cartridge	10

NSF H1 Food Grade Grease	NSF Registration	NLGI Grade	Base Oil	Base Oil Viscosity@40°C	Thickener	Drop Point °F	Worked Penetration
Multi-Purpose Food Grade Grease	H1	2	Mineral	64-70	Aluminum Complex	500	265-295
Synthetic Food Grade Grease	H1	2	PAO	60-65	Silica	650	265-295
Extreme Duty Food Grade Grease	H1	2	Mineral	100-120	Overbased Calcium Sulfonate	572	265-295

PRODUCT	Grease Type	NLGI Grade	Color	Working Temperature	Water Resistance	Timken OK Load	4 Ball EP Weld	Additives
Super White™ Multi-Purpose Grease	Lithium	2	White	0°F to 300°F	Good	25 lbs	N/A	Whitening Agents, Anti-Rust, Anti-Oxidant, Anti-Wear
Lithium General Purpose Grease	Lithium	2	Amber	0°F to 250°F	Very Good	N/A	N/A	NA
Constant Velocity Joint Grease	Lithium	1	Dark Gray	10°F to 275°F	Good	50 lbs	N/A	Extreme Pressure, Anti-Wear, Rust and Oxidation Inhibitors
Moly-Graph® Extreme Pressure Multi-Purpose Grease	Lithium	2	Dark Gray	-25°F to 250°F	Very Good	45 lbs	250	Extreme Pressure, Molybdenum Disulfide, Anti-Wear, Anti-Rust, Anti-Oxidant
Extreme Pressure Engine Assembly Lube	Lithium	0.5	Black	0°F to 250°F	Good	N/A	N/A	Extreme Pressure, Molybdenum Disulfide, Anti-Rust, Anti-Wear, Tackifier, Anti-Oxidant
Silaramic® Brake System Grease	Synthetic	2	Off White	-50°F to 3000°F	Excellent	N/A	N/A	Anti-Wear, Anti-Rust
Permatherm™ High Temp Synthetic Grease	Synthetic	1.5	Amber	-40°F to 400°F	Very Good	50 lbs	N/A	Anti-Wear, Anti-Oxidant, Anti-Rust
Driller Red Grease	Lithium Complex	2	Red	-10°F to 400°F	Excellent	80 lbs	315	Anti-Rust, Anti-Wear, Extreme Pressure
Sta-Plex™ Extreme Pressure Premium Red Grease	Lithium Complex	2	Red	-20°F to 325°F	Excellent	60 lbs	500	Extreme Pressure, Anti-Wear, Anti-Rust, Anti-Oxidant, Tackifier
New Generation™ Wheel Bearing Grease for Disc and Drum Brakes	Lithium Complex	2	Amber	-40°F to 325°F	Very Good	50 lbs	250	Extreme Pressure, Anti-Wear, Anti-Rust, Tackifier
Synthetic Brake & Caliper Grease	Synthetic	2	Black	-30°F to 600°F	Good	60 lbs	N/A	Molybdenum Disulfide, Extreme Pressure, Anti-Seize Polymers, Lubrication Fortifiers including PTFE
Lectra Lube™ Electric Motor Grease	Polyurea	2	Blue Green	0°F to 400°F	Excellent	50 lbs.	400	Extreme Pressure, Anti-Wear
Heavy Duty Drum Brake Wheel Bearing Grease	Sodium	2.5	Dark Amber	10°F to 250°F	Moderate	N/A	N/A	Anti-Oxidant
Hi-Temp Disc Brake Wheel Bearing Grease	Aluminum Complex	2	Dark Gray	0°F to 325°F	Excellent	60 lbs	315	Rust and Oxidation Inhibitors, Anti-Wear, Extreme Pressure, Molybdenum Disulfide, Graphite
Marine Boat Trailer and 4x4 Wheel Bearing Grease	Aluminum Complex	2	Blue	0°F to 325°F	Excellent	N/A	N/A	Anti-Rust, Polymer Adhesives

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

GENERAL PURPOSE SILICONE MOLD RELEASE

A general purpose mold release used for a variety of applications including injection molding, compression molding, blow molding, and extruding. Provides fast and easy part removal from molds. Medium duty silicone content 3.5%. Ideal for use on cold and hot metals.

Part#	Item#	Case/Order#	Size	Units/cs
03300	1003488	1003487	16 oz aerosol	12



LECITHIN MOLD RELEASE

Non-silicone mold release helps assure multiple releases and will not interfere with parts to be painted, bonded, heat sealed or laminated. Lecithin Mold Release imparts a smooth dry, non-toxic film. No special cleaning required before part decoration.

Part#	Item#	Case/Order#	Size	Units/cs
03306	1003494	1003493	16 oz aerosol	12



FOOD GRADE SILICONE MOLD RELEASE

Formulated to be used for light duty applications. Contains the same high-quality ingredients as our General Purpose Silicone Mold Release. Light duty silicone content 3%. NSF M1 Registered.

Part#	Item#	Case/Order#	Size	Units/cs
03301	1003490	1003489	16 oz aerosol	12



BORON NITRIDE MOLD RELEASE

Ideal when working with the latest high temperature resins. It is also an excellent release for die-casting of low melting point metals such as lead, zinc and aluminum. Forms a non-reacting layer with molten metals, salts, fluxes and slags. High electrical resistance and thermal conductivity.

Part#	Item#	Case/Order#	Size	Units/cs
03310*	1003496	1003495	16 oz aerosol	12



HEAVY DUTY SILICONE MOLD RELEASE

Superior lubrication that provides maximum releases. Formulated for difficult to remove molded parts. Heavy duty silicone content 5%. Helps avoid molding material build-up.

Part#	Item#	Case/Order#	Size	Units/cs
03302	1003492	1003491	16 oz aerosol	12



HEAVY DUTY MOLD CLEANER

Safety-solvent designed to quickly dissolve and remove silicone, grease, oil and residue on mold surfaces. Fast evaporating formulation is ideal for cleaning cold molds. Non-flammable, chemically stable, non-conductive and non-corrosive.

Part#	Item#	Case/Order#	Size	Units/cs
03315 ¹	1003500	1003499	16 oz aerosol	12



FOOD GRADE MOLD RELEASE WO

Silicone-free, paintable mold release is perfect for use in medical and food packaging applications. The pure white oil based formula makes it an excellent all-purpose mold release. NSF H1, M1 Registered. Safe for use on most plastics.

Part#	Item#	Case/Order#	Size	Units/cs
03311	1003498	1003497	16 oz aerosol w/Perma-Lock®	12










¹ - Item restricted from sale in some states. See product page on CRC website for specific restrictions.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

MOLD RELEASE CHARACTERISTICS	#03300 General Purpose	#03301 Food Grade	#03302 Heavy Duty	#03311 Food Grade WO	#03306 Lecithin	#03310 Boron Nitride
No ozone depleting chemicals	◆	◆	◆	◆	◆	◆
Will not interfere with bonding				◆	◆	
Ultrasonic welding compatible				◆	◆	◆
Recommended for medical molding				◆	◆	
Safe on solvent sensitive plastics	◆	◆	◆	◆	◆	◆
Odorless	◆	◆	◆	◆	◆	◆
MOLD RELEASE / RESIN RECOMMENDATION	#03300 General Purpose	#03301 Food Grade	#03302 Heavy Duty	#03311 Food Grade WO	#03306 Lecithin	#03310 Boron Nitride
ABS	◆	◆	◆	◆	◆	◆
Acetal	◆	◆	◆	◆	◆	◆
Acrylic	◆	◆	◆	◆	◆	◆
Noryl®	◆		◆	◆		
Nylon	◆	◆	◆	◆	◆	
Polycarbonate	◆	◆	◆	◆	◆	◆
Polyethylene				◆	◆	
Polypropylene				◆	◆	
Polystyrene	◆	◆	◆	◆	◆	◆
Polysulfone	◆	◆	◆	◆	◆	
Rubber	◆	◆	◆	◆	◆	
Wax	◆	◆	◆	◆		

This release/resin recommendation chart is intended to be a general guide based on field testing performed over the last 45 years. Always pre-test any release with a particular resin. Mold configuration and conditions can greatly affect part release ability.

PRODUCT	Type	Film Type	Paint Compatible	Temperature Range	SDS Label Attached	Container Size
General Purpose Silicone Mold Release	Silicone	Non-Drying	No	Up to 600°F	Yes	 16
Food Grade Silicone Mold Release	Silicone	Non-Drying	No	Up to 600°F	Yes	 16
Heavy Duty Silicone Mold Release	Silicone	Non-Drying	No	Up to 600°F	Yes	 16
Food Grade Mold Release WO	Mineral Oil	Non-Drying	Yes	Up to 300°F	Yes	 16
Lecithin Mold Release	Lecithin	Non-Drying	Yes	Up to 500°F	Yes	 16
Boron Nitride Mold Release	Boron Nitride	Dry	Yes	Up to 800°F	Yes	 16
Heavy Duty Mold Cleaner	Chlorinated	N/A	N/A	N/A	Yes	 16

Noryl® is a registered trademarks of SABIC GLOBAL TECHNOLOGIES B.V.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

WASP & HORNET KILLER PLUS™

Insecticide

Fast acting, high strength insecticide that knocks down and kills wasps, hornets, fire ants, black widow spiders and scorpions on contact. Contains no chlorinated solvents. Safe on most plastics. CRC trigger provides a dense, accurate spray that will reach up to 20 feet to drench harmful insects and their nests. High dielectric strength of 47,600 volts. Extension tube doubles as a locking mechanism.

Part#	Item#	Case/Order#	Size	Units/cs
14010	1004768	1004767	20 oz aerosol trigger	12



FR (FLAME RESISTANT) CLOTHING INSECT REPELLENT

Repellent for the treatment of flame resistant clothing. Provides a protective barrier against mosquitoes, gnats, chiggers, ticks, biting flies and other flying insects. Contains Permethrin which is a contact insecticide that not only repels but also kills insects. It will not damage or negatively affect the protection properties of flame resistant clothing. Binds to fabric and protects up to two weeks, even through washing. Convenient aerosol package provides easy and controlled application of product. Conforms to ASTM F2621-06 Standard Practice for Determining Response Characteristics and Design Integrity of Arc Rated Finished Products in Electric Arc Exposure. Non-flammable, non-DEET formula is safe for clothing. Do not apply to skin.

Part#	Item#	Case/Order#	Size	Units/cs
14036	1004778	1004777	8 oz aerosol	12



BEE BLAST®

with Residual Wasp & Hornet Killer

Fast-acting, high strength insecticide that instantly soaks harmful insects and their nests with a high output 20' jet blast. Bee Blast® contains no chlorinated solvents and is safe on most plastics. High output 20' jet blast kills wasps, hornets, yellow jackets and bees on contact. Safety Data Label S.D.[L.]® right on the can – a CRC exclusive. High dielectric strength of 47,300 volts. Kills with residual action as wasps and hornets return to nests.

Part#	Item#	Case/Order#	Size	Units/cs
14009	1004766	1004765	20 oz aerosol	12



INSECT REPELLENT

Insect Repellent uses a high strength formula to repel mosquitoes, gnats, chiggers, fleas, ticks, biting flies and other biting insects. Insect Repellent protects outdoor workers by reducing the risk of contracting Lyme Disease from ticks when sprayed on exposed skin and clothing. Convenient aerosol package. Contains 25% active ingredient (DEET). The only insect repellent in the industry with the CRC S.D.[L.]®, a current SDS printed on the reverse side of the product label. Safe on most plastics.

Part#	Item#	Case/Order#	Size	Units/cs
14011	1004770	1004769	8 oz aerosol	12



FIRE ANT KILLER

Fast-acting, highly effective insecticide used to kill fire ants. Product offered in an aerosol version or long-lasting granules. The aerosol version kills on contact, is safe on most plastics, contains no chlorinated solvents. High dielectric strength of 47,600 volts.

Part#	Item#	Case/Order#	Size	Units/cs
14037 ¹	1004780	1004779	20 oz aerosol trigger	12



The granules are ready to use and kill the queen within 24 hours. Prevents new fire ant mounds from forming. Non-corrosive, non-conductive. 4 oz. single-use pouch treats up to 12" x 12" area.



Part#	Item#	Case/Order#	Size	Units/cs
14039 ¹	1004782	1004781	4 oz packet	40

LONG LASTING INSECT REPELLENT

Non-flammable, skin friendly, Picaridin based insect repellent that is DEET free. Effective for 14 hours of protection from ticks, mosquitoes and other biting insects. Product is tested safe per ASTM F2621-06, Electrical ARC and Flammability Test.

Part#	Item#	Case/Order#	Size	Units/cs
14888	1005151	1005150	4 oz pump spray	12



14010, 14009, 14037, 14039, 14036 and 14011 are not registered outside the United States and Puerto Rico. 14888 is for sale in the United States only.

1 – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**


ALL-PURPOSE ENAMEL SPRAY PAINT

Remarkably versatile, general purpose, quick-dry, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

The only paint in the industry with the CRC S.D.[L.][®], a current SDS printed on the reverse side of the product label. Resistant to heat up to 180°F (82°C). Dries tack free in 30 minutes and fully dry in less than 1 hour. Recoat before 1 hour or after 72 hours. Yellows and reds cover 10-12 sq. ft. per can, others cover 16-22 sq. ft. per can. Good resistance to abrasion and corrosion; fair resistance to solvents.

Compliant with state and federal aerosol coatings VOC regulations. Vinyl toluene oil enamel resin system.

SPRAY PAINT COLORS



Part#	Item#	Case/Order#	Color	Size	Units/cs
18000*	1005162	1005161	Swift Red	16 oz aerosol	6
18001*	1005164	1005163	Yellow	16 oz aerosol	6
18002*	1005166	1005165	Astro Blue	16 oz aerosol	6
18004*	1005168	1005167	Orange	16 oz aerosol	6
18005*	1005170	1005169	Gloss Black	16 oz aerosol	6
18006*	1005172	1005171	Gloss White	16 oz aerosol	6
18008*	1005174	1005173	Flat Black	16 oz aerosol	6



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

RUST PROOF ENAMEL SPRAY PAINT & PRIMER


Rust Proof Enamel is a rust resistant, premium quality alkyd enamel designated for moderate to severe corrosive environments and is specially formulated to resist rusting, peeling and fading. Fights weathering, salt spray and the most severe and demanding industrial conditions.

The only paint in the industry with the CRC S.D.[L.][®], a current SDS printed on the reverse side of the product label. Dries tack free in 15 to 30 minutes and fully in 1 hour, recoat anytime. Resistant to heat up to 300°F (149°C).

Yellows and reds cover 15-18 sq. ft. per can, others cover 22-30 sq. ft. per can. Coverage increases when CRC Rust Proof Enamel Primer is used. Excellent resistance to corrosion and solvents and good resistance to abrasion. CRC Rust Proof Primer seals out moisture and fills hairline cracks and other slight surface imperfections to provide a uniform basecoat for CRC Rust Proof Enamels.

Compliant with state and federal aerosol coatings VOC regulations. Modified chain stop alkyd enamel resin system.

SPRAY PAINT COLORS



Part#	Item#	Case/Order#	Color	Size	Units/cs
18100*	1005200	1005199	OSHA Red	20 oz aerosol	6
18101*	1005202	1005201	OSHA Yellow	20 oz aerosol	6
18102*	1005204	1005203	OSHA Blue	20 oz aerosol	6
18105*	1005206	1005205	OSHA Black	20 oz aerosol	6
18106*	1005208	1005207	OSHA White	20 oz aerosol	6
18109*	1005210	1005209	Flat Black	20 oz aerosol	6
18114*	1005212	1005211	Machinery Light Gray	20 oz aerosol	6
18150*	1005214	1005213	Gray Primer	20 oz aerosol	6

The Occupational Safety and Health Act (OSHA) stipulates that industrial plants provide color coded safety equipment in the workplace. OSHA also requires that hazardous areas be identified with certain colors. CRC provides a range of OSHA colors for the correct application and safety.



UPSIDE DOWN MARKING PAINT

These paints clearly and effectively mark the location of underground utilities and are the professionally preferred markers at construction sites. Colors meet the A.P.W.A One Call International Color Standards. Particularly safe on turf grass, fields and golf courses.

The only paint in the industry with the CRC S.D.[L.][®], a current SDS printed on the reverse side of the product label. One can covers up to 700 linear feet with a 1 to 3 inch bright vivid line width. Lead free formula won't harm grass. Non-clogging nozzle & unique spray head is easy to use, less finger fatigue. Twist cap prevents accidental discharge. Dries fast and tack free in 2 to 5 minutes.

Part#	Item#	Case/Order#	Color	Size	Units/cs
18200*	1005216	1005215	Safety Red	20 oz aerosol	6
18201*	1005218	1005217	Caution Yellow	20 oz aerosol	6
18202*	1005220	1005219	Caution Blue	20 oz aerosol	6
18203*	1005222	1005221	Safety Green	20 oz aerosol	6
18204*	1005224	1005223	Alert Orange	20 oz aerosol	6
18206*	1005226	1005225	White	20 oz aerosol	6
18207*	1005228	1005227	Red Fluorescent	20 oz aerosol	6
18208*	1005230	1005229	Orange Fluorescent	20 oz aerosol	6
18210*	1005232	1005231	Red/Orange Fluorescent	20 oz aerosol	6



EQUIPMENT

SURE SHOT[®] REUSABLE SPRAYER

An all-metal, one quart, reusable air-pressurized sprayer. For use with most bulk lubricants, solvents and corrosion inhibitors.



Part#	Item#	Case/Order#	Units/cs
14016	1004771	1004771	1

EMPTY TRIGGER BOTTLE

Level III fluorination provides maximum durability and 24 oz design improves stability. Features blank lines and charts for product and safety information.



Part#	Item#	Case/Order#	Units/cs
14021	1004773	1004772	12

FLUID OIL PUMP

Constructed of durable PVC plastic. For all fluid reservoirs including differentials, transmissions and gear cases. Dispenses 1 fl oz of product with each depression. Designed to fit all Sta-Lube[®] quart, half-gallon and gallon containers. Not for use with brake fluid.



Part#	Item#	Case/Order#	Units/cs
SL4344	1007963	1007962	6

HEAVY DUTY LEVER GREASE GUN


3-way easy loading for standard 14 oz cartridges. Provides 10,000 lbs of pressure. Short stroke feature for confined areas. Sure-grip knurled barrel. Heavy duty thick wall steel construction.



Part#	Item#	Case/Order#	Units/cs
SL37019	1007961	1007961	1

GREASE GUN FLEX HOSE

Replacement flexible hose in 12" length. For pistol grip or lever type grease guns. Working pressure 3,000 psi.



Part#	Item#	Case/Order#	Units/cs
SL46022	1007965	1007964	10

POLY TANK SPRAYER

One gallon high density polyethylene tank, poly flow control with lock on control, chemical resistant viton seals, poly wand, adjustable poly cone nozzle, reinforced commercial grade hose. 42" Hose and 12" Poly Wand.



Part#	Item#	Case/Order#	Units/cs
N/A	1752252	1752252	1

SureShot[®] is a registered trademark of Milwaukee Sprayer Mfg. Co.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

AVIATION DEGREASER

A halogenated solvent-based degreaser that is chemically stable and extremely effective in heavy duty cleaning applications. It is fast acting, non-flammable and evaporates quickly leaving no residue. Meets performance requirements of Boeing D6-17487 and Douglas CSD-1, Category II with the exception of acrylic crazing.

Part#	Item#	Case/Order#	Size	Units/cs
10900 ¹	1004744	1004743	20 oz aerosol	12



AVIATION T-FORCE[®] DEGREASER

Effective heavy duty, non-flammable degreaser. Evaporates quickly and leaves no residue. Airframe approved non-HAP degreaser. Meets performance requirements of Boeing D6-17487.

Part#	Item#	Case/Order#	Size	Units/cs
10321 ¹	1004732	1004731	20 oz aerosol	12



AVIATION XT-2000[™] PRECISION CLEANER

A non-flammable, low odor, rapidly evaporating precision cleaner for use in aviation applications. Effectively removes dirt, light oils and other contaminants from electronic equipment. No flash point. Evaporates rapidly leaving no residue. Chemically stable, non-conductive and non-corrosive. Safe on most plastics. Meets performance requirements of Boeing D6-17487. Approved by Pratt & Whitney for use in SPOP1&6.

Part#	Item#	Case/Order#	Size	Units/cs
10315 ¹	1004730	1004729	16 oz aerosol	12



AVIATION 3-36[®] Corrosion Inhibitor

Meets MIL-C-81309E, Amendment 3, Type III, Class 1 & 2 – Listed on the Military QPL since 12/1999. This versatile, petroleum-based formula protects all metal surfaces leaving behind a corrosion inhibiting film. The low viscosity allows it to cover a large surface area and penetrate deep into the surface of all metals including steel, copper, brass and aluminum alloys. It displaces and seals out moisture and prevents the return of wear and corrosion. For use in applications that require compliance to MIL-C-81309E.


Part#	Item#	Case/Order#	Size	Units/cs
10200 ¹	1004726	1004725	16 oz aerosol	12



AVIATION QUICK DRY PRECISION CLEANER

Effectively removes contaminants from electrical and electronic components and contacts. Ideal for applications where rapid evaporation is desired and flammability is not an issue. Harmless to most sensitive plastics. Evaporates rapidly, leaves no residue. Displaces moisture. Meets performance requirements of Boeing D6-17487 and McDonnell Douglas CSD-1 specifications.

Part#	Item#	Case/Order#	Size	Units/cs
10340 ^{*1}	1004736	1004735	16 oz aerosol	12



PAINTS & COATINGS

EQUIPMENT

AVIATION MAINTENANCE

¹ – 360° spray valve can be sprayed in the UP or DOWN position.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

CLEANERS

BRÄKLEEN®

Brake Parts Cleaner

Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads. Helps brakes last longer and perform more efficiently.

Part#	Item#	Case/Order#	Size	Units/cs
05089 ¹	1003708	1003706	20 oz aerosol	12
05089T ¹	1003711	1003710	20 oz aerosol w/trigger	12
05090 ¹	1003713	1003712	1 gal bottle	4
05091 ¹	1003714	1003714	5 gal pail	1
05093 ¹	1003715	1003715	55 gal drum	1



BRÄKLEEN®

Brake Parts Cleaner, 50 State Formula

Removes brake fluid, grease, oil and other contaminants quickly & effectively. Non-chlorinated. Degreases instantly. Leaves no residue. Meets all state & federal consumer products VOC regulations. **Low VOC formula.**[∞]

Part#	Item#	Case/Order#	Size	Units/cs
05050*	1003662	1003660	20 oz aerosol	12
05051*	1003666	1003665	1 gal bottle	4
05052*	1003667	1003667	5 gal pail	1
05053*	1003668	1003668	55 gal drum	1



BRÄKLEEN®

Non-Chlorinated Brake Parts Cleaner

Use where compliance calls for a chlorine-free product. Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads.

Part#	Item#	Case/Order#	Size	Units/cs
05088 ^{1*}	1003704	1003703	20 oz aerosol	12
05085 ^{1*}	1003700	1003699	1 gal bottle	4
05186 ^{1*}	1003747	1003747	5 gal pail	1
05087 ^{1*}	1003702	1003702	55 gal drum	1
Less than 45% VOC [∞]				
05084 ^{1*}	1003696	1003695	20 oz aerosol	12
05086 ^{1*}	1003701	1003701	5 gal pail	1



BRÄKLEEN®

ProSeries Brake Parts Cleaner

Larger cans with increased fill weights of Brakleen® Brake Parts Cleaner. 10 more ounces in the Pro Series can. Perfect for use in the professional applications. PowerJet® Spray Nozzle on every can.

Part#	Item#	Case/Order#	Size	Units/cs
05050PS*	1008009	1003663	24 oz aerosol	12
05084PS ^{1*}	1008010	1003697	24 oz aerosol	12
05088PS ^{1*}	1008011	1003705	24 oz aerosol	12
05089PS ¹	1008012	1003709	24 oz aerosol	12



BRÄKLEEN®

Non-Chlorinated Brake Parts Cleaner

Cleans fast, dries fast, leaves no residue. Instantly removes brake fluid, grease & oil. SCAQMD Rule #1171 compliant. Contains no chlorinated solvents. **Ultra-Low VOC formula.**[∞]

Part#	Item#	Case/Order#	Size	Units/cs
05151*	1003740	1003739	20 oz aerosol	12



MASS AIR FLOW

Sensor Cleaner

Safely cleans and protects mass air flow sensors. Plastic safe, dries rapidly and leaves no residue. Increases horsepower, gain 4 to 10 horsepower after using. Reduces rough idle.

Part#	Item#	Case/Order#	Size	Units/cs
05110* [Ⓢ]	1003729	1003728	16 oz aerosol	12



Ⓢ – 360° spray valve can be sprayed in the UP or DOWN position.

∞ – As defined by Consumer Products VOC regulations.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

ENGINE DEGREASER

Citrus Formula

Powerful citrus cleaning formula. Dissolves and lifts off the toughest grease and road grime. Low VOC formula.[∞]

Part#	Item#	Case/Order#	Size	Units/cs
05027 [Ⓢ]	1003649	1003648	20 oz aerosol	12



CLEAN-R-CARB™

Carburetor Cleaner

Instantly dissolves deposits on venturries, linkages, butterflies and PCV systems. Improves fuel system performance. Harmless to catalytic converters and oxygen sensors.

Part#	Item#	Case/Order#	Size	Units/cs
05379*	1003800	1003799	16 oz aerosol	12
050811*	1003694	1003693	20 oz aerosol	12
05381*	1003802	1003801	20 oz aerosol	12



ENGINE DEGREASER

Gel Formula

Penetrates fast and removes the most stubborn baked on engine greases and road grime. Formula clings to all surfaces allowing it to penetrate deep. High visibility yellow color shows where it has been applied. When rinsed with water it emulsifies and washes away the grease. Low VOC formula.[∞]

Part#	Item#	Case/Order#	Size	Units/cs
05026	1003647	1003646	20 oz aerosol	12



LUBRICANTS

FREEZE-OFF®

Super Penetrant

Freezes and cracks rust for deep penetration and fast results. Dissolves rust, gum and corrosion. Lubricating film residue displaces water and prevents corrosion. Low VOC formula.[∞]


Part#	Item#	Case/Order#	Size	Units/cs
05002* [Ⓢ]	1003613	1003612	20 oz aerosol	12



ENGINE DEGREASER

Quickly lifts grease and grime off engines for cooler, more efficient running. Leaves no residue. Easy to use: spray on, rinse off.

Part#	Item#	Case/Order#	Size	Units/cs
05025 ¹	1003645	1003642	20 oz aerosol	12
05025CA	1003644	1003643	20 oz aerosol	12



DE-SQUEAK™

Brake Conditioning Treatment

Prevents brake noise. Contains aluminum and graphite to plate and protect metal surfaces up to temperatures of 1800°F. Prevents rust and oxidation on drums, rotors and lug nuts. For use on disc, drum and ABS systems.

Part#	Item#	Case/Order#	Size	Units/cs
05080*	1003692	1003691	20 oz aerosol	6



THROTTLE BODY & AIR-INTAKE CLEANER

Removes gum and varnish from throttle valves and throttle body for easier starting and smoother engine performance. Low VOC formula.[∞] Eliminates hesitation and rough idling.

Part#	Item#	Case/Order#	Size	Units/cs
05078* [Ⓢ]	1003688	1003687	16 oz aerosol	12



DISC BRAKE QUIET

Forms a water resistant, high temperature film that instantly absorbs noise and quiets disc brake squeaks and squeals. Easy to apply to new or previously installed pads.

Part#	Item#	Case/Order#	Size	Units/cs
05016	1003630	1003629	4 oz bottle	12
05017 ¹	1003632	1003631	12 oz aerosol	12



[Ⓢ] – 360° spray valve can be sprayed in the UP or DOWN position.

[∞] – As defined by Consumer Products VOC regulations.

¹ – Item restricted from sale in some states. See product page on CRC website for specific restrictions.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

FUEL ADDITIVES

MOTOR TREATMENT

Instantly cleans power-robbing carbon deposits, gums and varnish. Cleans and lubricates internal fuel and oil systems. Increases MPG and reduces emissions. Fuel stabilizer removes moisture from fuel and oil.

Part#	Item#	Case/Order#	Size	Units/cs
05316	1003761	1003760	16 oz non-aerosol can	12



OCTANE BOOST Lead Substitute

Increases octane by 2.5%-5.5% for maximum horsepower and torque. One bottle is sufficient to treat up to 20 gallons of fuel. Contains a smoke suppressant. Decreases NOx and carbon monoxide emission.

Part#	Item#	Case/Order#	Size	Units/cs
05077	1003686	1003685	12 oz bottle	12



FUEL INJECTOR & CARBURETOR CLEANER

Removes deposits from injectors, carburetor and intake system. Reduces engine demand for high octane fuel. Harmless to catalytic converters and oxygen sensors.

Part#	Item#	Case/Order#	Size	Units/cs
05061	1003675	1003674	12 oz bottle	12



PREMIUM FUEL INJECTOR CLEANER

Prevents rust and corrosion. Meets BMW spec #88886900307 lifetime certificate for intake valve cleanliness. Controls deposits in port fuel injectors, intake valves, and fuel lines. Keeps injectors clean.

Part#	Item#	Case/Order#	Size	Units/cs
05062	1003677	1003676	12 oz bottle	12



STOR-X™ Fuel Stabilizer

Stabilizes fuel by inhibiting formation of varnishes, peroxides and gum. Preserves gasoline and diesel fuel for up to 1 year. Treats up to 20 gallons. Does not contribute to induction system deposits. OK for Biodiesel.

Part#	Item#	Case/Order#	Size	Units/cs
402815	1006100	1006099	8 oz bottle	12



GASOLINE 1-TANK POWER RENEW® with G2P® Technology

Concentrated one-tank cleanup for your dirty fuel system. Maximum power restoration and deposit control. Helps increase MPG. Boosts power instantly.

Part#	Item#	Case/Order#	Size	Units/cs
05815	1003859	1003858	16 oz bottle	6



DIESEL FUEL ADDITIVES

DIESEL FUEL THERAPY®

Diesel Injector Cleaner Plus

Cleans injectors, conditions and stabilizes fuel and lubricates fuel system for increased engine life. Increases power and fuel economy and reduces emissions. ULSD approved. OK for Biodiesel.

Part#	Item#	Case/Order#	Size	Units/cs
05212	1003749	1003748	12 oz bottle	12
05232	1003753	1003752	1 quart bottle	12
05228	1003751	1003750	1 gal bottle	4



DIESEL FUEL THERAPY®

Diesel Injector Cleaner with Anti-Gel

Prevents diesel fuel from gelling in cold temperatures. Lowers pour point, cleans injectors and helps restore spray pattern for more efficient combustion. ULSD approved. OK for Biodiesel.

Part#	Item#	Case/Order#	Size	Units/cs
05432	1003811	1003810	1 quart bottle	12
05428	1003809	1003808	1 gal bottle	4
05455	1003812	1003812	55 gal drum	1



DIESEL DRY™

Diesel Water Remover

Dissipates water to minimize smoke and improve fuel economy. Prevents corrosion and harmful sludge sediment. ULSD approved. OK for Biodiesel.

Part#	Item#	Case/Order#	Size	Units/cs
05670	1003841	1003840	12 oz bottle	12



COLD FLOW™

Anti-Gel with Lubricity

Prevents fuel gelling and waxing. Contains lubricity additive for low sulfur fuels. Formulated for cold weather use in all diesel equipment. ULSD approved. OK for Biodiesel.

Part#	Item#	Case/Order#	Size	Units/cs
05632	1003834	1003833	1 quart bottle	12



DIESEL 1-TANK POWER RENEW®

with G2P® Technology

Concentrated diesel and emissions system cleanup. Maximum power restoration and deposit control. Helps free sticky injectors and increases MPG. Works great in biodiesel blends.

Part#	Item#	Case/Order#	Size	Units/cs
05816	1003862	1003861	16 oz bottle	6



QUICK FLOW™

Emergency Diesel-Gel Relief

Instantly works to dissolve gelled fuel and thaws frozen fuel filters. Lowers pour point by as much as 35°F. ULSD approved. OK for Biodiesel.

Part#	Item#	Case/Order#	Size	Units/cs
05911	1003870	1003869	1 quart bottle	12



WINTER PRODUCTS

DIESEL AIR BRAKE ANTI-FREEZE & CONDITIONER

Provides complete winter protection for air brake systems. Eliminates and prevents moisture accumulation and icing. Prevents damage to air brake seals. Anti-freeze and anti-rust.

Part#	Item#	Case/Order#	Size	Units/cs
05532	1003822	1003821	32 oz bottle	12
05528	1003820	1003819	1 gal bottle	4



ICE-OFF®

Windshield Spray De-Icer

Melts ice, snow and frost on contact. Harmless to car finish. Thaws frozen locks.

Part#	Item#	Case/Order#	Size	Units/cs
05346	1003777	1003776	16 oz aerosol	12



UNDERCOATING

RUBBERIZED UNDERCOATING

Provides a bubble-free, flexible shield against moisture, salt and road debris. Deadens outside road noise and will not crack or peel. Low VOC formula.[∞]

Part#	Item#	Case/Order#	Size	Units/cs
05347*	1003779	1003778	20 oz aerosol	12



JUMP START®

Starting Fluid with Lubricity

Assures fast, economical starts in extremely cold or humid climates. Upper cylinder lubricant minimizes wear during cold starts. Effective to -65°F. For diesel and gasoline engines. ULSD approved.

Part#	Item#	Case/Order#	Size	Units/cs
05671*	1003843	1003842	16 oz aerosol	12



[∞] – As defined by Consumer Products VOC regulations.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

LUBRICANTS

MARINE 6-56®

Multi-Purpose Lube

Clear, thin film lubricates and protects against wear and saltwater corrosion. Drives out moisture to help start wet engines. Loosens rusted parts. Will not harm oxygen sensors.

Part#	Item#	Case/Order#	Size	Units/cs
06005	1003877	1003876	6 oz aerosol	12
06006	1003879	1003878	12 oz aerosol	12
06007	1003881	1003880	16 oz aerosol	12
06008	1003883	1003882	1 gal bottle	4
06010	1003884	1003884	5 gal pail	1



MARINE 6-56®

Multi-Purpose Lube – Zero VOC∞

Odor-free, zero VOC∞ alternative. Drives out moisture that can cause electrical failures and hard starting. Penetrates deep through rust and corrosion to loosen frozen parts. Will not harm oxygen sensors.

Part#	Item#	Case/Order#	Size	Units/cs
06002	1003875	1003874	16 oz aerosol	12



MARINE HEAVY DUTY SILICONE LUBRICANT

Clean, odorless, highly water resistant; fights corrosion. Lubricates and protects wood, nylon, metal, canvas and leather. Eliminates squeaking and binding. Wide temperature range (-40°F to 400°F).

Part#	Item#	Case/Order#	Size	Units/cs
06077*	1003911	1003910	16 oz aerosol	12



CORROSION INHIBITORS

SALT TERMINATOR®

Engine Flush, Cleaner & Corrosion Inhibitor

Dissolves destructive salt debris that can't be removed by water alone without leaving a residue. Leaves a protective coating, guarding against future corrosion. Biodegradable formula.



Part#	Item#	Case/Order#	Size	Units/cs
SX32	1007973	1007971	32 oz bottle	7
SX32M	1007976	1007975	32 oz bottle w/mixer	6
SX128	1007968	1007966	1 gal bottle	6
SXMXR	1007980	1007979	mixer only	12

MARINE ENGINE STOR®

Fogging Oil

Protects electrical connections, outboard motors and marine engines to ensure longer life. Keeps engine components corrosion-free during seasonal storage. Preserves reels, tools, and metal surfaces subject to rust.



Part#	Item#	Case/Order#	Size	Units/cs
06068	1003904	1003903	16 oz aerosol	12
06069	1003906	1003905	1 gal bottle	4
06072*	1003908	1003907	16 oz aerosol w/hose	12

FUEL ADDITIVES

MARINE FUEL STABILIZER GASOLINE FORMULA

For all 2 and 4-cycle engines. Protects against corrosion during storage. Prevents gum and resin build-up; keeps filters and injectors clean. Non-staining.



Part#	Item#	Case/Order#	Size	Units/cs
06161	1003927	1003926	8 oz bottle	12
06162	1003929	1003928	16 oz bottle	12
06163	1003931	1003930	1 quart bottle	12
06164	1003933	1003932	1 gal bottle	4

☰ – 360° spray valve can be sprayed in the UP or DOWN position.
∞ – As defined by Consumer Products VOC regulations.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

CLEANERS

ON & OFF

Hull & Bottom Cleaner

Removes waterline stains, algae stains, rust and gas exhaust stains. Use on fiberglass only. Easy to use – brush it on, rinse it off.

Part#	Item#	Case/Order#	Size	Units/cs
MK2032	1007569	1007568	1 quart bottle	12
MK20128	1007567	1007566	1 gal bottle	4
MK20550	1007570	1007570	55 gal drum	1



ON & OFF GEL

Hull & Bottom Cleaner

Unique viscous formula that clings to the surface to break down grease, oil and scum lines and stains. Blue color for easy visualization. Easy to use – brush it on and rinse it off.

Part#	Item#	Case/Order#	Size	Units/cs
MK3532	1007600	1007599	1 quart bottle	12
MK35128	1007598	1007597	1 gal bottle	4



BIG BULLY®

Natural Orange Bilge Cleaner

Works fast to emulsify oil, grease and scum. Leaves bilge areas clean and fresh. Self-cleaning formula is activated by the rolling action of the boat.

Part#	Item#	Case/Order#	Size	Units/cs
MK2332	1007580	1007579	1 quart bottle	12
MK23128	1007578	1007577	1 gal bottle	4



ALUMINEX™

Pontoon & Aluminum Hull Cleaner

Specially formulated for cleaning hulls & bottoms of aluminum & pontoon boats. Quickly removes waterline stains, lime deposits, algae stains and oxidation.

Part#	Item#	Case/Order#	Size	Units/cs
MK3132	1007594	1007593	1 quart bottle	12
MK31128	1007592	1007591	1 gal bottle	4



CLEANING DETAIL®

Non-Skid Deck Cleaner

Cleans and brightens fiberglass, stainless steel, chrome, brass and aluminum. Use on most surfaces above the waterline. Great for non-skid decks, shower stalls and tubs.

Part#	Item#	Case/Order#	Size	Units/cs
MK2132	1007572	1007571	1 quart bottle	12



SPRAY AWAY™

All Purpose Cleaner

Cleans grease, grime, oil, rain stains, fish blood and more. Great on virtually any surface. Non-flammable.

Part#	Item#	Case/Order#	Size	Units/cs
MK2832	1007590	1007589	1 quart spray bottle	12



MILDEW STAIN REMOVER

Quickly removes even the toughest mildew and mold stains. Fine mist spray won't run, even on vertical surfaces. No scrubbing necessary. Just spray on, wipe off. Use on any vinyl or hard surface. Safe on boat covers and marine fabrics.

Part#	Item#	Case/Order#	Size	Units/cs
MK3732	1007604	1007603	1 quart spray bottle	12



SUPER SUDS™ Boat Soap

Highly concentrated synthetic detergent. Non-streaking. Leaves no residue. Cleans away dirt and grime, leaving surfaces sparkling clean. Will not strip wax. Biodegradable formula.

Part#	Item#	Case/Order#	Size	Units/cs
MK2232	1007576	1007575	1 quart bottle	12
MK22128	1007574	1007573	1 gal bottle	4



INFLATABLE BOAT CLEANER

Effectively cleans PVC, vinyl, Hypalon, EVA, Nylon, plastic, Neoprene and Polyurethane materials. Helps prevent corrosion of metal hardware. Won't fade covers. Great for cleaning skis and wakeboards.

Part#	Item#	Case/Order#	Size	Units/cs
MK3832	1007606	1007605	1 quart spray bottle	12



GREASE AWAY Engine Degreaser

Heavy duty engine degreaser. Formulated for outboards, inboards, stern drives, machinery and more. Spray on/ rinse off. Contains no petroleum solvents.

Part#	Item#	Case/Order#	Size	Units/cs
MK5232	1007618	1007617	1 quart spray bottle	12



BLACK STREAK REMOVER

Instantly removes black streaks caused by water run off on fiberglass and metal surfaces. Test on plastic surfaces.

Part#	Item#	Case/Order#	Size	Units/cs
MK6732	1007629	1007628	1 quart spray bottle	12



VINYL CARE

ULTRA VINYL CLEANER

Removes deeply embedded dirt, grease, grime and oil. Easy to use. Concentrated foam cleaner works fast. Excellent for all interior and exterior vinyl.

Part#	Item#	Case/Order#	Size	Units/cs
MK2718	1007586	1007585	20 oz aerosol	12



WAXES/POLISHES

HIGHLIGHT™ Spray Wax

Instantly gives a high-gloss hand-rubbed look. Protects against sun, salt and weathering. Waxes and polishes fiberglass, stainless steel, chrome and brass.

Part#	Item#	Case/Order#	Size	Units/cs
MK2618	1007584	1007583	20 oz aerosol	12



TREWAX® Four Seasons Boat Wax

Contains Carnauba, the world's hardest natural wax. Leaves a hard, brilliant finish with long lasting durability. Designed specially for marine finishes; use on fiberglass, painted surfaces, aluminum, chrome, stainless steel. Protects against the adverse effects of sun, salt, rain, etc.

Part#	Item#	Case/Order#	Size	Units/cs
MK66	1007627	1007626	12 oz tub	12



HEADS UP™

Liquid Holding Tank Deodorant

Works instantly to control odors. Long-lasting pleasant fragrance. Helps keep holding tanks and recirculating or portable toilets clean and breaks down waste and tissue. Non-formaldehyde formula.

Part#	Item#	Case/Order#	Size	Units/cs
MK4532	1007612	1007611	1 quart bottle	12



FABRIC WATERPROOFER

Premium grade heavy duty water repellent solution. Restores water repellency of cotton and synthetic fabrics. Contains no color or dyes. Use on boat covers, bimini tops, convertible tops, awnings, tents, clothing, footwear and more. Safe on Sunbrella® and other marine grade fabrics.

Part#	Item#	Case/Order#	Size	Units/cs
MK6332	1007622	1007621	1 quart spray bottle	12
MK63128	1007620	1007619	1 gal bottle	4



LIQUID ROLLERS®

Trailer Bunk Boards Lubricant

Makes the loading and unloading of boats easy. Dramatically reduces friction to make bunk boards as slick as rollers. Long lasting, non-greasy, non-staining formula. Repels road dirt and grime.

Part#	Item#	Case/Order#	Size	Units/cs
MK6810*	1007631	1007630	16 oz aerosol	12



POLY TANK SPRAYER

One gallon high density polyethylene tank, poly flow control with lock on control, chemical resistant viton seals, poly wand, adjustable poly cone nozzle, reinforced commercial grade hose. 42" Hose and 12" Poly Wand.

Part#	Item#	Case/Order#	Size	Units/cs
N/A	1752252	1752252	1 gallon	1



MOISTURE ABSORBER

Dries air in cabins, lockers, bathrooms, closets, basements and other enclosed areas. Super dry concentrated pellet formula absorbs up to 50% more moisture than flake formulas. Package includes protective web lid.

Part#	Item#	Case/Order#	Size	Units/cs
MK6912	1007633	1007632	12 oz tub	12



Sunbrella® is a registered trademark of Glen Raven, Inc.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

BIODEGRADABLE

A substance that is capable of being broken down into harmless products by the action of living things. The rate at which compounds may be chemically broken down by bacteria and/or natural environmental factors.

CONSUMER PRODUCTS VOC REGULATIONS

Several states have restrictions on the amount of Volatile Organic Compounds (VOC) that can be present in consumer and institutional use products. VOC limits are set by product category. There are a wide range of regulated categories including cleaners, degreasers, lubricants, adhesives, sealants and automotive cleaners.

DIELECTRIC STRENGTH

The minimum electrical gradient that a material can withstand without decomposition usually specified in volts per millimeter of thickness. Also known as the breakdown voltage.

ELONGATION PERCENT

Directly related to Tensile Strength. Elongation is the deformation that results from the application of a tensile force and is calculated as the change in length divided by the original length.

EMULSION

A mixture of water-soluble and water-insoluble groups held together by a surfactant. Emulsions are usually milky white.

EXTREMELY FLAMMABLE

As defined by the Consumer Products Safety Commission, a substance with a flashpoint at or below 20°F as determined by Tagliabue Closed Cup Tester. Or, for an aerosol, if the flame travels back to the actuator and the flashpoint is at or below 20°F.

FALEX TEST

A method for determining the extreme pressure (EP) or anti-wear properties of oils and greases. Vee blocks (with large "V-shaped notch) are placed on opposite sides of rotating steel shaft, and the apparatus is immersed in the test lubricant. Load is automatically increased until seizure occurs. Measurable wear scars are formed on the blocks.

FERROUS

Metals related to or containing iron.

FLAMMABLE

Capable of catching fire easily and burning rapidly. OSHA defines flammable liquids as having a flashpoint below 100°F.

FLASH POINT

The lowest temperature of a liquid or solid at which it gives off vapors that will ignite but not continue to burn when a small flame is periodically passed over the surface.

GALLING

Destructive wear of a metal surface characterized by large chunks of metal being removed.

KB VALUE

The Kauri Butanol (KB) value is a measure of the solvent power of a hydrocarbon liquid. Kauri gum is readily soluble in butanol but insoluble in hydrocarbons. The KB value is the measure of the volume of solvent required to produce turbidity in a standard solution containing kauri gum dissolved in butanol. The higher the KB value, the more powerful the solvent.

NLGI GRADE

National Lubricating Grease Institute. A numerical scale for classifying the consistency of a particular grease. The most common consistency number is #2. Softer grades, especially #0 and #1, are often used for improved pumpability or low-temperature service. High consistency numbers, #3 through #6 are used for certain high-speed bearings where leakage and sealing are particular concerns.

NSF REGISTRATION

National Sanitation Foundation Registration Program for Proprietary Substances and Nonfood Compounds. This program mirrors the prior USDA program. Product evaluation is based on formulation and label review. Approved products receive a Letter of Authorization and are included on the NSF White Book List of Proprietary Substances and Nonfood Compounds.

NON-FERROUS

Metals that contain no iron.

ODCs

Ozone Depleting Compounds. Substances that contribute to the deterioration of the ozone. There are two types of ODCs: Class I and Class II ozone depleters. Class I ODCs are the most harmful to the ozone. Currently listed as Class I ODCs are chlorofluorocarbons (CFCs), carbon tetrachloride,

and 1,1,1-Trichloroethane. Class II ODCs are less harmful but still pose a threat. Currently listed as Class II ODCs are HCFCs.

PH

A scale ranging from 0 to 14 used to measure acidity and alkalinity. The lower the number the more acidic; the higher the number, the more alkaline; 7 is neutral.

PSI

Pound per Square Inch. A unit of pressure equal to the pressure resulting from a force of 1 pound applied uniformly over an area of 1 square inch.

SAE

Society of Automotive Engineers.

SUBSTRATE

The surface being cleaned; the substrate may be metal, plastic, ceramic, etc.

SURFACTANT

A specialized molecule that connects water soluble and water-insoluble groups.

TENSILE STRENGTH

The strength of different metals to support different loads (masses) before going through the point at which they change from being elastic to being plastic. The tensile strength test measures the elastic and plastic properties of metal.

TIMKEN OK LOAD

The highest load than can be applied without abrasive wear to a rotating test cup containing a grease sample. The higher the OK number, the better protection a grease provides under severe service. The highest number typically given to any sample is 80.

VISCOSITY

The resistance to flow or degree of thickening fluid. Flow requires stress; liquids such as additive-free lubricating oils are known as Newtonian fluids in that shear rate is proportional to the pressure or stress applied. This proportion is the coefficient of viscosity.

VOCS



Volatile Organic Compounds. A class of chemicals that contain carbon and have the potential to form ground-level ozone (smog). Many common items including gasoline, oil-based paints and alcohols produce VOCS.

VISIT THE CRC STOPLIGHT® WEB PAGE TO LEARN MORE ABOUT OUR FOOD SAFETY PROGRAM & NSF!




Need a QR code reader? Visit your app store today!

VISIT CRC ON THE WEB TO ACCESS CURRENT VOC INFORMATION!

Need a QR code reader? Visit your app store today!

CATEGORY CODE 3H

This product is acceptable for use as a Release Agent on grills, ovens, loaf pans, boning benches, chopping boards, or other hard surfaces in contact with meat and poultry food products to prevent food from adhering during processing.

CATEGORY CODE A1

This product is acceptable for use as a general cleaning agent on all surfaces, or for use with steam or mechanical cleaning devices in all departments. Before using this compound, food products and packaging materials must be removed from the room or carefully protected. After using this compound, surfaces must be thoroughly rinsed with potable water. Permission for the use of this compound on loading docks and other similar areas is left to the discretion of the Inspector-In-Charge of the establishment.

CATEGORY CODE C1

This product is acceptable for use as a general cleaner/degreaser in inedible product processing areas, and/or exterior areas of official establishments operating under the Federal Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Programs provided that it is not used to mask odors resulting from unsanitary conditions, and that any characteristic odor or fragrance does not penetrate into an edible area. Permission for the use of this compound on loading docks and other similar areas is left to the discretion of the Inspector-In-Charge of the establishment.

CATEGORY CODE C3

The product is acceptable for use in official establishments operating under the Federal Meats and Poultry Products Inspection Program. This compound may be acceptable in areas of food processing facilities where edible products are neither processed nor stored in open containers. This category also covers paint removers and snow and ice melting products intend for use in non-processing areas.

CATEGORY CODE D2

This product is acceptable for use as a sanitizer on all surfaces not always requiring a rinse in and around food processing areas. Before using this compound, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following the use of this compound on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have a deleterious effect on edible products. A potable water rinse is required following use of this compound under conditions other than stated above. The compound must always be used according to applicable label directions.

CATEGORY CODE E4

The product is acceptable for use as a hand cream, lotion or cleaner in non-processing areas. The use of such products is limited to toilets, dressing rooms and other non-processing areas. Employees who handle edible products may use such compounds only when leaving the plant.

CATEGORY CODE H1

This product is acceptable as a lubricant with incidental food contact for use in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is potential exposure of lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance, which could be transferred to food being processed. The final granting of authorization for the proposed use of such compound is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE H2

This product is acceptable as a lubricant where there is no possibility of food contact in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Such compounds may be used as lubricants, release agents, or anti-rust films on equipment and machine parts or in closed systems (ex. Hydraulic systems) in locations where there is no possibility of the lubricant or lubricated part contacting edible products. The final granting of authorization for the proposed use of such compound is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K1

This product is chemically acceptable as a solvent cleaner for use in non-processing areas of official establishments operating under the Federal Meat and Poultry Products Inspection Program. After using the product, equipment and utensils must be thoroughly washed with an acceptable detergent solution and rinsed with potable water to remove all traces of the cleaner before being returned to the processing area. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K2

This product is chemically acceptable as a solvent for cleaning electronic instruments and devices which will not tolerate aqueous cleaning solutions in official establishments operating under the Federal Meat and Poultry Products Inspection Program. Before using this compound, food products and packaging materials must be removed from the area or carefully protected. This compound must be used in a manner so that all odors associated with the compound are dissipated before food products or packaging material are re-exposed in the area. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE K3

This product is acceptable for use as an adhesive or glue remover, for removing adhesive or glue from food packaging materials in and around food processing areas, where its use is not intended for direct food contact. Before using this compound, food products and packaging materials must be removed from the area or carefully protected. After using these compounds, all surfaces must be thoroughly washed with an acceptable detergent solution, and rinsed with potable water. This compound must be used in a manner so that all odors associated with the compound are dissipated before food products or packaging materials are re-exposed in the area.

CATEGORY CODE P1


This product is chemically acceptable for use in official establishments operating under the Federal Meat and Poultry Products Inspection Program. This compound must be used in a manner which prevents direct or indirect contamination of edible products or potable water. The final granting of authorization for the proposed use of such compounds is the responsibility of the Inspector-In-Charge of the official plant.

CATEGORY CODE M1

This product is acceptable for use as a mold release agent on molds that are used to produce packaging materials that will contact food to prevent the finished product from adhering to the mold. The amount used on the equipment should be the minimum required to accomplish the effect.

CATEGORY CODE R2

This product is acceptable for use as a coating where there is no possibility of food contact such as floors, walls, and ceilings. The coating must be applied in a manner which prevents direct or indirect contamination of edible products. Before the food product may be placed in the area where the material is being used, the area should be sufficiently free of odor to prevent product contamination. As a safety precaution, smooth coatings should not be applied to walking or standing surfaces in processing area.

 NSF logo is a registered trademark of NSF international

Customer Care: (800) 272-4620 • Technical Assistance: (800) 521-3168 **More product information a click away at crcindustries.com**

O – 9

- 1st Zinc® Cold Galvanizing Primer . . .27, 28
- 1 TANK POWER RENEW® Diesel57
- 1 TANK POWER RENEW® Gasoline56
- 2-26® Multi-Purpose Precision Lubricant36
- 3-36® Multi-Purpose Lubricant18, 19

A

- Aerosol Leak Detector40
- Air Tool Oil42
- Aluminex™ Pontoon & Aluminum Hull Cleaner59
- Anti-Seize & Lubricating Compound, Copper24, 25
- Anti-Seize & Lubricating Compound, Food Grade24, 25
- Anti-Seize & Lubricating Compound, Nickel24, 25
- Aviation Degreaser53
- Aviation Quick Dry Precision Cleaner53
- Aviation T-Force® Degreaser53
- Aviation 3-36®53
- Aviation XT-2000™ Precision Cleaner53

B

- Bar & Chain Lubricant42
- Battery Cleaner9, 10
- Battery Terminal Protector26, 28
- Bee Blast® Wasp & Hornet Killer50
- Big Bully® Bilge Cleaner59
- Black Streak Remover60
- Bräkleen® Brake Parts Cleaner54
- Bräkleen® Brake Parts Cleaner 50 State Formula54
- Bräkleen® Brake Parts Cleaner Non-Chlorinated54
- Bräkleen® Brake Parts Cleaner SCAQMD #1171 Compliant54
- Bräkleen® Pro Series54
- Brite Zinc®27, 28

C

- Cable Clean® Degreaser35
- Cable Clean® HF™35
- Cable Clean® High Voltage Splice Cleaner35
- Cable Clean® RD™35
- Carb & Choke Cleaner9, 10
- CE™ Precision Cleaner4, 6, 32
- Chain & Wire Rope Lubricant22, 25
- Chlor-Free® Degreaser8, 10
- Chute Lube® Silicone Lubricant22, 25

- Citrus Degreaser8, 10, 33, 34
- Clean-R-Carb™ Carburetor Cleaner55
- Cleaner with Bleach13, 14
- Cleaning Detail® Non-Skid Deck Cleaner59
- CO® Contact Cleaner31, 32
- Coil Cleaner9, 10
- Cold Flow™ Anti-Gel w/Lubricity57
- Compressor Oil SAE 3042
- Constant Velocity (C.V.) Joint Grease44, 47
- Contact Cleaner4, 6
- Contact Cleaner & Protectant5, 6
- Contact Cleaner 2000® (Electrical)31, 32
- Contact Cleaner 2000® (Industrial)4, 6
- Contact Cleaner 2000® VC31, 32
- Cutting Oil37, 38

D

- De-Squeak™ Brake Treatment55
- Dielectric Grease23, 25, 36
- Diesel Air Brake Anti-Freeze & Conditioner57
- Diesel Dry™ Diesel Water Remover57
- Diesel Fuel Therapy® Diesel Injector Cleaner Plus56
- Diesel Fuel Therapy® Plus w/Anti-Gel56
- Disc Brake Quiet55
- Driller Red Grease45, 47
- Dry Graphite Lube23, 25
- Dry Moly Lube22, 25
- Dry PTFE Lube19
- Duster™ Aerosol Dust Removal System5, 6, 32
- Duster™ Moisture-Free Dust & Lint Remover5, 6

E

- Electrical Silicone Lubricant36
- Electrical Parts Cleaner33, 34
- Electronic Component Cleaner (Electrical)31, 32
- Electronic Component Cleaner (Industrial)4, 6
- Empty Trigger Bottle52
- Engine Degreaser55
- Engine Degreaser, Citrus Formula55
- Engine Degreaser, Gel Formula55
- Extreme Duty Food Grade Grease46, 47
- Extreme Duty Open Gear & Chain Lube22, 25
- Extreme Duty Silicone22, 25
- Extreme Pressure Engine Assembly Lube44, 47

F

- Fabric Waterproofer61
- Fast Dry Degreaser33, 34
- Fire Ant Killer50
- Fluid Oil Pump52
- Foam Minimal Expansion39, 41
- Foaming Coil Cleaner9, 10
- Food Grade Air Tool Oil21, 42
- Food Grade Belt Dressing20, 21
- Food Grade Chain Lube20, 21
- Food Grade Contact Cleaner5, 6
- Food Grade Dielectric Grease21
- Food Grade Machine Oil20, 21
- Food Grade Penetrating Oil20, 21
- Food Grade Silicone20, 21
- Food Grade White Grease20, 21
- Food Zone Silicone Sealant – Aluminum39, 41
- Food Zone Silicone Sealant – Clear39, 41
- Food Zone Silicone Sealant – Gray39, 41
- Food Zone Silicone Sealant – White39, 41
- FR Clothing Insect Repellent50
- Freeze-OFF® Super Penetrant55
- Freeze Spray5, 6
- Fuel Injector & Carburetor Cleaner56

G

- Gasket Remover9, 10
- GL-4 Multi-Purpose Gear Oil SAE 85W9042, 43
- GL-4 Multi-Purpose Gear Oil SAE 14042, 43
- GL-5 PLUS New Generation™ HD Limited Slip Gear Oil SAE 75W9043
- GL-5 PLUS New Generation™ Limited Slip Gear Oil SAE 80W9043
- GL-5 PLUS New Generation™ HD Limited Slip Gear Oil SAE 85W14043
- Graffiti Remover9, 10
- Grease Away Engine Degreaser60
- Grease Gun Flex Hose52
- Green Force® Water-Based Degreaser12, 14

H

- Hand Cleaner, Cherry40
- Hand Cleaner, Lanolin Pumice40
- Hand Cleaner, Mechanix Orange™40
- Hand Cleaner Towels40
- Heads Up™ Liquid Holding Tank Deodorant61

- Heavy Duty Clear Penetrating Grease22, 25
- Heavy Duty Degreaser7, 10
- Heavy Duty Degreaser II8, 10
- Heavy Duty Drum Brake Wheel Bearing Grease46, 47
- Heavy Duty Lever Grease Gun52
- HFT™ Contact Cleaner (Industrial)5, 6
- Highlight™ Spray Wax60
- Hi-Temp Disc Brake Wheel Bearing Grease46, 47
- Honing & Cutting Oil37, 38
- HV Switchgear Lubricant36
- Hydraulic & Jack Oil42
- HydroForce® All Purpose Degreaser11, 14
- HydroForce® Butyl-Free Cleaner11, 14
- HydroForce® Foaming Citrus All Purpose Cleaner12, 14
- HydroForce® Foaming Degreaser12, 14
- HydroForce® Germicidal Foam Cleaner12, 14
- HydroForce® Glass Cleaner Professional Strength11, 14
- HydroForce® Industrial Strength Degreaser11, 14
- HydroForce® Stainless Steel Cleaner & Polish12, 14
- HydroForce® Super Citrus™ Heavy Duty Degreaser12, 14
- HydroForce® Zero VOC General Purpose Cleaner11, 14

I

- Ice-Off® Windshield Spray De-Icer57
- Industrial Adhesive Remover9, 10
- Industrial Silicone18, 19
- Inflatable Boat Cleaner60
- Inner Slide Lube23, 25
- Insect Repellent50
- Insta-Solv® Degreaser9, 10
- Isopropyl Alcohol Precision Cleaner5, 6

J

- Jump Start® Starting Fluid /Lubricity57

K

- Knock'er Loose® Penetrating Solvent18, 19
- Knock'er Loose® Plus18, 19

L		N		Q		
Layout Fluid, Blue	37, 38	Natural Degreaser™ Citrus Based Degreaser	8, 10, 33, 34	QD® Contact Cleaner (Electrical)	31, 32	Sure Shot® Reusable Sprayer
Layout Fluid Remover	37, 38	New Generation™ Wheel Bearing Grease	45, 47	QD® Contact Cleaner (Industrial)	4, 6	Syn-Go® (OEM Grade) Synthetic Gear Oil SAE 75W140
Lectra Clean® Heavy Duty Electrical Parts Degreaser	33, 34	Nozzle-Dip HD®	29	Quick Clean™ Safety Solvent & Degreaser	7, 10	Syntha-Tech™ Lubricant with PTFE
Lectra Clean® II Non-Chlorinated Heavy Duty Degreaser	33, 34	Nozzle-Kleen #2®	29	Quick Flow™ Emergency Diesel-Gel Relief	57	Synthetic Brake & Caliper Grease
Lectra Force™	33, 34	Nozzle-Kleen HD®	29			Synthetic Food Grade Grease
Lectra Lube™	45, 47	Nozzle-Kleen® 107A	29	R		T
Lectra Shield™ Long Term Corrosion Inhibitor	36	Nozzle-Kleen® Tools	29	Red Grease	23, 25	T-Force® Degreaser
Liquid Rollers® Trailer Bunk Boards Lubricant	61	NT™ Precision Cleaner (Electrical)	31, 32	Roll-Up Door Lubricant	19	T-Force® Next Generation Degreaser
Lithium General Purpose Grease	44, 47	NT™ Precision Cleaner (Industrial)	4, 6	RTV Silicone Sealant – Black	39, 41	Tac 2® Adhesive Chain Lubricant
Lock Lube and De-Icer	24, 25			RTV Silicone Sealant – Blue	39, 41	Technical Grade 3-36®
Long Lasting Insect Repellent	50	O		RTV Silicone Sealant – Clear	39, 41	Thread Lubricant
Lube-Matic® Lube Pads	30	Octane Boost Lead Substitute	56	RTV Silicone Sealant – Red	39, 41	Throttle Body Air Intake Cleaner
Lube-Matic® Wire Kleener & Lubricant	30	Odor Neutralizer	17	RTV Silicone Sealant – White	39, 41	Trewax® Four Season Boat Wax
		Oilfield Dry Moly Lube	23, 25	Rubberized Spray Undercoating	57	TrueTap® Aqua Cutting Fluid
		On & Off Hull & Bottom Cleaner	59	Rust Converter	27, 28	TrueTap® Foamy Cutting Fluid
M		Ozzy Booster®	17	S		TrueTap® HD Cutting Fluid
Marine Engine Stor® Fogging Fluid	58	OzzyJuice® SW-3 Truck Grade Degreasing Solution	17	Salt Terminator®	58	TrueTap® Wax Stick Lubricant
Marine Fuel Treatment & Stabilizer	58	OzzyJuice® SW-4 Heavy Duty Degreasing Solution	17	Screwloose® Super Penetrant	18, 19	
Marine Grease for Boat Trailer Wheel Bearings	46, 47	OzzyJuice® SW-7 Parts/Brake Cleaning Solution	17	Seal Coat® Urethane Coating	27, 28	U
Marine Heavy Duty Silicone Lubricant	58	OzzyJuice® SW-8 Aircraft & Weapons Degreasing Solution	17	Silaramic® Brake System Grease	44, 47	Ultra-Lite 3-36®
Marine 6-56® Multi-Purpose Lubricant	58	OzzyJuice® SW-X1 HP Degreasing Solution	17	SmartWasher® BenchTopPro®	16	Ultra Vinyl Cleaner
Marine 6-56® Zero VOC	58	OzzyMat® Multi-Layer	17	SmartWasher® Covers	16	Universal 2-Cycle Oil
Mass Air Flow Sensor Cleaner	54			SmartWasher® Mobile Heavyweight Parts Washer	16	
Mech Force™ Industrial Degreaser	8, 10	P		SmartWasher® Mobile Parts/ Brake Washer	16	V
Mildew Stain Remover	59	Paints – All Purpose Enamel Spray Paint	51	SmartWasher® Mobile Parts/ Brake Washer	16	Visclear® Display & Electronic Screen Cleaner
Minute Mend™ Epoxy Putty	40, 41	Paints – Rust Proof Enamel Spray Paint & Primer	51	SmartWasher® Signature Parts Washer	16	
Moisture Absorber	61	Paints – Upside Down Marking	52	SmartWasher® SuperSink Parts Washer	16	W
Mold Cleaner, Heavy Duty	48, 49	Parcel Glide® Silicone Lubricant	22, 25	SmartWasher® SuperSink XE Parts Washer	16	Wasp & Hornet Killer Plus™ Insecticide
Mold Release, Boron Nitride	48, 49	Perma-Mend™	40, 41	Smoke Test® Smoke Detector Tester	40	Water Based Silicone
Mold Release, Food Grade Silicone	48, 49	Permatherm™ Synthetic Grease	45, 47	Soluble Oil	37, 38	Weld-Kleen HD®
Mold Release, Food Grade WO	48, 49			SP-250™ Corrosion Inhibitor	26, 28	Weld-Kleen 350®
Mold Release, General Purpose Silicone	48, 49			SP-350™ Corrosion Inhibitor	26, 28	Weld-Kleen 350® AP
Mold Release, Heavy Duty Silicone	48, 49			SP-400™ Corrosion Inhibitor	26, 28	Welder's Anti-Spatter Spray
Mold Release, Lecithin	48, 49			Spray Adhesive	39, 41	White Lithium Grease
Moly-Graph® Extreme Pressure Multi-Purpose Grease	44, 47			Spray Away™ All Purpose Cleaner	59	
Motor Treatment	56			Sta-Plex™ Premium Red Grease Extreme Pressure	45, 47	X, Y
Multi-Purpose Food Grade Grease	46, 47			Stor & Lube® Corrosion Inhibitor	36	XT-2000™ Precision Cleaner (Electrical)
Multi-Surface Disinfectant Cleaner	13, 14			Stor-X® Fuel Stabilizer	56	XT-2000™ Precision Cleaner (Industrial)
				Super Degreaser™	7, 10	
				Super Degreaser™ Plus	7, 10	Z
				Super Soy™ Degreaser	8, 10	Zinc-It® Bright Instant Cold Galvanize
				Super Suds™ Boat Soap	60	Zinc-It® Instant Cold Galvanize
				Super White™ Multi-Purpose Grease	44, 47	

CRC OFFERS CHEMICAL MANAGEMENT SOLUTIONS THROUGH OUR PROGRAMS.

RISK REDUCTION MOBILE™ (R2M™)


A program that will help save money, eliminate redundant inventory and reduce the risks associated with the procurement, use, storage and disposal of maintenance chemicals. CRC will perform a remote chemical assessment of your maintenance chemical inventory.

The program works in 3 easy steps:

1. Provide information on how you procure and manage the chemicals utilized in the maintenance department. (Typically, these chemicals are stored in yellow flammable cabinets.)
2. Email pictures or a list of products to your distributor partner. (If taking photos, please photograph 1 to 4 products per picture.)
3. CRC and your distributor partner does the rest!

CRC and your distributor partner will provide:


- A complete survey of the existing inventory with recommended CRC products.
- A “Value Document” highlighting SKU reductions, vendor consolidation and CRC’s patented S.D.[L.]® Safety Data Label.
- Product samples (as requested) and follow up to answer any questions or concerns.
- Product recommendations based on identified needs.



VALUE DOCUMENT



SURVEY





RISK REDUCTION PARTNERSHIP PLAN® (R2P2®)

CRC is committed to providing our customers with value-added services has prompted the creation of the Risk Reduction Partnership Plan®. Much more than just a chemical use guide, this plan is a presentation piece that highlights CRC value-added services. CRC, together with distribution, works with our key end-users to improve the overall management of their MRO chemicals and provide them with documented cost savings.

STOPLIGHT® FOOD SAFETY PROGRAM

Developed in response to a growing need within the industry to minimize the risk of food contamination from maintenance chemicals across all food processing areas, the StopLight® Food Safety Program helps to insure proper product usage, minimum risk and cost, and helps you meet the FSMA (Food Safety Modernization Act).



WATER RESTORATION

Plan ahead for recovery of water damaged electrical and electronic equipment with the CRC step-by-step Water Restoration Guide. CRC precision cleaners, degreasers and lubricants, together with our proven restoration procedure, significantly reduce damage and can lead to complete recovery of flooded equipment.

SAFETY SHORTS – TRAINING

CRC will conduct Safety Shorts Training for groups of any size in your facility. Our training presentations cover a variety of topics including Chemical Handling, Fire Safety, General Aerosol & Chemical Safety, Hazardous Waste, Personal Protective Equipment, Safety Data Sheets and Ventilation. Each presentation is 20-30 minutes in length and attendees receive a certificate upon completion. A sign-in sheet records who attended training which is required by many companies to satisfy training objectives.





800 Enterprise Road, Suite 101 | Horsham, PA 19044
Customer Care: 800-272-4620 | Fax: 800-272-4560 | customer-care-us@crcind.com
Technical Assistance: 800-521-3168 | techservice@crcind.com



CRC®, K&W®, Sta-Lube®, Marykate®, Weld Aid® and SmartWasher® and all products denoted with ® and ™ are trademarks of CRC Industries, Inc.

©2021 CRC Industries, Inc. Printed in USA

1752614